

Feedback — Quiz 1

Help

You submitted this quiz on **Tue 23 Sep 2014 8:12 AM CDT**. You got a score of **100.00** out of **100.00**.

Question 1

An `if` statement can have how many `elif` parts?

Your Answer	Score	Explanation
<input type="radio"/> 1		
<input checked="" type="radio"/> Unlimited, i.e., 0 or more	✓ 10.00	Correct.
<input type="radio"/> 0		
Total	10.00 / 10.00	

Question 2

Consider the Boolean expression `not (p or not q)`. Give the four following values in order, separated only by spaces:

- the value of the expression when `p` is `True`, and `q` is `True`,
- the value of the expression when `p` is `True`, and `q` is `False`,
- the value of the expression when `p` is `False`, and `q` is `True`,
- the value of the expression when `p` is `False`, and `q` is `False`,

Remember, each of the four results you provide should be `True` or `False` with the proper capitalization.

You entered:

False False True False

Your Answer	Score	Explanation
-------------	-------	-------------

False	✓	2.50
False	✓	2.50
True	✓	2.50
False	✓	2.50
Total	10.00 / 10.00	

Question 3

Given a non-negative integer `n`, which of the following expressions computes the ten's digit of `n`? For example, if `n` is 123, then we want the expression to evaluate to 2.

Think about each expression mathematically, but also try each in [CodeSkulptor](#).

Your Answer	Score	Explanation
<input checked="" type="checkbox"/> <code>(n % 100 - n % 10) / 10</code>	✓ 4.00	This expression computes the ten's digit correctly.
<input type="checkbox"/> <code>(n % 10) / 10</code>	✓ 2.00	This expression does not compute the ten's digit correctly. Remember, try the expression in CodeSkulptor.
<input checked="" type="checkbox"/> <code>(n // 10) % 10</code>	✓ 4.00	This expression computes the ten's digit correctly.
Total	10.00 / 10.00	

Question 4

The function calls `random.randint(0, 10)` and `random.randrange(0, 10)` generate random numbers in different ranges. What number can be generated by one of these functions, but not the other? (Refer to the [CodeSkulptor documentation](#).)

By the way, we (and most Python programmers) always prefer to use `random.randrange()` since it handles numerical ranges in a way that is more consistent with the rest of Python.

You entered:

10

Your Answer		Score	Explanation
10	✓	10.00	
Total		10.00 / 10.00	

Question 5

Implement the mathematical function $f(x) = -5x^5 + 69x^2 - 47$ as a Python function. Then use Python to compute the function values $f(0)$, $f(1)$, $f(2)$, and $f(3)$. Enter the maximum of these four numbers.

You entered:

69

Your Answer		Score	Explanation
69	✓	10.00	
Total		10.00 / 10.00	

Question 6

When investing money, an important concept to know is *compound interest*. The equation $FV = PV(1+rate)^{periods}$ relates the following four quantities.

- The *present value (PV)* of your money is how much money you have now.
- The *future value (FV)* of your money is how much money you will have in the future.
- The *nominal interest rate per period (rate)* is how much interest you earn during a particular length of time, **before** accounting for compounding. This is typically expressed as a percentage.
- The *number of periods (periods)* is how many periods in the future this calculation is for.

Finish the following code, run it, and submit the printed number. Provide at least four digits of precision after the decimal point.

```
def future_value(present_value, annual_rate, periods_per_year, years):
```

```
rate_per_period = annual_rate / periods_per_year
periods = periods_per_year * years
```

Put your code here.

```
print "$1000 at 2% compounded daily for 3 years yields $", future_value(1000, .02, 365, 3)
```

Before submitting your answer, test your function on the following example.

`future_value(500, .04, 10, 10)` should return 745.317442824.

You entered:

1061.83480113

Your Answer		Score	Explanation
1061.83480113	✓	10.00	Correct.
Total		10.00 / 10.00	

Question 7

There are several ways to calculate the area of a regular polygon. Given the number of sides, n , and the length of each side, s , the polygon's area is

$$\frac{1}{4} n s^2 / \tan(\pi/n).$$

For example, a regular polygon with 5 sides, each of length 7 inches, has area 84.3033926289 square inches.

Write a function that calculates the area of a regular polygon, given the number of sides and length of each side. Submit the area of a regular polygon with 7 sides each of length 3 inches. Enter a number (and not the units) with at least four digits of precision after the decimal point.

Note that the use of inches as the unit of measurement in these examples is arbitrary. Python only keeps track of the numerical values, not the units.

You entered:

32.705211996

Your Answer		Score	Explanation
32.705211996	✓	10.00	Correct.
Total		10.00 / 10.00	

Question 8

Running the following program results in the error `SyntaxError: bad input on line 8 ('return')`. Which of the following describes the problem?

```
def max_of_2(a, b):  
    if a > b:  
        return a  
    else:  
        return b  
  
def max_of_3(a, b, c):  
return max_of_2(a, max_of_2(b, c))
```

Your Answer	Score	Explanation
<input type="radio"/> Wrong number of arguments in function call		
<input type="radio"/> Extra parenthesis		
<input type="radio"/> Misspelled variable name		
<input type="radio"/> Misspelled keyword		
<input type="radio"/> Missing colon		
<input type="radio"/> Missing parenthesis		
<input checked="" type="radio"/> Incorrect indentation	✓ 10.00	Correct. The body of the function definition for <code>max_of_3()</code> should be indented, but it is not.
<input type="radio"/> Misspelled function name		
Total	10.00 / 10.00	

Question 9

The following code has a number of syntactic errors in it. The intended math calculations are correct, so the only errors are syntactic. Fix the syntactic errors.

Once the code has been fully corrected, it should print out two numbers. The first should be 1.09888451159. Submit the **second** number printed in [CodeSkulptor](#). Provide at least four digits of precision after the decimal point.

```
define project_to_distance(point_x point_y distance):  
    dist_to_origin = math.square_root(pointx ** 2 + pointy ** 2)  
    scale == distance / dist_to_origin  
    print point_x * scale, point_y * scale  
  
project-to-distance(2, 7, 4)
```

You entered:

Your Answer		Score	Explanation
3.84609579056	✓	20.00	Correct.
Total		20.00 / 20.00	