Quiz Feedback | Coursera 11/07/2014 16:47

The "Data Science" Specialization

Learn More

X

Feedback - Week 3 Quiz

Help

You submitted this quiz on **Fri 11 Jul 2014 1:38 PM CEST**. You got a score of **5.00** out of **5.00**.

Question 1

Take a look at the 'iris' dataset that comes with R. The data can be loaded with the code:

library(datasets)
data(iris)

A description of the dataset can be found by running

?iris

There will be an object called 'iris' in your workspace. In this dataset, what is the mean of 'Sepal.Length' for the species *virginica*? (Please only enter the numeric result and nothing else.)

You entered:

6.588

Your Answer		Score	Explanation
6.588	~	1.00	To get the answer here, you can use 'tapply' to calculate the mean of 'Sepal.Length' within each species.
Total		1.00 / 1.00	

Question 2

Quiz Feedback | Coursera 11/07/2014 16:47

Continuing with the 'iris' dataset from the previous Question, what R code returns a vector of the means of the variables 'Sepal.Length', 'Sepal.Width', 'Petal.Length', and 'Petal.Width'?

Question 3

Load the 'mtcars' dataset in R with the following code

library(datasets)
data(mtcars)

There will be an object names 'mtcars' in your workspace. You can find some information about the dataset by running

?mtcars

How can one calculate the average miles per gallon (mpg) by number of cylinders in the car (cyl)?

Your Answer		Score	Explanation
mean(mtcars\$mpg, mtcars\$cyl)			
O lapply(mtcars, mean)			
osplit(mtcars, mtcars\$cyl)			
tapply(mtcars\$mpg, mtcars\$cyl, mean)	~	1.00	
Total		1.00 / 1.00	

Quiz Feedback | Coursera 11/07/2014 16:47

Question 4

Continuing with the 'mtcars' dataset from the previous Question, what is the absolute difference between the average horsepower of 4-cylinder cars and the average horsepower of 8-cylinder cars?

You entered:

126.5779

Your Answer		Score	Explanation
126.5779	~	1.00	
Total		1.00 / 1.00	

Question 5

If you run

debug(ls)

what happens when you next call the 'Is' function?

Your Answer

☐ The 'Is' function will return an error.

☐ Execution of 'Is' will suspend at the beginning of the function and you will be in the browser.

☐ You will be prompted to specify at which line of the function you would like to suspend execution and enter the browser.

☐ The 'Is' function will execute as usual.

Total

1.00 /
1.00

Quiz Feedback Coursera					11/07/2014 16:47		