

Feedback — Quiz 3a

[Help](#)

Thank you. Your submission for this quiz was received.

You submitted this quiz on **Tue 7 Oct 2014 10:43 AM WEST**. You got a score of **100.00** out of **100.00**.

Question 1

What Python operator takes two strings (e.g., "sun" and "rise") and forms the combination of these two strings, one followed by the other (e.g., "sunrise")?

Your Answer	Score	Explanation
<input type="radio"/> concat		
<input checked="" type="radio"/> +	✓ 10.00	
<input type="radio"/> *		
<input type="radio"/> append		
<input type="radio"/> concatenate		
Total	10.00 / 10.00	

Question 2

What does the draw handler parameter represent?

If you've forgotten, refer to the [documentation](#).

Your Answer	Score	Explanation
<input type="radio"/> The frame		
<input type="radio"/> The object to be drawn		
<input type="radio"/> Nothing — it doesn't have a parameter		

☒ The canvas ✓ 10.00

☐ The location of the object to be drawn

Total 10.00 / 10.00

Question 3

What happens if you draw text outside the canvas coordinates?

Try it in [CodeSkulptor](#).

Your Answer	Score	Explanation
<input type="radio"/> Causes an error		
<input type="radio"/> The text appears in the frame, but some or all of the text is shown outside the canvas area.		
<input type="radio"/> The text coordinates are implicitly “wrapped” around using modular arithmetic, so that the text appears on the canvas		
<input checked="" type="radio"/> Some or none of the text is shown. Conceptually, the text is drawn at whatever coordinates are given, but only whatever text fits within the canvas coordinates is shown.	✓ 10.00	
Total	10.00 / 10.00	

Question 4

Assume we have a canvas that is 200 pixels wide and 300 pixels high. We want to draw a green line between the upper left corner and the lower right corner. Which of the following calls will accomplish this?

Try the code in [CodeSkulptor](#).

Your Answer	Score	Explanation
<input type="checkbox"/> <code>canvas.draw_line((0, 0), (300, 200), 10, "Green")</code>	✓ 1.00	
<input type="checkbox"/> <code>canvas.draw_line((200, 0), (0, 300), 10,</code>	✓ 1.00	

"Green")

☒ canvas.draw_line((200, 300), (0, 0), 10, "Green")

✓ 8.00

Total

10.00 /
10.00

Question 5

Consider the following function definition.

```
def date(month, day):  
    """  
    Given numbers month and day, returns a string of the form '2/12',  
    with the month followed by the day.  
    """  
    return month + "/" + day  
  
print date(2, 12)
```

This definition leads to an error. To fix it, what Python expression should replace the question marks below?

```
def date(month, day):  
    """  
    Given numbers month and day, returns a string of the form '2/12',  
    with the month followed by the day.  
    """  
    return ???  
  
print date(2, 12)
```

Your Answer	Score	Explanation
-------------	-------	-------------

☐ string(month) + "/" + string(day)

☐ string(month / day)

☐ str(month + "/" + day)

☒ str(month) + "/" + str(day)

✓ 10.00

☐ str(month / day)

☐ string(month + "/" + day)

Total

10.00 / 10.00

Question 6

Assume we have a variable `word` that contains a string, such as `"Mississippi"` or `"indivisible"`. We would like to determine how many `"i"`'s are in the string `word`. What code should replace the question marks in the following function definition?

```
def number_of_i(word):  
    """Returns the number of lower-case i's in the word."""  
    return ???
```

There is a built-in function or method that will do this. Look in the CodeSkulptor [documentation](#) for the appropriate one.

Your Answer	Score	Explanation
<input type="radio"/> <code>count("i", word)</code>		
<input type="radio"/> <code>count(word, "i")</code>		
<input type="radio"/> <code>"i".count(word)</code>		
<input checked="" type="radio"/> <code>word.count("i")</code>	✓ 10.00	Correct.
Total	10.00 / 10.00	

Question 7

Where should your `draw_text`, `draw_line`, and similar drawing calls be?

Your Answer	Score	Explanation
<input type="radio"/> In the handlers for the control objects that create or change the drawing, or their helper functions		
<input type="radio"/> Anywhere in your code		
<input checked="" type="radio"/> In a draw handler, or a helper function called from it	✓ 10.00	
Total	10.00 /	

Question 8

Which of the following function calls are valid, i.e., don't lead to an error?

Read the [documentation](#) for these functions, and also try the code in CodeSkulptor.

Your Answer	Score	Explanation
<input type="checkbox"/> <code>int("5.4")</code>	✓ 1.00	
<input checked="" type="checkbox"/> <code>int("5")</code>	✓ 4.00	
<input type="checkbox"/> <code>float("5 five")</code>	✓ 1.00	
<input checked="" type="checkbox"/> <code>float("5.4")</code>	✓ 4.00	
Total	10.00 / 10.00	

Question 9

Turn the following description into a CodeSkulptor program, and run it.

1. Create a 300-by-300 canvas.
2. Draw two circles with radius 20 and white lines of width 10. One is centered at (90,200) and one at (210,200).
3. Draw a red line of width 40 from (50,180) to (250,180).
4. Draw two red lines of width 5 from (55,170) to (90,120) and from (90,120) to (130,120).
5. Draw a red line of width 140 from (180,108) to (180,160).

The resulting picture is a simple diagram of what?


Your Answer	Score	Explanation
<input checked="" type="radio"/> An automobile	✓ 10.00	
<input type="radio"/> A computer		
<input type="radio"/> A person		
<input type="radio"/> A motorcycle		
<input type="radio"/> A house		

Total

10.00 / 10.00

Question 10

The following is a diagram of an archery target.



To draw this in CodeSkulptor, we can put a small yellow circle with a black border on top of a slightly bigger yellow circle with a black border, ... on top of a big white circle with a black border. In what order should your code draw these circles?

Your Answer	Score	Explanation
<input type="radio"/> Smallest first		
<input checked="" type="radio"/> Largest first	✓ 10.00	Correct. Whatever you draw last appears to be on top.
Total	10.00 / 10.00	