

# 客户端连接 oracle

#### 步骤1

找到"03oracle 资源"中的 instantclient\_12\_1



### 拷贝至你的 D 盘。

次件 (D:) ▶			
工具(T) 帮助(H)			
3含到库中 ▼ 共享 ▼ 新建文件共	ŧ		
名称	修改日期	类型	大小
📗 360Downloads	2016/3/24 17:55	文件夹	
🥼 Drivers 不要有中文和空格	的路径下 2016/3/3 21:49	文件夹	
〗 eclipse ,路径不要太长	2016/4/20 18:34	文件夹	
instantclient_12_1	2016/4/28 23:44	文件夹	
The second secon	2017/4/10 22 20	<u>→</u> /d.→	

## 步骤 2

进入 DOS 命令符,进入 D:\instantclient\_12\_1 目录,

```
TETED: C:\Windows\system32\cmd.exe

C: \Users \Administrator > cd D: \instantclient_12_1

C: \Users \Administrator > D:

D: \instantclient_12_1 >
```

# 输入命令

sqlplus system/密码@远程 IP:1521/orcl



## system 是安装 oracle 的系统用户,密码是你安装时输入的密码

蘆 管理员: C:\Windows\system32\cmd.exe - sqlplus system/orcl@192.168.56.10:1521/orcl

D:\instantclient\_12\_1)sqlplus system/orcl@192.168.56.10:1521/orcl

SQL\*Plus: Release 12.1.0.1.0 Production on Fri May 6 00:57:39 2016

Copyright (c) 1982, 2013, Oracle. All rights reserved.

Connected to:

Oracle Database 10g Enterprise Edition Release 10.2.0.1.0 — Production With the Partitioning, OLAP and Data Mining options

SQL>

quit 退出

注意: 当你无法连接成功时,一定要先检查网络连接。