

Miss farhana wazeer here is your Meal plan according to your need

Weekdays	before breakfast drink	breakfast	snacks	lunch	dinner
Monday	warm water with lemon	1 cup oats with half tbsp chia seeds, 2-3 almonds and sprinkle of cinnamon 1 boiled egg	channachaat 1 bowl (boiled chickpeas with cucumber, tomatoes, lemon, onion, and pinch of chaat masala)	1 bowl grilled chicken salad with mixed greens (lettuce, spinach), tomatoes, cucumber, and olive oil dressing. 1 small hand size whole wheat roti.	1 bowl Lentil soup (moon g daal or masoor daal) with steamed vegetables (carrots, beans, and broccoli). 1 small whole wheat chapati.
Tuesday	Warm water with honey and lemon.	Spinach and legg white omelette (add onions, tomatoes, and green chilies for flavor). 1 small whole wheat toast or a side of cucumber slices.	A small handful of mixed nuts (almonds, walnuts, pistachios).	Grilled fish with a side of sautéed vegetables (zucchini, bell peppers, and carrots). 1 small whole wheat chapati.	Chickpea salad (boiled chickpeas, onions, tomatoes, cucumbers, lemon, and a sprinkle of cumin). A small bowl of vegetable soup (carrots, beans, and tomatoes).
Wednesday	Warm water with lemon.	mixed vegetables (carrots, peas, and beans).	Apple slices	Grilled chicken breast with kachumar salad (onions,	Daal (lentil soup) (masoor or moong daal) with a side

Miss farhana wazeer here is your Meal plan according to your need

Weekdays	before breakfast drink	breakfast	snacks	lunch	dinner
Thursday	Warm water with lemon and a pinch of turmeric.	1 boiled egg. Vegetable omelette (spinach, tomatoes, onions, and mushrooms)	Cucumber and carrot sticks with yogurt dip.	tomatoes, cucumber, and cilantro). 1 small whole wheat roti. 1 piece Grilled fish or chicken with a side of steamed vegetables (broccoli, beans, and peas).	of steamed broccoli. 1 small whole wheat chapati. Moong daal (yellow lentils) with steamed vegetables (spinach, carrots, and beans).
Friday	Warm water with lemon.	1 small whole wheat toast or cucumber slices. Chia seed pudding made with unsweetened almond milk (or regular milk) and a few crushed almonds. 1 boiled egg.	A small bowl of mixed fruit (papaya, watermelon, or berries).	1 small bowl of brown rice). Grilled chicken breast piece kachumber salad (onions, tomatoes, cucumber, and a squeeze of lemon). 1 small whole wheat roti.	1 small whole wheat chapati. Vegetable pulao (with brown rice or quinoa) and a side of raita (cucumber and yogurt).
Saturday	Warm	Vegetable	A handful	Grilled	Moong

Miss farhana wazeer here is your Meal plan according to your need

Weekdays	before breakfast drink	breakfast	snacks	lunch	dinner
	water with lemon.	paratha (using minimal oil) made with whole wheat flour. 1 small bowl of plain yogurt.	of almonds or walnuts.	chicken or fish with a side of steamed vegetables (beans, broccoli, carrots). 1 small whole wheat chapati.	daal with steamed vegetables (carrots, beans, and spinach). 1 small whole wheat chapati.
Sunday	Warm water with honey and lemon.	mixed vegetables (peas, carrots, and beans). 1 boiled egg.	A small bowl of fresh fruit (apple, papaya, or berries).	Grilled fish or chicken with kachumber salad (onions, tomatoes, cucumber, and cilantro). 1 small whole wheat roti.	Vegetable soup (carrots, peas, beans, and spinach). 1 small whole wheat chapati.

General Guidelines for PCOS & Hypothyroidism:

- **Avoid:** Excess sugar, refined carbs, deep-fried foods, and highly processed items.
- **Include:** Lean proteins (chicken, fish, legumes), high-fiber vegetables, whole grains (quinoa, brown rice, whole wheat), healthy fats (olive oil, flaxseeds, chia seeds, nuts).

Thyroid Support: Include iodine-rich foods (such as fish, dairy, and seaweed), selenium (such as nuts, eggs), and zinc (such as pumpkin seeds, chickpeas).

Miss farhana wazeer here is your Meal plan according to your need

Additional Tips:

- **Water:** Drink at least 8-10 glasses of water daily to stay hydrated.
- **Thyroid Medication:** Ensure that thyroid medications are taken in the morning on an empty stomach, at least 30 minutes before breakfast, and avoid consuming dairy, soy, or high-fiber foods within 1 hour of taking medication.
- **Exercise:** Incorporate regular physical activity, such as walking, yoga, or strength training, for improved insulin sensitivity and overall well-being.

This plan is designed to support hormone balance, improve thyroid health, and manage weight while keeping your blood sugar levels stable.