

D.H. PRESTATION S.L.

Brand identity guidelines

MANUAL DE IDENTIDAD VISUAL · VERSION 1.0 · OCTOBER 2026

A brand built like a structure.

D.H. PRESTATION, S.L. is an execution partner for photovoltaic, electrical and construction projects. The identity reflects what the company delivers on site: organised teams, precise assembly work and reliable coordination with the main contractor.

These guidelines describe how to use the logo, colours, typography and imagery so that every touchpoint, from the website to a business card or a site vest, looks consistent and professional.

Brand character

Precise. Clean geometry, straight lines, deliberate spacing.

Reliable. A calm, solid palette led by structural navy.

Renewable. Solar green used as a focused accent, never as decoration.

Direct. Clear language, strong typography, no unnecessary effects.

Contents

02 · Logo

03 · Logo versions

04 · Stacked logo

05 · Clear space and minimum size

06 · Incorrect use

07 · Colour

08 · Typography

09 · Imagery and graphic elements

10 · Applications

11 · Logo files

The logo.



The symbol

Three photovoltaic module cells, tilted like a tracker row, rest on an "H" frame made of two driven posts and a cross-beam: the company initial drawn as a mounting structure.

The wordmark

"D.H. PRESTATION" is set in Archivo ExtraBold with slightly open letter-spacing for legibility at small sizes. "S.L." follows in a lighter weight and tone.

The lockup


Symbol and wordmark always appear together in this fixed arrangement. Never redraw, re-space or re-type the logo: always use the supplied files.

Logo versions.










Use the colour version whenever possible. Use the reversed version on navy or dark photography, and the black version only where colour printing is not available.

Stacked logo.







Composition

The symbol sits above the initials "D.H.P", set in Archivo ExtraBold with open letter-spacing. The initials are exactly as wide as the symbol and centred beneath it.

When to use it

Square or vertical spaces where the horizontal logo would be too small: social media profiles, helmet and vest stickers, stamps, vehicle doors, merchandise and signage on site fencing.

Minimum size

15 mm or 60 px wide. Keep a clear space equal to the height of the initials on every side. For favicons and very small sizes, use the symbol alone.

Clear space and minimum size.



Clear space

Keep a free area around the logo equal to **x**, the height of the "H" symbol, on every side. No text, edges or other graphics should enter this space.

Minimum size



FULL LOGO · 30 MM / 120 PX WIDE



SYMBOL · 6 MM / 16 PX

Below these sizes, use the symbol alone. For favicons and app icons use the supplied navy icon tile.

Incorrect use.



Do not stretch or distort.



Do not rotate.



Do not change the colours.



Do not add shadows or effects.



Do not place on busy or low-contrast backgrounds.



Do not retype or change the wordmark.

Colour palette.

Structural Navy

HEX #0B1F33
RGB 11 31 51
CMYK 78 39 0 80

Primary colour. Logo, headings, dark backgrounds.

Deep Navy

HEX #071423
RGB 7 20 35
CMYK 80 43 0 86

Header, footer and overlays on photography.

Solar Green

HEX #3DA35D
RGB 61 163 93
CMYK 63 0 43 36

Accent. Logo modules, highlights, key data.

Solar Green Light

HEX #4CB86B
RGB 76 184 107
CMYK 59 0 42 28

Accent on navy backgrounds only.

Action Green

HEX #1E7A3F
RGB 30 122 63
CMYK 75 0 48 52

Buttons and green text on white (accessible).

Stone

HEX #F4F5F2
RGB 244 245 242
CMYK 0 0 1 4

Light section backgrounds and panels.

Ink

HEX #0E1B28
RGB 14 27 40
CMYK 65 33 0 84

Body text on light backgrounds.

Steel Grey

HEX #44525F
RGB 68 82 95
CMYK 28 14 0 63

Secondary text, captions, fine lines.



Proportion: navy and neutrals carry the identity; green stays a small, purposeful accent. CMYK values are approximate conversions for reference: ask the printer to match the HEX values or an equivalent Pantone swatch.

Typography.

PRIMARY TYPEFACE · ARCHIVO

Aa

Montaje de seguidores solares

Instalaciones eléctricas y subcontratación

Equipos organizados y coordinación en obra.

Open-source (SIL Open Font License), free for print and web. Headings use Bold at semi-expanded width (112%); body text uses Regular at normal width.

SECONDARY TYPEFACE · IBM PLEX MONO

01

SERVICIOS · CAPACIDADES · CONTACTO


Used sparingly, in capitals with wide letter-spacing, for labels, numbering and technical details. Also open-source (SIL OFL).

Hierarchy

HEADLINE	Archivo Bold, 112% width, tight line spacing
SUBHEADING	Archivo Semibold
BODY	Archivo Regular, 1.6 line spacing
LABEL	IBM Plex Mono Medium, capitals, wide tracking

Fallback when the brand fonts are unavailable (e.g. Word, email): Arial.

Imagery and graphic elements.



Photography


- Real worksites: structures, trackers, modules, electrical work and organised teams.
- Natural daylight, wide framing, clean horizons and a calm, slightly warm grade.
- Visible safety equipment and tidy work areas.
- Never present stock or illustrative images as completed company projects.
- No clip-art icons, heavy filters or decorative gradients.

Graphic elements

Thin structural grid lines over navy areas, numbered sequences (01, 02, 03) in the monospaced typeface, and solid square nodes in solar green. Corners stay square; avoid rounded cards and drop shadows.

Applications.





BUSINESS CARD · 85 × 55 MM



WORKWEAR · REVERSED LOGO ON NAVY, BACK PANEL



WEBSITE HEADER

Logo files.

FILE	USE
`svg/dhp-logo-color.svg`	Website, digital documents, signage (scalable)
`pdf/dhp-logo-color.pdf`	Print shops, vinyl, embroidery (vector)
`png/dhp-logo-color.png`	Office documents, presentations (transparent)
`*-white.*`	Navy or dark photographic backgrounds
`*-black.*`	Single-colour printing, stamps, engraving
`dhp-monogram-*.*`	Stacked logo with D.H.P: profiles, stickers, signage
`dhp-symbol-*.*`	Small spaces, social avatars, watermarks
`dhp-app-icon.*`	Favicon, app and WhatsApp Business profile

D.H. PRESTATION S.L.

D.H. PRESTATION, S.L.
Calle María del Rocío 83 B
41130 La Puebla del Río, Sevilla, España

+34 624 817 846 · +34 672 546 266
WhatsApp +34 687 032 956
info@dhp-solar.site