1 Docker CheatSheet

KUBERNETES

Updated: November 28, 2018

- PDF Link: cheatsheet-docker-A4.pdf, Category: tools
- Blog URL: https://cheatsheet.dennyzhang.com/cheatsheet-docker-A4
- \bullet Related posts: Kubernetes Yaml, #denny-cheat sheets

File me Issues or star this repo.

1.1 Docker start service

| Name | Summary |
|-------------------------|--|
| Start a ubuntu test env | docker run ubuntu:16.04 /bin/echo hello world |
| Start a centos test env | docker run centos:centos6 /bin/echo hello world |
| Start a nginx server | docker run -t -d -p 8080:80name nginx-test nginx |
| Start a jenkins server | docker run -p 8080:8080 denny/jenkins:1.0 |
| Start a nexus server | docker run -d -p 8082:8081name nexus -v /data/nexus-data:/nexus-data sonatype/docke |
| Start a sshd server | docker run -t -dprivileged -p 5022:22 denny/sshd:latest /usr/sbin/sshd -D |
| Start a ftp server | docker run -t -d -p 21:21 -p 20:20 -e USERNAME=\${username} -e PASSWORD=\${password} den |

1.2 Docker Containers

| Name | Summary |
|---|--|
| Start docker container | docker run -p 4000:80 <imgname></imgname> |
| Start docker container in detached mode | docker run -d -p 4000:80 imgname |
| Start docker container and remove when exit | docker run -rm -it <imgname> sh</imgname> |
| Enter a running container | docker exec -it [container-id] sh |
| Stop container | docker stop <hash></hash> |
| List all containers | docker ps, docker ps -a |
| Remove container | docker rm <hash>, docker rm \$(docker ps -a -q)</hash> |
| Force shutdown of one given container | docker kill <hash></hash> |
| Login to docker hub | docker login |
| Run image from a given tag | docker run username/repo:tag |
| Tail container logs | docker logstail 5 \$container_name |
| Check container healthcheck status | <pre>docker inspectformat '{{.State.Health}}' \$container_name</pre> |
| List containers by labels | docker psfilter "label=org.label-schema.group" |

1.3 Docker Images

| Name | Summary |
|------------------------------------|--|
| List all images | docker images, docker images -a |
| Create docker image | <pre>docker build -t denny/image:test .</pre> |
| Docker push a tagged image to repo | docker push username/repo:tag |
| Show the history of an image | docker history <image_name></image_name> |
| Export image to file | <pre>docker save <image_name> > my_img.tar</image_name></pre> |
| Load image to local registry | docker load -i my_img.tar |
| Tag <image/> | docker tag <image/> username/repo:tag |

1.4 Docker Conf

| Name | Summary |
|----------------|---|
| Docker files | /var/lib/docker, /var/lib/docker/devicemapper/mnt |
| Docker for Mac | ~/Library/Containers/com.docker.docker/Data/ |

1.5 Docker Cleanup

| Name | Summary |
|--------------------------------|---|
| Remove the specified image | docker rmi <imagename></imagename> |
| Remove all docker images | docker rmi \$(docker images -q) |
| Remove orphaned docker volumes | docker volume rm \$(docker volume ls -qf dangling=true) |
| Remove dead containers | docker rm \$(docker psfilter status=dead -qa) |
| Remove exited containers | docker rm \$(docker psfilter status=exited -qa) |
| Delete all containers | delete-all-containers.sh |
| Remove unused docker images | delete-unused-images.sh |

1.6 Ubuntu docker: Install missing packages

| Name | Summary |
|--------------------------|--|
| Pull ubuntu docker image | docker pull ubuntu |
| man: command not found | apt-get update, apt-get install man |
| ping: command not found | apt-get update, apt-get install iputils-ping |
| dig: command not found | apt-get install dnsutils |

1.7 Docker Socket file

| Name | Summary |
|------------------------------------|---|
| Run container mounting socket file | docker run -v /var/run/docker.sock:/var/run/docker.sock -it alpine sh |
| A different docker socket file | export DOCKER_HOST=unix:///my/docker.sock |
| List containers | <pre>curl -XGETunix-socket /var/run/docker.sock http://localhost/containers/jsc</pre> |
| Stop container | <pre>curl -XPOSTunix-socket /var/run/docker.sock http://localhost/containers/</pre> |
| Start container | <pre>curl -XPOSTunix-socket /var/run/docker.sock http://localhost/containers/</pre> |
| List events | <pre>curlunix-socket /var/run/docker.sock http://localhost/events</pre> |
| Create container | <pre>curl -XPOSTunix-socket /var/run/docker.sock -d '("Image":"nginx:alpine")'</pre> |
| Links | Link: Develop with Docker Engine SDKs and API |

1.8 Docker Compose

| Name | Summary |
|----------------------------------|---|
| Change entrypoint to run nothing | entrypoint: ["tail", "-f", "/dev/null"] |
| Change restart policy | restart: always, Link: Compose file version 3 reference |
| Mount file as volume | \$PWD/httpd/httpd.conf:/usr/local/apache2/conf/httpd.conf:ro sample-mount-file.yn |
| Start compose env | docker-compose up, docker-compose up -d |
| Stop compose env | docker-compose down, docker-compose down -v |
| Check logs | docker-compose logs |

1.9 Container Runtime

| Name | Summary |
|----------------------|--|
| dockerd | |
| rkt | a pod-native container engine for Linux. |
| CRI-O | Open Container Initiative-based implementation of Kubernetes Container Runtime Interface |

1.10 Resource Reference

| Name | Summary |
|-----------------------|---|
| Docker SDK | https://docs.docker.com/develop/sdk/examples/ |
| Docker REST API | https://docs.docker.com/engine/api/v1.27/#tag/Container |
| Docker Hub auto build | https://docs.docker.com/docker-hub/builds/#build-statuses-explained |

1.11 More Resources

License: Code is licensed under MIT License.

Updated: November 28, 2018