1 CheatSheet: VMware Wavefront

 $\mathbf{V}\mathbf{M}\mathbf{W}\mathbf{A}\mathbf{R}\mathbf{E}$

Updated: November 26, 2019

- PDF Link: cheatsheet-wavefront-A4.pdf, Category: VMware
- Blog URL: https://cheatsheet.dennyzhang.com/cheatsheet-wavefront-A4
- \bullet Related posts: Prometheus CheatSheet, Nagios CheatSheet, #denny-cheatsheets

File me Issues or star this repo.

1.1 Wavefront Summary

Summary
SaaS monitoring. YouTube: Pivotal Container Service (PKS) and VMware Wavefront
https://try.wavefront.com/dashboard/tutorial-intro
https://try.wavefront.com/dashboard/integration-pks
GitHub: wavefrontHQ/wavefront-kubernetes-collector, docker hub image
WAVEFRONT _{PROXYARGS} environment variable
Link: Comparing Proxy and Direct Ingestion
VMware PKS Integration, Kubernetes Integration, wavefront-kubernetes/wavefront-pro
? alerts for each tenant; 10K point-per-seconds for each tenant
Github: wavefront-kubernetes-collector/docs/metrics.md
Link: Getting Data into Wavefront
Link: Wavefront Alert Target ID
Link: VMware vSphere Integration, Link: Monitor vSphere with Wavefront
Link: Linux Host Integration
CheatSheet: VMware Wavefront, CheatSheet: VMware VROPS, CheatSheet: vRealize
https://try.wavefront.com/api-docs/ui/

1.2 Wavefront Web UI

Name	Summary
Explore wavefront metrics	Browse -> Metrics
Explore wavefront sources	https://try.wavefront.com/source/ <source-id></source-id>
Wavefront query api	Link: try.wavefront.com/api-docs
Sample Link	Wavefront sample link

1.3 Wavefront API

Name	Summary
List all wavefront alerts	

1.4 Wavefront Chart

Name	Summary
Change chart name	Chart -> General -> Name
Change chart type	Chart -> Choose: Line Plot, Single Stat View, etc

1.5 Wavefront container monitoring

Name	Summary
Query cluster metrics	ts(pks.heapster.ns.cpu.request, cluster="wf-deployment-0-10-0-dev-23")
Query node metrics	ts(pks.heapster.node.cpu.usage, cluster="wf-deployment-0-10-0-dev-23")
Query pod metrics	ts(pks.heapster.pod.cpu.usage, cluster="wf-deployment-0-10-0-dev-23")
Query namespace metrics	ts(pks.heapster.ns.cpu.request, cluster="wf-deployment-0-10-0-dev-23" and namespace _{name} ="kub
Count running pods	sum(ts(pks.kube.pod.status.ready.gauge, condition=true and cluster="wf-deployment-0-10-0-dev-
kube-state-metrics node	ts(pks.kube.node.status.condition.gauge, condition=Ready and status=true and cluster="wf-deple
kube-state-metrics: list pods	ts(pks.kube.pod.status.ready.gauge, condition=true and cluster="wf-deployment-0-10-0-dev-23")
kube-state-metrics	$ts (pks.kube.pod.container.status.running.gauge,\ cluster = "wf-deployment-0-10-0-dev-23")$

1.6 More Resources

License: Code is licensed under MIT License.

Updated: November 26, 2019