```
create table guest(
gid INT primary key,
first_name varchar(100),
last_name varchar(100),
gender varchar(10),
address varchar(50),
gust_phone varchar(20)
);
0 row(s) affected 0.034 sec
CREATE TABLE room (
   room_id INT PRIMARY KEY,
   avaibility BOOLEAN,
   room_type VARCHAR(50),
   price DECIMAL(10,2),
   bed_type VARCHAR(50),
   cleaning_status VARCHAR(50)
);
0 row(s) affected 0.032 sec
CREATE TABLE department (
    department_numper INT PRIMARY KEY,
    department_name VARCHAR(100),
   department_floor INT
);
0 row(s) affected 0.047 sec
CREATE TABLE guest_email (
   email VARCHAR(100) ,
   gid INT,
   constraint pk_guest_email primary key(email,gid),
   constraint fk_guest_email FOREIGN KEY (gid) REFERENCES guest(gid)
);
0 row(s) affected
0.047 sec
CREATE TABLE guest_phone (
   phone VARCHAR(20),
   gid INT,
   CONSTRAINT pk_guest_phone PRIMARY KEY (phone,gid),
   CONSTRAINT fk_guest_phone FOREIGN KEY (gid) REFERENCES guest(gid)
);
0 row(s) affected
0.047 sec
```

```
CREATE TABLE employee (
    eid INT PRIMARY KEY,
    fname VARCHAR(100),
    snma VARCHAR(100),
    lname VARCHAR(100),
    jop_title VARCHAR(50),
   barithdate DATE,
   phone VARCHAR(20),
   email VARCHAR(100),
   gender VARCHAR(10),
   department_numper INT,
   gid INT,
    supervisor_id INT,
   FOREIGN KEY (department_numper) REFERENCES department(department_numper),
   FOREIGN KEY (id) REFERENCES guest(gid),
    FOREIGN KEY (supervisor_id) REFERENCES employee(eid)
);
0 row(s) affected
0.047 sec
CREATE TABLE work (
   room_id INT,
    eid INT,
 room service varchar(150),
    constraint pk_work PRIMARY KEY (room_id, eid),
   FOREIGN KEY (room_id) REFERENCES room(room_id),
   FOREIGN KEY (eid) REFERENCES employee(eid)
0 row(s) affected
0.047 sec
CREATE TABLE reserve(
gid INT,
room_id INT,
constraint pk_reserve primary key(gid,room_id),
FOREIGN KEY (gid) REFERENCES guest(gid),
FOREIGN KEY (room_id) REFERENCES room(room_id)
);
0 row(s) affected
0.047 sec
INSERT INTO guest (gid, first_name, last_name, gender, address)
VALUES (1, 'Ahmad', 'Hassan', 'Male', 'Nablus');
1 row(s) affected Records: 1 Duplicates: 0 Warnings: 0 .031sec
INSERT INTO guest (gid, first_name, last_name, gender, address)
```

```
VALUES (2, 'Sara', 'Ahmed', 'Female', 'barqa');
1 row(s) affected Records: 1 Duplicates: 0 Warnings: 0 .031sec
INSERT INTO quest phone (phone, gid)
VALUES ('0594589671', 1);
1 row(s) affected 0.016 sec
INSERT INTO guest_phone (phone, gid)
VALUES ('056967312', 2);
1 row(s) affected 0.000 sec
INSERT INTO room (room_id, avaibility, room_type, price, bed_type, cleaning_status)
VALUES (101, TRUE, 'Single room', 250.00, 'Single Bed', 'Clean');
1 row(s) affected 0.016 sec
INSERT INTO room (room_id, avaibility, room_type, price, bed_type, cleaning_status)
VALUES (102, FALSE, 'Deluxe double room', 800.00, 'Double Bed', 'Dirty');
1 row(s) affected 0.015 sec
INSERT INTO department (department_numper, department_name, department_floor)
VALUES (1, 'Security', 1);
1 row(s) affected 0.015 sec
INSERT INTO department (department_numper, department_name, department_floor)
VALUES (2, 'Reception', 0);
1 row(s) affected 0.00 sec
INSERT INTO employee (eid, fname, snma, lname, jop_title, barithdate, phone,
email,gender, department_numper, gid, supervisor_id)
VALUES (10, 'Abdalrheem', 'hassan', 'salah', 'Manager', '2003-04-18', '0592789562',
'abdalrheem@gmail.com', 'Male', 2, 1, NULL);
1 row(s) affected 0.016 sec
INSERT INTO employee (eid, fname, snma, lname, jop_title, barithdate, phone,
email,gender, department_numper, gid, supervisor_id)
VALUES(11, 'Nizar', 'Salem', 'Kassab', 'room_service', '1990-08-20', '0557654321',
'Nizar@hotmail.com', 'Male', 1, 2, 10);
1 row(s) affected 0.000 sec
INSERT INTO work (room_id, eid, room_service)
```

```
VALUES (101, 11, 'Breakfast');
1 row(s) affected 0.016 sec
INSERT INTO work (room_id, eid, room_service)
VALUES (102, 11, 'Online ordering');
1 row(s) affected 0.000 sec
INSERT INTO reserve (gid, room_id,date_reserve)
VALUES (1, 101,NOW());
1 row(s) affected 0.015 sec
INSERT INTO reserve (gid, room_id,date_reserve)
VALUES(2, 102,NOW());
1 row(s) affected 0.000
INSERT INTO guest_email (email, gid)
VALUES ('Ahmad.hassan@gmail.com', 1);
1 row(s) affected 0.015 sec
INSERT INTO guest_email (email, gid)
VALUES ('sara.ahmed@outlook.com', 2);
1 row(s) affected 0.016 sec
```