

الجمهورية الجزائرية الديمقراطية الشعبية

ⵜⴰⴷⵓⴷⴰⵢⵜ ⵜⴰⵎⴻⵔⴰⵏⵜ ⵜⴰⵖⴻⵔⴰⵢⵜ ⵜⴰⵣⴰⵢⵔⴰⵢⵜ

République Algérienne Démocratique et Populaire

وزارة التعليم العالي والبحث العلمي

ⵎⵓⵏⵉⵙⵜ ⵜⴰⵎⴻⵔⴰⵏⵜ ⵜⴰⵣⴰⵢⵔⴰⵢⵜ ⵜⴰⵖⴻⵔⴰⵢⵜ

Ministère de l'Enseignement Supérieur et de la Recherche Scientifique



ECOLE NATIONALE
SUPÉRIEURE
D'INFORMATIQUE

المدرسة الوطنية العليا للإعلام الآلي

ⵎⵓⵏⵉⵙⵜ ⵜⴰⵎⴻⵔⴰⵏⵜ ⵜⴰⵣⴰⵢⵔⴰⵢⵜ ⵜⴰⵖⴻⵔⴰⵢⵜ

École nationale Supérieure d'Informatique

SSR, SIQ2

LAB7B: HETTY

Done by:

Benziada Fares Abderraouf

Grine Abderrahmane

May 2026.

1. Hetty Setup:

a.

We downloaded Hetty v0.7.0 and launched hetty.exe. Upon first launch, we encountered a database corruption error caused by a leftover corrupted database file from a previous session. This was resolved by deleting the .hetty folder located at:

`C:\Users\<username>\.hetty`

After relaunching, Hetty initialized successfully and displayed:

Hetty (v0.7.0) is running on :8080
Get started at <http://localhost:8080>

Since Hetty by default only listens on localhost, we relaunched it with the following flag to accept connections from other machines:

`hetty.exe --addr 0.0.0.0:8080`

b.

On the Windows Server 2019 victim machine, we configured the system-wide proxy.

In the Windows proxy settings, under Manual proxy setup:

- Toggled Use a proxy server to On
- Address: <Windows10_IP>
- Port: 8080
- Clicked Save

2. Capturing Credentials in Hetty:


a.

Switching back to the Windows 10 attacker machine, we observed the captured traffic in Hetty's Proxy Logs. We located the POST request to <http://www.demo.testfire..net>.

Clicking on the POST entry and selecting the Body tab under the REQUEST section revealed the captured credentials in plaintext:

`uid=sam&passw=test&btnSubmit=Login`

This demonstrates a successful passive session hijacking / credential capture attack, where the attacker intercepts and reads the victim's login credentials transmitted over unencrypted HTTP.



b.

On the Windows Server 2019 machine, we reverted the proxy settings by toggling Use a proxy server back to Off in the Windows proxy settings and clicking Save for cleanup.

c.

Q1: URL to open Hetty dashboard:

`http://localhost:8080`

Q2: Password captured by Hetty:

`test`