

<b>3 - TestStep Validation Report</b>	<b>07 14 2016, 17:34:38.187-04:00</b>
---------------------------------------	---------------------------------------

<b>Name</b>	Record an adverse reaction
-------------	----------------------------

<b>Validation Type</b>	
------------------------	--

<b>Type</b>	SUT_INITIATOR
-------------	---------------

<b>Result</b>	Passed - Notable Exception
---------------	----------------------------

<b>Comments</b>
TestStep1 comments

<b>Message Validation Report</b>	<b>03 28 2016, 16:02:21.413-04:00</b>
----------------------------------	---------------------------------------

<b>Validation Type</b>	Context-Based
------------------------	---------------

<b>Testing Tool</b>	Name	NIST Validation Tool
	Validation Version	1.0.2

<b>Test Case</b>	Test Plan	Pilot Isolated Test Plan-2
	Test Group	Transmit Immunization Report
	Test Case	Juana Mariana Gonzales Transmit Immunization Report
	Test Step	Transmit the immunization report to the Immunization Registry

<b>Profile</b>	Name	Unsolicited Immunization Update
	Organization	NIST
	Type	Constrainable
	Profile Version	1.0.0
	Profile Date	20160219
	Standard	2.5.1

<b>Message</b>
MSH ^~\& Test EHR Application X68  NIST Test Iz Reg 20120701082240-0500  VXU^V04^VXU_V04 NIST-IZ-001.01 P 2.5.1   ER AL    Z22^CDCPHINVS
PID 1  123456^^^MYEHR^MR~987633^^^MYIIS^SR  Gonzales^Juana^Mariana^^^^L Acosta^Maria^Merida^^^^M 200912231105 F  2131-1^Other Race^HL70005 4345 Standish Way^^Stamford^CT^06903^USA^L~325 Shoreline Drive^^Stamford^CT^06901^^BDL  ^PRN^PH^^1^203^5551212  eng^English^ISO639   2135-2^Hispanic or Latino^CDCREC Shoreline Hospital

PD1|||||||02^Reminder/Recall - any method^HL70215||||A|20120701|20120701

NK1|1|Gonzales^Joanna^Merida^^^^L|GRP^Grandparent^HL70063|4345 Standish Way^^Stamford^CT^06901^^L|^PRN^PH^^1^203^5551212

ORC|RE||197027^DCS|||||^Sirtis^Lisa|^Carter^Jane^^^^^^L^^^^^^^^^^MD||||SH^Shoreline Hospital^HL70362|||||||

RXA|0|1|20091123|20091123|08^hepatitis B vaccine, pediatric or pediatric/adolescent dosage  
^CVX^58160-0820-11^ENGRIX-B^NDC|999|||08^Historical information - from public agency^NIP001|^Sirtis^Lisa|^^^DCS\_DC^^^^^325 Shoreline Drive^^Stamford^CT^06901|||6332FK33|20101214|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||||

RXA|0|1|20100115|20100115|45^hepatitis B vaccine, unspecified formulation^CVX^58160-0820-11^ENGRIX-B^NDC|999|||01^Historical Immunization^NIP001|^Molina^Sandra|^^^DCS\_DC^^^^^400 Shoreline Drive^^Stamford^CT^06901|||6352FK1|20101001|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||

RXA|0|1|20101030|20101030|08^hepatitis B vaccine, pediatric or pediatric/adolescent dosage  
^CVX^58160-0820-11^ENGRIX-B^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^^^DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||6352FK24|20120831|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||

RXA|0|1|20100122|20100122|107^diphtheria, tetanus toxoids and acellular pertussis vaccine, unspecified^CVX^49281-0286-01^DAPTACEL^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^^^DCS\_DC||||D409QS2341|20111130|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||

RXA|0|1|20100323|20100323|106^diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^^^DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D409QS2433|20110904|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20100522|20100522|106^diphtheria, tetanus toxoids and acellular pertussis vaccine,  
5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999|||08^Historical information - from public  
agency^NIP001|^Martinez^J|^DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D409QS325  
5|20101201|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

OBX|21|CE|31044-1^Reaction^LN|1|VXC12^fever of >40.5C (105F) within 48 hours of dose^CDCPH  
INVS||||F||20100522|||||||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20110221|20110221|106^diphtheria, tetanus toxoids and acellular pertussis vaccine,  
5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999|||08^Historical information - from public  
agency^NIP001|^Martinez^J|^DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D409QS249  
|20110301|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Rodriguez^J^^^^^^L^^^^^^^^^^MD||||SP^Shorelin  
e Pediatrics^HL70362|||||||||

RXA|0|1|20140831|20140831|106^diphtheria, tetanus toxoids and acellular pertussis vaccine,  
5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999|||02^Historical information - from other p  
rovider^NIP001|^Casera^Linda|^DCS\_DC^^^^^4253 Standish Way^^Stamford^CT^06903|||D643QS8  
243|20140901|PMC^Sanofi Pasteur Inc^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20100122|20100122|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^  
00006-4897-00^PevaxHIB^NDC|999|||08^Historical information - from public agency^NIP001|^M  
artinez^J|^DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||7M54K9245|20100324|MSD^Me  
rck Sharp \T\ Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20100323|20100323|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^  
00006-4897-00^PevaxHIB^NDC|999|||08^Historical information - from public agency^NIP001|^M  
artinez^J|^DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||7M55K3342|20101030|MSD^Me  
rck Sharp \T\ Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||

RXA|0|1|20100522|20100522|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^  
00006-4897-00^PedvaxHIB^NDC|999|||08^Historical information - from public agency^NIP001|^M  
artinez^J|^DCS\_DC^^^^333 Oceanview Lane^^Stamford^CT^06901|||7M75K4566|20100523|MSD^Me  
rck Sharp \T\ Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||

RXA|0|1|20110221|20110221|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^  
00006-4897-00^PedvaxHIB^NDC|999|||08^Historical information - from public agency^NIP001|^M  
artinez^J|^DCS\_DC^^^^333 Oceanview Lane^^Stamford^CT^06901|||7M53K5534|20110222|MSD^Me  
rck Sharp \T\ Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||

RXA|0|1|20100122|20100122|10^poliovirus vaccine, inactivated^CVX^49281-0860-55^IPOL^NDC|99  
9|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS\_DC^^^^333 Oc  
eanview Lane^^Stamford^CT^06901|||D333PV2431|20101004|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||

RXA|0|1|20100323|20100323|10^poliovirus vaccine, inactivated^CVX^49281-0860-55^IPOL^NDC|99  
9|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS\_DC^^^^333 Oc  
eanview Lane^^Stamford^CT^06901|||D333PV4344|20100323|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Rodriguez^J^^^^^^L^^^^^^^^^^MD||||SP^Shorelin  
e Pediatrics^HL70362|||||

RXA|0|1|20110221|20110221|10^poliovirus vaccine, inactivated^CVX^49281-0860-55^IPOL^NDC|99  
9|||02^Historical information - from other provider^NIP001|^Casera^Linda|^DCS\_DC^^^^425  
3 Standish Way^^Stamford^CT^06903|||D335PV9644|20110222|PMC^Sanofi Pasteur Inc^MVX||CP|A  
|||

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||9999^DCS|||||^Molina^Sandra|^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shoreline  
Pediatrics^HL70362|||||

RXA|0|1|20150519|20150519|10^poliovirus vaccine, inactivated^CVX|999|||||||00^Parenta  
l decision^NIP002||RE|A

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||

RXA|0|1|20100121|20100121|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^  
PREVNAR 13^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^  
DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||P243V3281|20100130|PFR^Pfizer, Inc^MVX  
||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||

RXA|0|1|20100323|20100323|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^  
PREVNAR 13^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^  
DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||P343V8321|20100330|PFR^Pfizer, Inc^MVX  
||CP|A||||

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||

RXA|0|1|20100522|20100522|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^  
PREVNAR 13^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^  
DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||P853V2164|20100830|PFR^Pfizer, Inc^MVX  
||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||

RXA|0|1|20110221|20110221|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^  
PREVNAR 13^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^  
DCS\_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||P853V58532|20110418|PFR^Pfizer, Inc^MV  
X||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||

RXA|0|1|20100122|20100122|119^rotavirus, live, monovalent vaccine^CVX^58160-0854-52^ROTARI  
X^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS\_DC^^^^  
^333 Oceanview Lane^^Stamford^CT^06901||||6359RV533|20100215|SKB^GlaxoSmithKline Biologic  
als SA^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20100323|20100323|119^rotavirus, live, monovalent vaccine^CVX^58160-0854-52^ROTARI  
X^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS\_DC^^  
^^333 Oceanview Lane^^Stamford^CT^06901|||6359RV932|20100510|SKB^GlaxoSmithKline Biologic  
als SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20100925|20100925|161^Influenza, injectable,quadrivalent, preservative free, pedia  
tric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||08^Historical information - from pub  
lic agency^NIP001|^Martinez^J|^DCS\_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||D8043  
IN8734|20110312|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20101027|20101027|161^Influenza, injectable,quadrivalent, preservative free, pedia  
tric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||08^Historical information - from pub  
lic agency^NIP001|^Martinez^J|^DCS\_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||D8043  
IN8734|20110312|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20111002|20111002|161^Influenza, injectable,quadrivalent, preservative free, pedia  
tric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||08^Historical information - from pub  
lic agency^NIP001|^Martinez^J|^DCS\_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||D9334  
IN9333|20120522|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Ricci^Gina^^^^^^L^^^^^^^^^^MD||||SP^Shoreline  
Pediatrics^HL70362|||||||||

RXA|0|1|20131015|20131015|161^Influenza, injectable,quadrivalent, preservative free, pedia  
tric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||03^Historical information - from par  
ents written record^NIP001|^Ricci^Gina|^DCS\_DC^^^15 Post Road^Oceanview Pharmacy^Stamf  
ord^CT^06901|||8L4B3423|20140701|MED^MedImmune, LLC^MVX||CP|A|||

RXR|C38284^Nasal^NCIT^NS^Nasal^HL70162|BN^Bilateral Nares^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shorelin  
e Pediatrics^HL70362|||||||||



RXA|0|1|20150715|20150715|149^influenza, live, intranasal, quadrivalent^CVX^66019-0301-10^  
FluMist Quadrivalent^NDC|0.2|mL^^UCUM||00^New immunization record^NIP001|^Molina^Sandra|^  
^DCS\_DC^^^^400 Shoreline Drive^^Stamford^CT^06901|||8L4B3521|20150815|MED^MedImmune,LLC^  
MVX||CP|A|||

RXR|C38284^Nasal^NCIT^NS^Nasal^HL70162|BN^Bilateral Nares^HL70163|||

OBX|2|TS|29768-9^VIS Publication Date^LN|1|20140819||||F||20150715

OBX|3|TS|29769-7^VIS Presentation Date^LN|1|20150715||||F||20150715

OBX|1|CE|64994-7^vaccine fund pgm elig cat^LN|1|V01^Not VFC elig ^HL70064||||F||20150715

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20121104|20121104|149^influenza, live, intranasal, quadrivalent^CVX^66019-0301-10^  
FluMist Quadrivalent^NDC|999||08^Historical information - from public agency^NIP001|^Mart  
inez^J|^DCS\_DC^^^^333 Oceanview Lane^^Stamford^CT^06901|||D9553IN2243|20120430|PMC^San  
ofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanvie  
w Pediatrics^HL70362|||||||||

RXA|0|1|20111123|20111123|83^hepatitis A vaccine, pediatric/adolescent dosage, 2 dose sche  
dule^CVX^58160-0825-52^HAVRIX^NDC|999||08^Historical information - from public agency^NIP  
001|^Martinez^J|^DCS\_DC^^^^333 Oceanview Lane^^Stamford^CT^06901|||6359RT33|20120124|S  
KB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RD^Right Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Smith^F^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pedia  
trics^HL70362|||||||||

RXA|0|1|20120523|20120523|83^hepatitis A vaccine, pediatric/adolescent dosage, 2 dose sche  
dule^CVX^58160-0825-52^HAVRIX^NDC|999||08^Historical information - from public agency^NIP  
001|^Martinez^J|^DCS\_DC^^^^333 Oceanview Lane^^Stamford^CT^06901|||6359RT48|20120911|P  
MC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J|^Smith^F^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pedia  
trics^HL70362|||||||||

RXA|0|1|20101023|20101023|94^measles, mumps, rubella, and varicella virus vaccine^CVX^0000  
6-4999-00^ProQuad^NDC|999||01^historical^NIP001|^Martinez^J|^DCS\_DC^^^^333 Oceanview L  
ane^^Stamford^CT^06901|||7W27V7491|20101215|MSD^Merck Sharp \T\ Dohme Corp^MVX||CP|A|||

RXR|C38299^Subcutaneous^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Smith^F^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20121122|20121122|94^measles, mumps, rubella, and varicella virus vaccine^CVX^00006-4999-00^ProQuad^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS\_DC^^^^333 Oceanview Lane^^Stamford^CT^06901|||7W87V3452|20130413|MSD^Merck Sharp & Dohme Corp^MVX||CP|A||||

RXR|C38299^Subcutaneous^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra||^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||||||

RXA|0|1|20150715|20150715|94^measles, mumps, rubella, and varicella virus vaccine^CVX^00006-4999-00^ProQuad^NDC|0.5|mL^^UCUM||00^New immunization record^NIP001|^Molina^Sandra|^DCS\_DC^^^^400 Shoreline Drive^^Stamford^CT^06901|||7W87V3687|20150715|MSD^Merck Sharp & Dohme Corp^MVX||CP|A||||

RXR|C38299^Subcutaneous^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163

OBX|2|TS|29768-9^VIS Publication Date^LN|1|20100521||||F||20150715

OBX|3|TS|29769-7^VIS Presentation Date^LN|1|20150715||||F||20150715

OBX|1|CE|64994-7^vaccine fund pgm elig cat^LN|1|V01^Not VFC elig ^HL70064||||F||20150715

## Failures interpretation

[View](#)

## Summary

**6 Errors**

**143 Alerts**

**240 Warnings**

## Validation Errors

**Count : 6**

### CONSTRAINT\_FAILURE

**Count : 2**

1	Type : Description: Location:	CONSTRAINT_FAILURE NIST-01 - The Value of OBX-1 (Set ID-OBX) SHALL be valued sequentially starting with the value "1" within a message or for each group. <b>Line: 109</b> <b>Column: 5</b> <b>Path: OBX[7]-1[1]</b>
2	Type : Description:	CONSTRAINT_FAILURE IZ-24 - If RXA-20 is valued 'CP' or 'PA' and the first occurrence of RXA-9.1 is valued '00' and RXA-5.1 is valued with a CVX code from table PHVS_VISVaccines_IIS (See Appendix A) then for each vaccine information statement that was shared there SHALL be:[one OBX segment with OBX-3.1



	Location:	valued '69764-9' (bar coded) and one OBX with OBX-3.1 valued '29769-7' (presentation or delivery date) associated. Both OBX shall have the same value in OBX-4] OR[one OBX segment with OBX-3.1 valued '30956-7' (vaccine type) and one OBX segment with OBX-3.1 valued '29768-9' (version date) and one OBX with OBX-3.1 valued '29769-7' (presentation or delivery date) associated. All three OBX shall have the same value in OBX-4] <b>Line: 104</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER[33]</b>
<b>VALUE_SET</b>		<b>Count : 2</b>
1	Type : Description: Location:	VALUE_SET The value 'BN' at location Component RXR-2.1 (Identifier) is not member of the value set HL70163_IZ <b>Line: 82</b> <b>Column: 40</b> <b>Path: RXR[25]-2[1].1</b>
2	Type : Description: Location:	VALUE_SET The value 'BN' at location Component RXR-2.1 (Identifier) is not member of the value set HL70163_IZ <b>Line: 85</b> <b>Column: 40</b> <b>Path: RXR[26]-2[1].1</b>
<b>CONTENT_FAILURE</b>		<b>Count : 1</b>
1	Type : Description: Location:	CONTENT_FAILURE Content - Invalid content (based on test case fixed data). The value 'Merck Sharp \T\ Dohme Corp' at 'Component RXA-17.2 (Text)' does not match the expected value 'Merck Sharp \T\ Dohme Corp'. <b>Line: 105</b> <b>Column: 255</b> <b>Path: RXA[33]-17[1].2</b>
<b>CODED_ELEMENT</b>		<b>Count : 1</b>
1	Type : Description: Location:	CODED_ELEMENT Invalid Code System. Expected: 'CDCREC', Found: 'HL70005' <b>Line: 2</b> <b>Column: 132</b> <b>Path: PID[1]-10[1].3</b>

<b>Validation Alerts</b>		<b>Count : 143</b>
<b>VALUE_SET</b>		<b>Count : 143</b>
1	Type : Description: Location:	VALUE_SET The value set HL70361_IZ has been excluded from the validation <b>Line: 1</b> <b>Column: 10</b>

		<b>Path: MSH[1]-3[1]</b>
2	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 1</b>
		<b>Column: 10</b> <b>Path: MSH[1]-3[1].1</b>
3	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 1</b>
		<b>Column: 31</b> <b>Path: MSH[1]-4[1]</b>
4	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 1</b>
		<b>Column: 31</b> <b>Path: MSH[1]-4[1].1</b>
5	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 1</b>
		<b>Column: 36</b> <b>Path: MSH[1]-6[1]</b>
6	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 1</b>
		<b>Column: 36</b> <b>Path: MSH[1]-6[1].1</b>
7	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 1</b>
		<b>Column: 129</b> <b>Path: MSH[1]-21[1].2</b>
8	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 2</b>
		<b>Column: 17</b> <b>Path: PID[1]-3[1].4</b>
9	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 2</b>
		<b>Column: 17</b> <b>Path: PID[1]-3[1].4.1</b>

10	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 2</b>
		<b>Column: 35</b> <b>Path: PID[1]-3[2].4</b>
11	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 2</b>
		<b>Column: 35</b> <b>Path: PID[1]-3[2].4.1</b>
12	Type :	VALUE_SET
	Description:	The value set HL70399 has been excluded from the validation
	Location:	<b>Line: 2</b>
		<b>Column: 177</b> <b>Path: PID[1]-11[1].6</b>
13	Type :	VALUE_SET
	Description:	The value set HL70296 has been excluded from the validation
	Location:	<b>Line: 2</b>
		<b>Column: 251</b> <b>Path: PID[1]-15[1]</b>
14	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 5</b>
		<b>Column: 16</b> <b>Path: ORC[1]-3[1].2</b>
15	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 5</b>
		<b>Column: 78</b> <b>Path: ORC[1]-17[1]</b>
16	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 6</b>
		<b>Column: 200</b> <b>Path: RXA[1]-11[1].4</b>
17	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 6</b>
		<b>Column: 200</b> <b>Path: RXA[1]-11[1].4.1</b>
18	Type :	VALUE_SET

	Description: Location:	The value set HL70363_IZ has been excluded from the validation <b>Line: 8</b> <b>Column: 16</b> <b>Path: ORC[2]-3[1].2</b>
19	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 8</b> <b>Column: 80</b> <b>Path: ORC[2]-17[1]</b>
20	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 9</b> <b>Column: 165</b> <b>Path: RXA[2]-11[1].4</b>
21	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation <b>Line: 9</b> <b>Column: 165</b> <b>Path: RXA[2]-11[1].4.1</b>
22	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation <b>Line: 11</b> <b>Column: 16</b> <b>Path: ORC[3]-3[1].2</b>
23	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 11</b> <b>Column: 80</b> <b>Path: ORC[3]-17[1]</b>
24	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 12</b> <b>Column: 199</b> <b>Path: RXA[3]-11[1].4</b>
25	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation <b>Line: 12</b> <b>Column: 199</b> <b>Path: RXA[3]-11[1].4.1</b>
26	Type : Description:	VALUE_SET The value set HL70363_IZ has been excluded from the validation

	Location:	<b>Line: 14</b> <b>Column: 16</b> <b>Path: ORC[4]-3[1].2</b>
27	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 14</b> <b>Column: 80</b> <b>Path: ORC[4]-17[1]</b>
28	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 15</b> <b>Column: 210</b> <b>Path: RXA[4]-11[1].4</b>
29	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 15</b> <b>Column: 210</b> <b>Path: RXA[4]-11[1].4.1</b>
30	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 17</b> <b>Column: 16</b> <b>Path: ORC[5]-3[1].2</b>
31	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 17</b> <b>Column: 80</b> <b>Path: ORC[5]-17[1]</b>
32	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 18</b> <b>Column: 210</b> <b>Path: RXA[5]-11[1].4</b>
33	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 18</b> <b>Column: 210</b> <b>Path: RXA[5]-11[1].4.1</b>
34	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 20</b>

		<b>Column: 16</b> <b>Path: ORC[6]-3[1].2</b>
35	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 20</b> <b>Column: 80</b> <b>Path: ORC[6]-17[1]</b>
36	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 21</b> <b>Column: 210</b> <b>Path: RXA[6]-11[1].4</b>
37	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 21</b> <b>Column: 210</b> <b>Path: RXA[6]-11[1].4.1</b>
38	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 24</b> <b>Column: 16</b> <b>Path: ORC[7]-3[1].2</b>
39	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 24</b> <b>Column: 80</b> <b>Path: ORC[7]-17[1]</b>
40	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 25</b> <b>Column: 210</b> <b>Path: RXA[7]-11[1].4</b>
41	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 25</b> <b>Column: 210</b> <b>Path: RXA[7]-11[1].4.1</b>
42	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 27</b> <b>Column: 16</b>



		<b>Path: ORC[8]-3[1].2</b>
43	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 27</b>
		<b>Column: 80</b> <b>Path: ORC[8]-17[1]</b>
44	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 28</b>
		<b>Column: 213</b> <b>Path: RXA[8]-11[1].4</b>
45	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 28</b>
		<b>Column: 213</b> <b>Path: RXA[8]-11[1].4.1</b>
46	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 30</b>
		<b>Column: 16</b> <b>Path: ORC[9]-3[1].2</b>
47	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 30</b>
		<b>Column: 80</b> <b>Path: ORC[9]-17[1]</b>
48	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 31</b>
		<b>Column: 194</b> <b>Path: RXA[9]-11[1].4</b>
49	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 31</b>
		<b>Column: 194</b> <b>Path: RXA[9]-11[1].4.1</b>
50	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 33</b>
		<b>Column: 16</b> <b>Path: ORC[10]-3[1].2</b>

51	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 33</b>
		<b>Column: 80</b> <b>Path: ORC[10]-17[1]</b>
52	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 34</b>
		<b>Column: 194</b> <b>Path: RXA[10]-11[1].4</b>
53	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 34</b>
		<b>Column: 194</b> <b>Path: RXA[10]-11[1].4.1</b>
54	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 36</b>
		<b>Column: 16</b> <b>Path: ORC[11]-3[1].2</b>
55	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 36</b>
		<b>Column: 80</b> <b>Path: ORC[11]-17[1]</b>
56	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 37</b>
		<b>Column: 194</b> <b>Path: RXA[11]-11[1].4</b>
57	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 37</b>
		<b>Column: 194</b> <b>Path: RXA[11]-11[1].4.1</b>
58	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 39</b>
		<b>Column: 16</b> <b>Path: ORC[12]-3[1].2</b>
59	Type :	VALUE_SET

	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 39</b>
		<b>Column: 80</b> <b>Path: ORC[12]-17[1]</b>
60	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 40</b> <b>Column: 194</b> <b>Path: RXA[12]-11[1].4</b>
61	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 40</b> <b>Column: 194</b> <b>Path: RXA[12]-11[1].4.1</b>
62	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 42</b> <b>Column: 16</b> <b>Path: ORC[13]-3[1].2</b>
63	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 42</b> <b>Column: 80</b> <b>Path: ORC[13]-17[1]</b>
64	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 43</b> <b>Column: 164</b> <b>Path: RXA[13]-11[1].4</b>
65	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 43</b> <b>Column: 164</b> <b>Path: RXA[13]-11[1].4.1</b>
66	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 45</b> <b>Column: 16</b> <b>Path: ORC[14]-3[1].2</b>
67	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation

	Location:	<b>Line: 45</b> <b>Column: 80</b> <b>Path: ORC[14]-17[1]</b>
68	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 46</b> <b>Column: 164</b> <b>Path: RXA[14]-11[1].4</b>
69	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 46</b> <b>Column: 164</b> <b>Path: RXA[14]-11[1].4.1</b>
70	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 48</b> <b>Column: 16</b> <b>Path: ORC[15]-3[1].2</b>
71	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 48</b> <b>Column: 80</b> <b>Path: ORC[15]-17[1]</b>
72	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 49</b> <b>Column: 167</b> <b>Path: RXA[15]-11[1].4</b>
73	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 49</b> <b>Column: 167</b> <b>Path: RXA[15]-11[1].4.1</b>
74	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 51</b> <b>Column: 14</b> <b>Path: ORC[16]-3[1].2</b>
75	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 51</b>

		<b>Column: 78</b> <b>Path: ORC[16]-17[1]</b>
76	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 53</b> <b>Column: 16</b> <b>Path: ORC[17]-3[1].2</b>
77	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 53</b> <b>Column: 80</b> <b>Path: ORC[17]-17[1]</b>
78	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 54</b> <b>Column: 181</b> <b>Path: RXA[17]-11[1].4</b>
79	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 54</b> <b>Column: 181</b> <b>Path: RXA[17]-11[1].4.1</b>
80	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 56</b> <b>Column: 16</b> <b>Path: ORC[18]-3[1].2</b>
81	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 56</b> <b>Column: 80</b> <b>Path: ORC[18]-17[1]</b>
82	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 57</b> <b>Column: 181</b> <b>Path: RXA[18]-11[1].4</b>
83	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 57</b> <b>Column: 181</b>

		<b>Path: RXA[18]-11[1].4.1</b>
84	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 59</b>
		<b>Column: 16</b> <b>Path: ORC[19]-3[1].2</b>
85	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 59</b>
		<b>Column: 80</b> <b>Path: ORC[19]-17[1]</b>
86	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 60</b>
		<b>Column: 181</b> <b>Path: RXA[19]-11[1].4</b>
87	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 60</b>
		<b>Column: 181</b> <b>Path: RXA[19]-11[1].4.1</b>
88	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 62</b>
		<b>Column: 16</b> <b>Path: ORC[20]-3[1].2</b>
89	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 62</b>
		<b>Column: 80</b> <b>Path: ORC[20]-17[1]</b>
90	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 63</b>
		<b>Column: 181</b> <b>Path: RXA[20]-11[1].4</b>
91	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 63</b>
		<b>Column: 181</b> <b>Path: RXA[20]-11[1].4.1</b>



92	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 65</b>
		<b>Column: 16</b> <b>Path: ORC[21]-3[1].2</b>
93	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 65</b>
		<b>Column: 80</b> <b>Path: ORC[21]-17[1]</b>
94	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 66</b>
		<b>Column: 172</b> <b>Path: RXA[21]-11[1].4</b>
95	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 66</b>
		<b>Column: 172</b> <b>Path: RXA[21]-11[1].4.1</b>
96	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 68</b>
		<b>Column: 16</b> <b>Path: ORC[22]-3[1].2</b>
97	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 68</b>
		<b>Column: 80</b> <b>Path: ORC[22]-17[1]</b>
98	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 69</b>
		<b>Column: 172</b> <b>Path: RXA[22]-11[1].4</b>
99	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 69</b>
		<b>Column: 172</b> <b>Path: RXA[22]-11[1].4.1</b>
100	Type :	VALUE_SET

	Description: Location:	The value set HL70363_IZ has been excluded from the validation <b>Line: 71</b> <b>Column: 16</b> <b>Path: ORC[23]-3[1].2</b>
101	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 71</b> <b>Column: 80</b> <b>Path: ORC[23]-17[1]</b>
102	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 72</b> <b>Column: 214</b> <b>Path: RXA[23]-11[1].4</b>
103	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation <b>Line: 72</b> <b>Column: 214</b> <b>Path: RXA[23]-11[1].4.1</b>
104	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation <b>Line: 74</b> <b>Column: 16</b> <b>Path: ORC[24]-3[1].2</b>
105	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 74</b> <b>Column: 80</b> <b>Path: ORC[24]-17[1]</b>
106	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation <b>Line: 75</b> <b>Column: 214</b> <b>Path: RXA[24]-11[1].4</b>
107	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation <b>Line: 75</b> <b>Column: 214</b> <b>Path: RXA[24]-11[1].4.1</b>
108	Type : Description:	VALUE_SET The value set HL70363_IZ has been excluded from the validation

	Location:	<b>Line: 77</b> <b>Column: 16</b> <b>Path: ORC[25]-3[1].2</b>
109	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 77</b> <b>Column: 80</b> <b>Path: ORC[25]-17[1]</b>
110	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 78</b> <b>Column: 214</b> <b>Path: RXA[25]-11[1].4</b>
111	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 78</b> <b>Column: 214</b> <b>Path: RXA[25]-11[1].4.1</b>
112	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 80</b> <b>Column: 16</b> <b>Path: ORC[26]-3[1].2</b>
113	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 80</b> <b>Column: 79</b> <b>Path: ORC[26]-17[1]</b>
114	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 81</b> <b>Column: 223</b> <b>Path: RXA[26]-11[1].4</b>
115	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 81</b> <b>Column: 223</b> <b>Path: RXA[26]-11[1].4.1</b>
116	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 83</b>

		<b>Column: 16</b> <b>Path: ORC[27]-3[1].2</b>
117	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 83</b> <b>Column: 80</b> <b>Path: ORC[27]-17[1]</b>
118	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 84</b> <b>Column: 182</b> <b>Path: RXA[27]-11[1].4</b>
119	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 84</b> <b>Column: 182</b> <b>Path: RXA[27]-11[1].4.1</b>
120	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 89</b> <b>Column: 16</b> <b>Path: ORC[28]-3[1].2</b>
121	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 89</b> <b>Column: 80</b> <b>Path: ORC[28]-17[1]</b>
122	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 90</b> <b>Column: 191</b> <b>Path: RXA[28]-11[1].4</b>
123	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 90</b> <b>Column: 191</b> <b>Path: RXA[28]-11[1].4.1</b>
124	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 92</b> <b>Column: 16</b>

		<b>Path: ORC[29]-3[1].2</b>
125	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 92</b>
		<b>Column: 80</b> <b>Path: ORC[29]-17[1]</b>
126	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 93</b>
		<b>Column: 200</b> <b>Path: RXA[29]-11[1].4</b>
127	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 93</b>
		<b>Column: 200</b> <b>Path: RXA[29]-11[1].4.1</b>
128	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 95</b>
		<b>Column: 16</b> <b>Path: ORC[30]-3[1].2</b>
129	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 95</b>
		<b>Column: 73</b> <b>Path: ORC[30]-17[1]</b>
130	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 96</b>
		<b>Column: 200</b> <b>Path: RXA[30]-11[1].4</b>
131	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 96</b>
		<b>Column: 200</b> <b>Path: RXA[30]-11[1].4.1</b>
132	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 98</b>
		<b>Column: 16</b> <b>Path: ORC[31]-3[1].2</b>

133	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 98</b>
		<b>Column: 73</b> <b>Path: ORC[31]-17[1]</b>
134	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 99</b>
		<b>Column: 155</b> <b>Path: RXA[31]-11[1].4</b>
135	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 99</b>
		<b>Column: 155</b> <b>Path: RXA[31]-11[1].4.1</b>
136	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 101</b>
		<b>Column: 16</b> <b>Path: ORC[32]-3[1].2</b>
137	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 101</b>
		<b>Column: 73</b> <b>Path: ORC[32]-17[1]</b>
138	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 102</b>
		<b>Column: 188</b> <b>Path: RXA[32]-11[1].4</b>
139	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 102</b>
		<b>Column: 188</b> <b>Path: RXA[32]-11[1].4.1</b>
140	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 104</b>
		<b>Column: 16</b> <b>Path: ORC[33]-3[1].2</b>
141	Type :	VALUE_SET



	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 104</b> <b>Column: 80</b> <b>Path: ORC[33]-17[1]</b>
142	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	<b>Line: 105</b> <b>Column: 179</b> <b>Path: RXA[33]-11[1].4</b>
143	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	<b>Line: 105</b> <b>Column: 179</b> <b>Path: RXA[33]-11[1].4.1</b>

Validation Warnings		Count : 240
RE_USAGE		Count : 240
1	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 5</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
2	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 6</b> <b>Column: 184</b> <b>Path: RXA[1]-10[1].10</b>
3	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 6</b> <b>Column: 184</b> <b>Path: RXA[1]-10[1].4</b>
4	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be

	Location:	Empty) <b>Line: 5</b> <b>Column: 40</b> <b>Path: ORC[1]-12[1].4</b>
5	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 5</b> <b>Column: 26</b> <b>Path: ORC[1]-10[1].10</b>
6	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 5</b> <b>Column: 26</b> <b>Path: ORC[1]-10[1].4</b>
7	Type : Description:  Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 5</b> <b>Column: 1</b> <b>Path: ORC[1]-2[1]</b>
8	Type : Description:  Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 8</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
9	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 9</b> <b>Column: 147</b> <b>Path: RXA[2]-10[1].10</b>
10	Type : Description:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be

	Location:	Empty) <b>Line: 9</b> <b>Column: 147</b> <b>Path: RXA[2]-10[1].4</b>
11	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 8</b> <b>Column: 42</b> <b>Path: ORC[2]-12[1].4</b>
12	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 8</b> <b>Column: 26</b> <b>Path: ORC[2]-10[1].10</b>
13	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 8</b> <b>Column: 26</b> <b>Path: ORC[2]-10[1].4</b>
14	Type : Description:  Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 8</b> <b>Column: 1</b> <b>Path: ORC[2]-2[1]</b>
15	Type : Description:  Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 11</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
16	Type : Description:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this

	Location:	<p>element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 12</b>  <b>Column: 184</b>  <b>Path: RXA[3]-10[1].10</b></p>
17	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 12</b> <b>Column: 184</b> <b>Path: RXA[3]-10[1].4</b>
18	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 11</b> <b>Column: 39</b> <b>Path: ORC[3]-12[1].4</b>
19	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 11</b> <b>Column: 26</b> <b>Path: ORC[3]-10[1].10</b>
20	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 11</b> <b>Column: 26</b> <b>Path: ORC[3]-10[1].4</b>
21	Type : Description:  Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 11</b> <b>Column: 1</b> <b>Path: ORC[3]-2[1]</b>
22	Type : Description:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use

	Location:	<p>case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 14</b>  <b>Column: 1</b>  <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b></p>
23	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 15</b>  <b>Column: 195</b>  <b>Path: RXA[4]-10[1].10</b></p>
24	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 15</b>  <b>Column: 195</b>  <b>Path: RXA[4]-10[1].4</b></p>
25	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 14</b>  <b>Column: 39</b>  <b>Path: ORC[4]-12[1].4</b></p>
26	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 14</b>  <b>Column: 26</b>  <b>Path: ORC[4]-10[1].10</b></p>
27	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 14</b>  <b>Column: 26</b>  <b>Path: ORC[4]-10[1].4</b></p>
28	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case

	Location:	and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 14</b> <b>Column: 1</b> <b>Path: ORC[4]-2[1]</b>
29	Type : Description:  Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 17</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
30	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 18</b> <b>Column: 195</b> <b>Path: RXA[5]-10[1].10</b>
31	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 18</b> <b>Column: 195</b> <b>Path: RXA[5]-10[1].4</b>
32	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 17</b> <b>Column: 39</b> <b>Path: ORC[5]-12[1].4</b>
33	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 17</b> <b>Column: 26</b> <b>Path: ORC[5]-10[1].10</b>
34	Type : Description:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials



	Location:	<p>Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 17</b>  <b>Column: 26</b>  <b>Path: ORC[5]-10[1].4</b></p>
35	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 17</b> <b>Column: 1</b> <b>Path: ORC[5]-2[1]</b>
36	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 21</b> <b>Column: 195</b> <b>Path: RXA[6]-10[1].10</b>
37	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 21</b> <b>Column: 195</b> <b>Path: RXA[6]-10[1].4</b>
38	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 20</b> <b>Column: 39</b> <b>Path: ORC[6]-12[1].4</b>
39	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 20</b> <b>Column: 26</b> <b>Path: ORC[6]-10[1].10</b>
40	Type : Description:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials

	Location:	<p>Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 20</b></p> <p><b>Column: 26</b></p> <p><b>Path: ORC[6]-10[1].4</b></p>
41	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 20</b> <b>Column: 1</b> <b>Path: ORC[6]-2[1]</b>
42	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 24</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
43	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 25</b> <b>Column: 195</b> <b>Path: RXA[7]-10[1].10</b>
44	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 25</b> <b>Column: 195</b> <b>Path: RXA[7]-10[1].4</b>
45	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 24</b> <b>Column: 39</b> <b>Path: ORC[7]-12[1].4</b>
46	Type :	RE_USAGE

	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 24</b> <b>Column: 26</b> <b>Path: ORC[7]-10[1].10</b>
47	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 24</b> <b>Column: 26</b> <b>Path: ORC[7]-10[1].4</b>
48	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 24</b> <b>Column: 1</b> <b>Path: ORC[7]-2[1]</b>
49	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 27</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
50	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 28</b> <b>Column: 196</b> <b>Path: RXA[8]-10[1].10</b>
51	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 28</b> <b>Column: 196</b> <b>Path: RXA[8]-10[1].4</b>
52	Type :	RE_USAGE

	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 27</b> <b>Column: 42</b> <b>Path: ORC[8]-12[1].4</b>
53	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 27</b> <b>Column: 26</b> <b>Path: ORC[8]-10[1].10</b>
54	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 27</b> <b>Column: 26</b> <b>Path: ORC[8]-10[1].4</b>
55	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 27</b> <b>Column: 1</b> <b>Path: ORC[8]-2[1]</b>
56	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 30</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
57	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 31</b> <b>Column: 179</b> <b>Path: RXA[9]-10[1].10</b>
58	Type :	RE_USAGE

	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 31</b> <b>Column: 179</b> <b>Path: RXA[9]-10[1].4</b>
59	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 30</b> <b>Column: 39</b> <b>Path: ORC[9]-12[1].4</b>
60	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 30</b> <b>Column: 26</b> <b>Path: ORC[9]-10[1].10</b>
61	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 30</b> <b>Column: 26</b> <b>Path: ORC[9]-10[1].4</b>
62	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 30</b> <b>Column: 1</b> <b>Path: ORC[9]-2[1]</b>
63	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 33</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>

64	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 34</b> <b>Column: 179</b> <b>Path: RXA[10]-10[1].10</b>
65	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 34</b> <b>Column: 179</b> <b>Path: RXA[10]-10[1].4</b>
66	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 33</b> <b>Column: 39</b> <b>Path: ORC[10]-12[1].4</b>
67	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 33</b> <b>Column: 26</b> <b>Path: ORC[10]-10[1].10</b>
68	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 33</b> <b>Column: 26</b> <b>Path: ORC[10]-10[1].4</b>
69	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 33</b> <b>Column: 1</b> <b>Path: ORC[10]-2[1]</b>

70	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 36</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
71	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 37</b> <b>Column: 179</b> <b>Path: RXA[11]-10[1].10</b>
72	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 37</b> <b>Column: 179</b> <b>Path: RXA[11]-10[1].4</b>
73	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 36</b> <b>Column: 39</b> <b>Path: ORC[11]-12[1].4</b>
74	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 36</b> <b>Column: 26</b> <b>Path: ORC[11]-10[1].10</b>
75	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 36</b> <b>Column: 26</b>

		<b>Path: ORC[11]-10[1].4</b>
76	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 36</b> <b>Column: 1</b> <b>Path: ORC[11]-2[1]</b>
77	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 39</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
78	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 40</b> <b>Column: 179</b> <b>Path: RXA[12]-10[1].10</b>
79	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 40</b> <b>Column: 179</b> <b>Path: RXA[12]-10[1].4</b>
80	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 39</b> <b>Column: 39</b> <b>Path: ORC[12]-12[1].4</b>
81	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 39</b> <b>Column: 26</b>



		<b>Path: ORC[12]-10[1].10</b>
82	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 39</b> <b>Column: 26</b> <b>Path: ORC[12]-10[1].4</b>
83	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 39</b> <b>Column: 1</b> <b>Path: ORC[12]-2[1]</b>
84	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 42</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
85	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 43</b> <b>Column: 149</b> <b>Path: RXA[13]-10[1].10</b>
86	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 43</b> <b>Column: 149</b> <b>Path: RXA[13]-10[1].4</b>
87	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 42</b>

		<b>Column: 39</b> <b>Path: ORC[13]-12[1].4</b>
88	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 42</b> <b>Column: 26</b> <b>Path: ORC[13]-10[1].10</b>
89	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 42</b> <b>Column: 26</b> <b>Path: ORC[13]-10[1].4</b>
90	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 42</b> <b>Column: 1</b> <b>Path: ORC[13]-2[1]</b>
91	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 45</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
92	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 46</b> <b>Column: 149</b> <b>Path: RXA[14]-10[1].10</b>
93	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 46</b>

		<b>Column: 149</b> <b>Path: RXA[14]-10[1].4</b>
94	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 45</b> <b>Column: 39</b> <b>Path: ORC[14]-12[1].4</b>
95	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 45</b> <b>Column: 26</b> <b>Path: ORC[14]-10[1].10</b>
96	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 45</b> <b>Column: 26</b> <b>Path: ORC[14]-10[1].4</b>
97	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 45</b> <b>Column: 1</b> <b>Path: ORC[14]-2[1]</b>
98	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 48</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
99	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 49</b>

		<b>Column: 150</b> <b>Path: RXA[15]-10[1].10</b>
100	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 49</b> <b>Column: 150</b> <b>Path: RXA[15]-10[1].4</b>
101	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 48</b> <b>Column: 42</b> <b>Path: ORC[15]-12[1].4</b>
102	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 48</b> <b>Column: 26</b> <b>Path: ORC[15]-10[1].10</b>
103	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 48</b> <b>Column: 26</b> <b>Path: ORC[15]-10[1].4</b>
104	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 48</b> <b>Column: 1</b> <b>Path: ORC[15]-2[1]</b>
105	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	<b>Line: 51</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
106	Type :	RE_USAGE
	Description:	Segment RXR (Pharmacy/Treatment Route) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 51</b> <b>Column: 1</b> <b>Path: RXR[1]</b>
107	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 51</b> <b>Column: 40</b> <b>Path: ORC[16]-12[1].4</b>
108	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 51</b> <b>Column: 24</b> <b>Path: ORC[16]-10[1].10</b>
109	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 51</b> <b>Column: 24</b> <b>Path: ORC[16]-10[1].4</b>
110	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 51</b> <b>Column: 1</b> <b>Path: ORC[16]-2[1]</b>
111	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	<b>Line: 53</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
112	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 54</b> <b>Column: 166</b> <b>Path: RXA[17]-10[1].10</b>
113	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 54</b> <b>Column: 166</b> <b>Path: RXA[17]-10[1].4</b>
114	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 53</b> <b>Column: 39</b> <b>Path: ORC[17]-12[1].4</b>
115	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 53</b> <b>Column: 26</b> <b>Path: ORC[17]-10[1].10</b>
116	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 53</b> <b>Column: 26</b> <b>Path: ORC[17]-10[1].4</b>
117	Type : Description:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	<b>Line: 53</b> <b>Column: 1</b> <b>Path: ORC[17]-2[1]</b>
118	Type : Description:  Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 56</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
119	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 57</b> <b>Column: 166</b> <b>Path: RXA[18]-10[1].10</b>
120	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 57</b> <b>Column: 166</b> <b>Path: RXA[18]-10[1].4</b>
121	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 56</b> <b>Column: 39</b> <b>Path: ORC[18]-12[1].4</b>
122	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 56</b> <b>Column: 26</b> <b>Path: ORC[18]-10[1].10</b>
123	Type : Description:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be

	Location:	Empty) <b>Line: 56</b> <b>Column: 26</b> <b>Path: ORC[18]-10[1].4</b>
124	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 56</b> <b>Column: 1</b> <b>Path: ORC[18]-2[1]</b>
125	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 59</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
126	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 60</b> <b>Column: 166</b> <b>Path: RXA[19]-10[1].10</b>
127	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 60</b> <b>Column: 166</b> <b>Path: RXA[19]-10[1].4</b>
128	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 59</b> <b>Column: 39</b> <b>Path: ORC[19]-12[1].4</b>
129	Type : Description:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this



	Location:	<p>element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 59</b></p> <p><b>Column: 26</b></p> <p><b>Path: ORC[19]-10[1].10</b></p>
130	<p>Type :</p> <p>Description:</p> <p>Location:</p>	<p>RE_USAGE</p> <p>Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 59</b></p> <p><b>Column: 26</b></p> <p><b>Path: ORC[19]-10[1].4</b></p>
131	<p>Type :</p> <p>Description:</p> <p>Location:</p>	<p>RE_USAGE</p> <p>Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 59</b></p> <p><b>Column: 1</b></p> <p><b>Path: ORC[19]-2[1]</b></p>
132	<p>Type :</p> <p>Description:</p> <p>Location:</p>	<p>RE_USAGE</p> <p>Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 62</b></p> <p><b>Column: 1</b></p> <p><b>Path: VXU_V04.ORDER.OBSERVATION[1]</b></p>
133	<p>Type :</p> <p>Description:</p> <p>Location:</p>	<p>RE_USAGE</p> <p>Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 63</b></p> <p><b>Column: 166</b></p> <p><b>Path: RXA[20]-10[1].10</b></p>
134	<p>Type :</p> <p>Description:</p> <p>Location:</p>	<p>RE_USAGE</p> <p>Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 63</b></p> <p><b>Column: 166</b></p> <p><b>Path: RXA[20]-10[1].4</b></p>
135	<p>Type :</p> <p>Description:</p>	<p>RE_USAGE</p> <p>Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may</p>

	Location:	<p>be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 62</b> <b>Column: 39</b> <b>Path: ORC[20]-12[1].4</b></p>
136	Type : Description:  Location:	<p>RE_USAGE</p> <p>Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 62</b> <b>Column: 26</b> <b>Path: ORC[20]-10[1].10</b></p>
137	Type : Description:  Location:	<p>RE_USAGE</p> <p>Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 62</b> <b>Column: 26</b> <b>Path: ORC[20]-10[1].4</b></p>
138	Type : Description:  Location:	<p>RE_USAGE</p> <p>Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 62</b> <b>Column: 1</b> <b>Path: ORC[20]-2[1]</b></p>
139	Type : Description:  Location:	<p>RE_USAGE</p> <p>Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 65</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b></p>
140	Type : Description:  Location:	<p>RE_USAGE</p> <p>Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 66</b> <b>Column: 157</b> <b>Path: RXA[21]-10[1].10</b></p>
141	Type : Description:	<p>RE_USAGE</p> <p>Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may</p>

	Location:	<p>be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 66</b>  <b>Column: 157</b>  <b>Path: RXA[21]-10[1].4</b></p>
142	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 65</b>  <b>Column: 39</b>  <b>Path: ORC[21]-12[1].4</b></p>
143	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 65</b>  <b>Column: 26</b>  <b>Path: ORC[21]-10[1].10</b></p>
144	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 65</b>  <b>Column: 26</b>  <b>Path: ORC[21]-10[1].4</b></p>
145	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 65</b>  <b>Column: 1</b>  <b>Path: ORC[21]-2[1]</b></p>
146	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 68</b>  <b>Column: 1</b>  <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b></p>
147	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the

	Location:	<p>use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p><b>Line: 69</b></p> <p><b>Column: 157</b></p> <p><b>Path: RXA[22]-10[1].10</b></p>
148	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 69</b></p> <p><b>Column: 157</b></p> <p><b>Path: RXA[22]-10[1].4</b></p>
149	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 68</b></p> <p><b>Column: 39</b></p> <p><b>Path: ORC[22]-12[1].4</b></p>
150	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 68</b></p> <p><b>Column: 26</b></p> <p><b>Path: ORC[22]-10[1].10</b></p>
151	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 68</b></p> <p><b>Column: 26</b></p> <p><b>Path: ORC[22]-10[1].4</b></p>
152	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p><b>Line: 68</b></p> <p><b>Column: 1</b></p> <p><b>Path: ORC[22]-2[1]</b></p>
153	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION

	Location:	(VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 71</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
154	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 72</b> <b>Column: 199</b> <b>Path: RXA[23]-10[1].10</b>
155	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 72</b> <b>Column: 199</b> <b>Path: RXA[23]-10[1].4</b>
156	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 71</b> <b>Column: 39</b> <b>Path: ORC[23]-12[1].4</b>
157	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 71</b> <b>Column: 26</b> <b>Path: ORC[23]-10[1].10</b>
158	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 71</b> <b>Column: 26</b> <b>Path: ORC[23]-10[1].4</b>
159	Type :	RE_USAGE

	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 71</b> <b>Column: 1</b> <b>Path: ORC[23]-2[1]</b>
160	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 74</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
161	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 75</b> <b>Column: 199</b> <b>Path: RXA[24]-10[1].10</b>
162	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 75</b> <b>Column: 199</b> <b>Path: RXA[24]-10[1].4</b>
163	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 74</b> <b>Column: 39</b> <b>Path: ORC[24]-12[1].4</b>
164	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 74</b> <b>Column: 26</b> <b>Path: ORC[24]-10[1].10</b>
165	Type :	RE_USAGE

	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 74</b> <b>Column: 26</b> <b>Path: ORC[24]-10[1].4</b>
166	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 74</b> <b>Column: 1</b> <b>Path: ORC[24]-2[1]</b>
167	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 77</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
168	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 78</b> <b>Column: 199</b> <b>Path: RXA[25]-10[1].10</b>
169	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 78</b> <b>Column: 199</b> <b>Path: RXA[25]-10[1].4</b>
170	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 77</b> <b>Column: 39</b> <b>Path: ORC[25]-12[1].4</b>

171	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 77</b> <b>Column: 26</b> <b>Path: ORC[25]-10[1].10</b>
172	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 77</b> <b>Column: 26</b> <b>Path: ORC[25]-10[1].4</b>
173	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 77</b> <b>Column: 1</b> <b>Path: ORC[25]-2[1]</b>
174	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 80</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
175	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 81</b> <b>Column: 208</b> <b>Path: RXA[26]-10[1].10</b>
176	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 81</b> <b>Column: 208</b> <b>Path: RXA[26]-10[1].4</b>



177	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 80</b> <b>Column: 42</b> <b>Path: ORC[26]-12[1].4</b>
178	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 80</b> <b>Column: 26</b> <b>Path: ORC[26]-10[1].10</b>
179	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 80</b> <b>Column: 26</b> <b>Path: ORC[26]-10[1].4</b>
180	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 80</b> <b>Column: 1</b> <b>Path: ORC[26]-2[1]</b>
181	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 84</b> <b>Column: 164</b> <b>Path: RXA[27]-10[1].10</b>
182	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 84</b> <b>Column: 164</b> <b>Path: RXA[27]-10[1].4</b>

183	Type :	RE_USAGE
	Description:	Component RXA-7.2 (Text) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 84</b> <b>Column: 120</b> <b>Path: RXA[27]-7[1].2</b>
184	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 83</b> <b>Column: 42</b> <b>Path: ORC[27]-12[1].4</b>
185	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 83</b> <b>Column: 26</b> <b>Path: ORC[27]-10[1].10</b>
186	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 83</b> <b>Column: 26</b> <b>Path: ORC[27]-10[1].4</b>
187	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 83</b> <b>Column: 1</b> <b>Path: ORC[27]-2[1]</b>
188	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 89</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>

189	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 90</b> <b>Column: 176</b> <b>Path: RXA[28]-10[1].10</b>
190	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 90</b> <b>Column: 176</b> <b>Path: RXA[28]-10[1].4</b>
191	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 89</b> <b>Column: 39</b> <b>Path: ORC[28]-12[1].4</b>
192	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 89</b> <b>Column: 26</b> <b>Path: ORC[28]-10[1].10</b>
193	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 89</b> <b>Column: 26</b> <b>Path: ORC[28]-10[1].4</b>
194	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 89</b> <b>Column: 1</b> <b>Path: ORC[28]-2[1]</b>

195	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 92</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
196	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 93</b> <b>Column: 185</b> <b>Path: RXA[29]-10[1].10</b>
197	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 93</b> <b>Column: 185</b> <b>Path: RXA[29]-10[1].4</b>
198	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 92</b> <b>Column: 39</b> <b>Path: ORC[29]-12[1].4</b>
199	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 92</b> <b>Column: 26</b> <b>Path: ORC[29]-10[1].10</b>
200	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 92</b> <b>Column: 26</b>

		<b>Path: ORC[29]-10[1].4</b>
201	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 92</b> <b>Column: 1</b> <b>Path: ORC[29]-2[1]</b>
202	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 95</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
203	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 96</b> <b>Column: 185</b> <b>Path: RXA[30]-10[1].10</b>
204	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 96</b> <b>Column: 185</b> <b>Path: RXA[30]-10[1].4</b>
205	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 95</b> <b>Column: 39</b> <b>Path: ORC[30]-12[1].4</b>
206	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 95</b> <b>Column: 26</b>

		<b>Path: ORC[30]-10[1].10</b>
207	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 95</b> <b>Column: 26</b> <b>Path: ORC[30]-10[1].4</b>
208	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 95</b> <b>Column: 1</b> <b>Path: ORC[30]-2[1]</b>
209	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 98</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
210	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 99</b> <b>Column: 140</b> <b>Path: RXA[31]-10[1].10</b>
211	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 99</b> <b>Column: 140</b> <b>Path: RXA[31]-10[1].4</b>
212	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 98</b>

		<b>Column: 39</b> <b>Path: ORC[31]-12[1].4</b>
213	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 98</b> <b>Column: 26</b> <b>Path: ORC[31]-10[1].10</b>
214	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 98</b> <b>Column: 26</b> <b>Path: ORC[31]-10[1].4</b>
215	Type : Description:  Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 98</b> <b>Column: 1</b> <b>Path: ORC[31]-2[1]</b>
216	Type : Description:  Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 101</b> <b>Column: 1</b> <b>Path: VXU_V04.ORDER.OBSERVATION[1]</b>
217	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 102</b> <b>Column: 173</b> <b>Path: RXA[32]-10[1].10</b>
218	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 102</b>

		<b>Column: 173</b> <b>Path: RXA[32]-10[1].4</b>
219	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 101</b> <b>Column: 39</b> <b>Path: ORC[32]-12[1].4</b>
220	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 101</b> <b>Column: 26</b> <b>Path: ORC[32]-10[1].10</b>
221	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 101</b> <b>Column: 26</b> <b>Path: ORC[32]-10[1].4</b>
222	Type : Description:  Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 101</b> <b>Column: 1</b> <b>Path: ORC[32]-2[1]</b>
223	Type : Description:  Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 105</b> <b>Column: 161</b> <b>Path: RXA[33]-10[1].10</b>
224	Type : Description:  Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 105</b>



		<b>Column: 161</b> <b>Path: RXA[33]-10[1].4</b>
225	Type : Description:  Location:	RE_USAGE Component RXA-7.2 (Text) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 105</b> <b>Column: 117</b> <b>Path: RXA[33]-7[1].2</b>
226	Type : Description:  Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 104</b> <b>Column: 42</b> <b>Path: ORC[33]-12[1].4</b>
227	Type : Description:  Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 104</b> <b>Column: 26</b> <b>Path: ORC[33]-10[1].10</b>
228	Type : Description:  Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 104</b> <b>Column: 26</b> <b>Path: ORC[33]-10[1].4</b>
229	Type : Description:  Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 104</b> <b>Column: 1</b> <b>Path: ORC[33]-2[1]</b>
230	Type : Description:  Location:	RE_USAGE Component NK1-4.6 (Country) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) <b>Line: 4</b> <b>Column: 59</b>

		<b>Path: NK1[1]-4[1].6</b>
231	Type :	RE_USAGE
	Description:	Component NK1-4.2 (Other Designation) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 4</b> <b>Column: 59</b> <b>Path: NK1[1]-4[1].2</b>
232	Type :	RE_USAGE
	Description:	Field PD1-12 (Protection Indicator) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 3</b> <b>Column: 1</b> <b>Path: PD1[1]-12[1]</b>
233	Type :	RE_USAGE
	Description:	Field PID-30 (Patient Death Indicator) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 2</b> <b>Column: 1</b> <b>Path: PID[1]-30[1]</b>
234	Type :	RE_USAGE
	Description:	Field PID-24 (Multiple Birth Indicator) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 2</b> <b>Column: 1</b> <b>Path: PID[1]-24[1]</b>
235	Type :	RE_USAGE
	Description:	Component PID-11.2 (Other Designation) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 2</b> <b>Column: 140</b> <b>Path: PID[1]-11[1].2</b>
236	Type :	RE_USAGE
	Description:	Component PID-11.6 (Country) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 2</b> <b>Column: 183</b> <b>Path: PID[1]-11[2].6</b>
237	Type :	RE_USAGE

	Description:	Component PID-11.2 (Other Designation) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 2</b> <b>Column: 183</b> <b>Path: PID[1]-11[2].2</b>
238	Type :	RE_USAGE
	Description:	Field MSH-23 (Receiving Responsible Organization) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 1</b> <b>Column: 1</b> <b>Path: MSH[1]-23[1]</b>
239	Type :	RE_USAGE
	Description:	Field MSH-22 (Sending Responsible Organization) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 1</b> <b>Column: 1</b> <b>Path: MSH[1]-22[1]</b>
240	Type :	RE_USAGE
	Description:	Field MSH-5 (Receiving Application) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<b>Line: 1</b> <b>Column: 1</b> <b>Path: MSH[1]-5[1]</b>