

3 - TestStep Validation Report	03 31 2016, 07:53:59.403-04:00
---------------------------------------	---------------------------------------

Name	Record an adverse reaction
-------------	----------------------------

Validation Type	
------------------------	--

Type	SUT_INITIATOR
-------------	---------------

Result	Failed - Not Supported
---------------	------------------------

Comments
Updated TestStep4 comments

Message Validation Report	03 28 2016, 16:02:21.413-04:00
----------------------------------	---------------------------------------

Validation Type	Context-Based
------------------------	---------------

Testing Tool	Name	NIST Validation Tool
	Validation Version	1.0.2

Test Case	Test Plan	Pilot Isolated Test Plan-2
	Test Group	Transmit Immunization Report
	Test Case	Juana Mariana Gonzales Transmit Immunization Report
	Test Step	Transmit the immunization report to the Immunization Registry

Profile	Name	Unsolicited Immunization Update
	Organization	NIST
	Type	Constrainable
	Profile Version	1.0.0
	Profile Date	20160219
	Standard	2.5.1

Message
<p>MSH ^~\& Test EHR Application X68 NIST Test Iz Reg 20120701082240-0500 VXU^V04^VXU_V04 NIST-IZ-001.01 P 2.5.1 ER AL Z22^CDCPHINVS</p> <p>PID 1 123456^^^MYEHR^MR~987633^^^MYIIS^SR Gonzales^Juana^Mariana^^^^L Acosta^Maria^Merida^^^^M 200912231105 F 2131-1^Other Race^HL70005 4345 Standish Way^^Stamford^CT^06903^USA^L~325 Shoreline Drive^^Stamford^CT^06901^^BDL ^PRN^PH^^1^203^5551212 eng^English^ISO639 2135-2^Hispanic or Latino^CDCREC Shoreline Hospital </p> <p>PD1 02^Reminder/Recall - any method^HL70215 A 20120701 20120701</p>

NK1|1|Gonzales^Joanna^Merida^^^^L|GRP^Grandparent^HL70063|4345 Standish Way^^Stamford^CT^06901^^L|^PRN^PH^^1^203^5551212

ORC|RE||197027^DCS|||||^Sirtis^Lisa||^Carter^Jane^^^^^^L^^^^^^^^^^MD||||SH^Shoreline Hospital^HL70362|||||||||

RXA|0|1|20091123|20091123|08^hepatitis B vaccine, pediatric or pediatric/adolescent dosage
^CVX^58160-0820-11^ENGERIX-B^NDC|999||08^Historical information - from public agency^NIP001|^Sirtis^Lisa|^^DCS_DC^^^^^325 Shoreline Drive^^Stamford^CT^06901|||6332FK33|20101214|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra||^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||||||

RXA|0|1|20100115|20100115|45^hepatitis B vaccine, unspecified formulation^CVX^58160-0820-11^ENGERIX-B^NDC|999||01^Historical Immunization^NIP001|^Molina^Sandra|^^DCS_DC^^^^^400 Shoreline Drive^^Stamford^CT^06901|||6352FK1|20101001|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20101030|20101030|08^hepatitis B vaccine, pediatric or pediatric/adolescent dosage
^CVX^58160-0820-11^ENGERIX-B^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||6352FK24|20120831|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100122|20100122|107^diphtheria, tetanus toxoids and acellular pertussis vaccine, unspecified^CVX^49281-0286-01^DAPTACEL^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^^DCS_DC||||D409QS2341|20111130|PMC^Sanofi Pasteur Inc^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100323|20100323|106^diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D409QS2433|20110904|PMC^Sanofi Pasteur Inc^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100522|20100522|106^diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D409QS3255|20101201|PMC^Sanofi Pasteur Inc^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

OBX|21|CE|31044-1^Reaction^LN|1|VXC12^fever of >40.5C (105F) within 48 hours of dose^CDCPH INVS||||F||20100522|||||||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20110221|20110221|106^diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||D409QS249|20110301|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra||^Rodriguez^J^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||||||

RXA|0|1|20140831|20140831|106^diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis^CVX^49281-0286-01^DAPTACEL^NDC|999||02^Historical information - from other provider^NIP001|^Casera^Linda|^DCS_DC^^^^^4253 Standish Way^^Stamford^CT^06903||||D643QS8243|20140901|PMC^Sanofi Pasteur Inc^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100122|20100122|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^00006-4897-00^PedvaxHIB^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||7M54K9245|20100324|MSD^Merck Sharp & Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100323|20100323|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^00006-4897-00^PedvaxHIB^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||7M55K3342|20101030|MSD^Merck Sharp & Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100522|20100522|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^00006-4897-00^PedvaxHIB^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||7M75K4566|20100523|MSD^Merck Sharp & Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20110221|20110221|49^Haemophilus influenzae type b vaccine, PRP-OMP conjugate^CVX^00006-4897-00^PedvaxHIB^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||7M53K5534|20110222|MSD^Merck Sharp & Dohme Corp^MVX||CP|A

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20100122|20100122|10^poliovirus vaccine, inactivated^CVX^49281-0860-55^IPOL^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901||||D333PV243|20101004|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100323|20100323|10^poliovirus vaccine, inactivated^CVX^49281-0860-55^IPOL^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D333PV4344|20100323|PMC^Sanofi Pasteur Inc^MVX||CP|A

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra||^Rodriguez^J^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||

RXA|0|1|20110221|20110221|10^poliovirus vaccine, inactivated^CVX^49281-0860-55^IPOL^NDC|999||02^Historical information - from other provider^NIP001|^Casera^Linda|^DCS_DC^^^^^4253 Standish Way^^Stamford^CT^06903|||D335PV9644|20110222|PMC^Sanofi Pasteur Inc^MVX||CP|A||||

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||9999^DCS|||||^Molina^Sandra||^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||

RXA|0|1|20150519|20150519|10^poliovirus vaccine, inactivated^CVX|999|||||||00^Parental decision^NIP002||RE|A

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100121|20100121|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^PREVNAR 13^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||P243V3281|20100130|PFR^Pfizer, Inc^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100323|20100323|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^PREVNAR 13^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||P343V8321|20100330|PFR^Pfizer, Inc^MVX||CP|A||||

RXR|C38299^SC^NCIT^SC^Subcutaneous^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100522|20100522|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^PREVNAR 13^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||P853V2164|20100830|PFR^Pfizer, Inc^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20110221|20110221|133^pneumococcal conjugate vaccine, 13 valent^CVX^00005-1971-05^PREVNAR 13^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||P853V58532|20110418|PFR^Pfizer, Inc^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100122|20100122|119^rotavirus, live, monovalent vaccine^CVX^58160-0854-52^ROTARI X^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||6359RV533|20100215|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100323|20100323|119^rotavirus, live, monovalent vaccine^CVX^58160-0854-52^ROTARI X^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||6359RV932|20100510|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20100925|20100925|161^Influenza, injectable, quadrivalent, preservative free, pediatric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||D8043 IN8734|20110312|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LT^Left Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20101027|20101027|161^Influenza, injectable, quadrivalent, preservative free, pediatric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||D8043 IN8734|20110312|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RT^Right Thigh^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||

RXA|0|1|20111002|20111002|161^Influenza, injectable, quadrivalent, preservative free, pediatric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^333 Oceanview Lane^^Stamford^CT^06901|||D9334 IN9333|20120522|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A|||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Ricci^Gina^^^^^^L^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||

RXA|0|1|20131015|20131015|161^Influenza, injectable, quadrivalent, preservative free, pediatric^CVX^49281-0514-25^FLUZONE QUADRIVALENT^NDC|999||03^Historical information - from parents written record^NIP001|^Ricci^Gina|^DCS_DC^^^15 Post Road^Oceanview Pharmacy^Stamford^CT^06901|||8L4B3423|20140701|MED^MedImmune, LLC^MVX||CP|A|||

RXR|C38284^Nasal^NCIT^NS^Nasal^HL70162|BN^Bilateral Nares^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Smith^Frank^^^^^^L^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||

RXA|0|1|20150715|20150715|149^influenza, live, intranasal, quadrivalent^CVX^66019-0301-10^FluMist Quadrivalent^NDC|0.2|ml^^UCUM||00^New immunization record^NIP001|^Molina^Sandra|^DCS_DC^^^400 Shoreline Drive^^Stamford^CT^06901|||8L4B3521|20150815|MED^MedImmune, LLC^MVX||CP|A|||

RXR|C38284^Nasal^NCIT^NS^Nasal^HL70162|BN^Bilateral Nares^HL70163|||

OBX|2|TS|29768-9^VIS Publication Date^LN|1|20140819|||||F||20150715

OBX|3|TS|29769-7^VIS Presentation Date^LN|1|20150715|||||F||20150715

OBX|1|CE|64994-7^vaccine fund pgm elig cat^LN|1|V01^Not VFC elig ^HL70064|||||F||20150715

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20121104|20121104|149^influenza, live, intranasal, quadrivalent^CVX^66019-0301-10^FluMist Quadrivalent^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||D9553IN2243|20120430|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Herrera^Carlos^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20111123|20111123|83^hepatitis A vaccine, pediatric/adolescent dosage, 2 dose schedule^CVX^58160-0825-52^HAVRIX^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||6359RT33|20120124|SKB^GlaxoSmithKline Biologicals SA^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|RD^Right Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Smith^F^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20120523|20120523|83^hepatitis A vaccine, pediatric/adolescent dosage, 2 dose schedule^CVX^58160-0825-52^HAVRIX^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||6359RT48|20120911|PMC^Sanofi PasteurGlaxoSmithKline Biologicals SA^MVX||CP|A||||

RXR|C28161^IM^NCIT^IM^IM^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Smith^F^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20101023|20101023|94^measles, mumps, rubella, and varicella virus vaccine^CVX^00006-4999-00^ProQuad^NDC|999|||01^historical^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||7W27V7491|20101215|MSD^Merck Sharp & Dohme Corp^MVX||CP|A||||

RXR|C38299^Subcutaneous^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Martinez^J||^Smith^F^^^^^^L^^^^^^^^^^MD||||OP^Oceanview Pediatrics^HL70362|||||||||

RXA|0|1|20121122|20121122|94^measles, mumps, rubella, and varicella virus vaccine^CVX^00006-4999-00^ProQuad^NDC|999|||08^Historical information - from public agency^NIP001|^Martinez^J|^DCS_DC^^^^^333 Oceanview Lane^^Stamford^CT^06901|||7W87V3452|20130413|MSD^Merck Sharp & Dohme Corp^MVX||CP|A||||

RXR|C38299^Subcutaneous^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163|||

ORC|RE||197027^DCS|||||^Molina^Sandra|^Smith^Frank^^^^^^L^^^^^^^^^^MD||||SP^Shoreline Pediatrics^HL70362|||||||||

RXA|0|1|20150715|20150715|94^measles, mumps, rubella, and varicella virus vaccine^CVX^00006-4999-00^ProQuad^NDC|0.5mL^UCUM||00^New immunization record^NIP001|^Molina^Sandra|^DCS_DC^^^^^400 Shoreline Drive^^Stamford^CT^06901|||7W87V3687|20150715|MSD^Merck Sharp & Dohme Corp^MVX||CP|A||||

RXR|C38299^Subcutaneous^NCIT^SC^Subcutaneous^HL70162|LD^Left Deltoid^HL70163

OBX|2|TS|29768-9^VIS Publication Date^LN|1|20100521|||||F||20150715

OBX|3|TS|29769-7^VIS Presentation Date^LN|1|20150715|||||F||20150715

OBX|1|CE|64994-7^vaccine fund pgm elig cat^LN|1|V01^Not VFC elig ^HL70064|||||F||20150715

Failures interpretation

Category	Classification
RE_USAGE	WARNING
CONSTRAINT_FAILURE	ERROR
CODED_ELEMENT	ERROR
CONTENT_SPEC_ERROR	AFFIRMATIVE
INVALID_CONTENT	ERROR
CONTENT_SUCCESS	AFFIRMATIVE
BINDING_LOCATION	AFFIRMATIVE
X_USAGE	ERROR
W_USAGE	ERROR
CONSTRAINT_SUCCESS	AFFIRMATIVE
CONSTRAINT_SPEC_ERROR	AFFIRMATIVE
PREDICATE_SPEC_ERROR	AFFIRMATIVE
VALUE_SET	ERROR
VALUE_SET	ALERT
VALUE_SET	WARNING
EXTRA	ERROR
LENGTH	ERROR
PREDICATE_SUCCESS	AFFIRMATIVE
PREDICATE	ERROR
R_USAGE	ERROR
UNEXPECTED	ERROR
FORMAT	ERROR
CONTENT_FAILURE	ERROR
UNESCAPED_SEPARATOR	ERROR
CONFORMANCE_STATEMENT	ERROR
CARDINALITY	ERROR

Summary

6 Errors

143 Alerts

240 Warnings

Validation Errors

Count : 6

CONSTRAINT_FAILURE		Count : 2
1	Type :	CONSTRAINT_FAILURE
	Description:	NIST-01 - The Value of OBX-1 (Set ID-OBX) SHALL be valued sequentially starting with the value "1" within a message or for each group.
	Location:	Line: 109 Column: 5 Path: OBX[7]-1[1]
2	Type :	CONSTRAINT_FAILURE
	Description:	IZ-24 - If RXA-20 is valued 'CP' or 'PA' and the first occurrence of RXA-9.1 is valued '00' and RXA-5.1 is valued with a CVX code from table PHVS_VISVaccines_IIS (See Appendix A) then for each vaccine information statement that was shared there SHALL be:[one OBX segment with OBX-3.1 valued '69764-9' (bar coded) and one OBX with OBX-3.1 valued '29769-7' (presentation or delivery date) associated. Both OBX shall have the same value in OBX-4] OR[one OBX segment with OBX-3.1 valued '30956-7' (vaccine type) and one OBX segment with OBX-3.1 valued '29768-9' (version date) and one OBX with OBX-3.1 valued '29769-7' (presentation or delivery date) associated. All three OBX shall have the same value in OBX-4]
	Location:	Line: 104 Column: 1 Path: VXU_V04.ORDER[33]
VALUE_SET		Count : 2
1	Type :	VALUE_SET
	Description:	The value 'BN' at location Component RXR-2.1 (Identifier) is not member of the value set HL70163_IZ
	Location:	Line: 82 Column: 40 Path: RXR[25]-2[1].1
2	Type :	VALUE_SET
	Description:	The value 'BN' at location Component RXR-2.1 (Identifier) is not member of the value set HL70163_IZ
	Location:	Line: 85 Column: 40 Path: RXR[26]-2[1].1
CONTENT_FAILURE		Count : 1
1	Type :	CONTENT_FAILURE
	Description:	Content - Invalid content (based on test case fixed data). The value 'Merck Sharp \T\ Dohme Corp' at 'Component RXA-17.2 (Text)' does not match the expected value 'Merck Sharp \T\ Dohme Corp'.
	Location:	Line: 105 Column: 255 Path: RXA[33]-17[1].2
CODED_ELEMENT		Count : 1
1	Type :	CODED_ELEMENT

	Description:	Invalid Code System. Expected: 'CDCREC', Found: 'HL70005'
	Location:	Line: 2
		Column: 132 Path: PID[1]-10[1].3

Validation Alerts		Count : 143
VALUE_SET		Count : 143
1	Type :	VALUE_SET
	Description:	The value set HL70361_IZ has been excluded from the validation
	Location:	Line: 1 Column: 10 Path: MSH[1]-3[1]
2	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 1 Column: 10 Path: MSH[1]-3[1].1
3	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 1 Column: 31 Path: MSH[1]-4[1]
4	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 1 Column: 31 Path: MSH[1]-4[1].1
5	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 1 Column: 36 Path: MSH[1]-6[1]
6	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 1 Column: 36 Path: MSH[1]-6[1].1
7	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 1 Column: 129 Path: MSH[1]-21[1].2

8	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 2
		Column: 17 Path: PID[1]-3[1].4
9	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 2
		Column: 17 Path: PID[1]-3[1].4.1
10	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 2
		Column: 35 Path: PID[1]-3[2].4
11	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 2
		Column: 35 Path: PID[1]-3[2].4.1
12	Type :	VALUE_SET
	Description:	The value set HL70399 has been excluded from the validation
	Location:	Line: 2
		Column: 177 Path: PID[1]-11[1].6
13	Type :	VALUE_SET
	Description:	The value set HL70296 has been excluded from the validation
	Location:	Line: 2
		Column: 251 Path: PID[1]-15[1]
14	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 5
		Column: 16 Path: ORC[1]-3[1].2
15	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 5
		Column: 78 Path: ORC[1]-17[1]
16	Type :	VALUE_SET

	Description: Location:	The value set HL70362_IZ has been excluded from the validation Line: 6 Column: 200 Path: RXA[1]-11[1].4
17	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 6 Column: 200 Path: RXA[1]-11[1].4.1
18	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 8 Column: 16 Path: ORC[2]-3[1].2
19	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation Line: 8 Column: 80 Path: ORC[2]-17[1]
20	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation Line: 9 Column: 165 Path: RXA[2]-11[1].4
21	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 9 Column: 165 Path: RXA[2]-11[1].4.1
22	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 11 Column: 16 Path: ORC[3]-3[1].2
23	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation Line: 11 Column: 80 Path: ORC[3]-17[1]
24	Type : Description:	VALUE_SET The value set HL70362_IZ has been excluded from the validation

	Location:	Line: 12 Column: 199 Path: RXA[3]-11[1].4
25	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 12 Column: 199 Path: RXA[3]-11[1].4.1
26	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 14 Column: 16 Path: ORC[4]-3[1].2
27	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 14 Column: 80 Path: ORC[4]-17[1]
28	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 15 Column: 210 Path: RXA[4]-11[1].4
29	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 15 Column: 210 Path: RXA[4]-11[1].4.1
30	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 17 Column: 16 Path: ORC[5]-3[1].2
31	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 17 Column: 80 Path: ORC[5]-17[1]
32	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 18

		Column: 210 Path: RXA[5]-11[1].4
33	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 18 Column: 210 Path: RXA[5]-11[1].4.1
34	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 20 Column: 16 Path: ORC[6]-3[1].2
35	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 20 Column: 80 Path: ORC[6]-17[1]
36	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 21 Column: 210 Path: RXA[6]-11[1].4
37	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 21 Column: 210 Path: RXA[6]-11[1].4.1
38	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 24 Column: 16 Path: ORC[7]-3[1].2
39	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 24 Column: 80 Path: ORC[7]-17[1]
40	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 25 Column: 210

		Path: RXA[7]-11[1].4
41	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 25
		Column: 210 Path: RXA[7]-11[1].4.1
42	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 27
		Column: 16 Path: ORC[8]-3[1].2
43	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 27
		Column: 80 Path: ORC[8]-17[1]
44	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 28
		Column: 213 Path: RXA[8]-11[1].4
45	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 28
		Column: 213 Path: RXA[8]-11[1].4.1
46	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 30
		Column: 16 Path: ORC[9]-3[1].2
47	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 30
		Column: 80 Path: ORC[9]-17[1]
48	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 31
		Column: 194 Path: RXA[9]-11[1].4

49	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 31
		Column: 194 Path: RXA[9]-11[1].4.1
50	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 33
		Column: 16 Path: ORC[10]-3[1].2
51	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 33
		Column: 80 Path: ORC[10]-17[1]
52	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 34
		Column: 194 Path: RXA[10]-11[1].4
53	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 34
		Column: 194 Path: RXA[10]-11[1].4.1
54	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 36
		Column: 16 Path: ORC[11]-3[1].2
55	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 36
		Column: 80 Path: ORC[11]-17[1]
56	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 37
		Column: 194 Path: RXA[11]-11[1].4
57	Type :	VALUE_SET

	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 37
		Column: 194
		Path: RXA[11]-11[1].4.1
58	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 39
		Column: 16
59	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 39
		Column: 80
60	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 40
		Column: 194
61	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 40
		Column: 194
62	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 42
		Column: 16
63	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 42
		Column: 80
64	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 43
		Column: 164
65	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation

	Location:	Line: 43 Column: 164 Path: RXA[13]-11[1].4.1
66	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 45 Column: 16 Path: ORC[14]-3[1].2
67	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 45 Column: 80 Path: ORC[14]-17[1]
68	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 46 Column: 164 Path: RXA[14]-11[1].4
69	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 46 Column: 164 Path: RXA[14]-11[1].4.1
70	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 48 Column: 16 Path: ORC[15]-3[1].2
71	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 48 Column: 80 Path: ORC[15]-17[1]
72	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 49 Column: 167 Path: RXA[15]-11[1].4
73	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 49

		Column: 167 Path: RXA[15]-11[1].4.1
74	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 51 Column: 14 Path: ORC[16]-3[1].2
75	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 51 Column: 78 Path: ORC[16]-17[1]
76	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 53 Column: 16 Path: ORC[17]-3[1].2
77	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 53 Column: 80 Path: ORC[17]-17[1]
78	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 54 Column: 181 Path: RXA[17]-11[1].4
79	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 54 Column: 181 Path: RXA[17]-11[1].4.1
80	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 56 Column: 16 Path: ORC[18]-3[1].2
81	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 56 Column: 80

		Path: ORC[18]-17[1]
82	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 57
		Column: 181 Path: RXA[18]-11[1].4
83	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 57
		Column: 181 Path: RXA[18]-11[1].4.1
84	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 59
		Column: 16 Path: ORC[19]-3[1].2
85	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 59
		Column: 80 Path: ORC[19]-17[1]
86	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 60
		Column: 181 Path: RXA[19]-11[1].4
87	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 60
		Column: 181 Path: RXA[19]-11[1].4.1
88	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 62
		Column: 16 Path: ORC[20]-3[1].2
89	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 62
		Column: 80 Path: ORC[20]-17[1]

90	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 63
		Column: 181 Path: RXA[20]-11[1].4
91	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 63
		Column: 181 Path: RXA[20]-11[1].4.1
92	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 65
		Column: 16 Path: ORC[21]-3[1].2
93	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 65
		Column: 80 Path: ORC[21]-17[1]
94	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 66
		Column: 172 Path: RXA[21]-11[1].4
95	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 66
		Column: 172 Path: RXA[21]-11[1].4.1
96	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 68
		Column: 16 Path: ORC[22]-3[1].2
97	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 68
		Column: 80 Path: ORC[22]-17[1]
98	Type :	VALUE_SET

	Description: Location:	The value set HL70362_IZ has been excluded from the validation Line: 69 Column: 172 Path: RXA[22]-11[1].4
99	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 69 Column: 172 Path: RXA[22]-11[1].4.1
100	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 71 Column: 16 Path: ORC[23]-3[1].2
101	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation Line: 71 Column: 80 Path: ORC[23]-17[1]
102	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation Line: 72 Column: 214 Path: RXA[23]-11[1].4
103	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 72 Column: 214 Path: RXA[23]-11[1].4.1
104	Type : Description: Location:	VALUE_SET The value set HL70363_IZ has been excluded from the validation Line: 74 Column: 16 Path: ORC[24]-3[1].2
105	Type : Description: Location:	VALUE_SET The value set HL70362_IZ has been excluded from the validation Line: 74 Column: 80 Path: ORC[24]-17[1]
106	Type : Description:	VALUE_SET The value set HL70362_IZ has been excluded from the validation

	Location:	Line: 75 Column: 214 Path: RXA[24]-11[1].4
107	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 75 Column: 214 Path: RXA[24]-11[1].4.1
108	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 77 Column: 16 Path: ORC[25]-3[1].2
109	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 77 Column: 80 Path: ORC[25]-17[1]
110	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 78 Column: 214 Path: RXA[25]-11[1].4
111	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 78 Column: 214 Path: RXA[25]-11[1].4.1
112	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 80 Column: 16 Path: ORC[26]-3[1].2
113	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 80 Column: 79 Path: ORC[26]-17[1]
114	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 81

		Column: 223 Path: RXA[26]-11[1].4
115	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 81 Column: 223 Path: RXA[26]-11[1].4.1
116	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 83 Column: 16 Path: ORC[27]-3[1].2
117	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 83 Column: 80 Path: ORC[27]-17[1]
118	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 84 Column: 182 Path: RXA[27]-11[1].4
119	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 84 Column: 182 Path: RXA[27]-11[1].4.1
120	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 89 Column: 16 Path: ORC[28]-3[1].2
121	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 89 Column: 80 Path: ORC[28]-17[1]
122	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 90 Column: 191

		Path: RXA[28]-11[1].4
123	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 90
		Column: 191 Path: RXA[28]-11[1].4.1
124	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 92
		Column: 16 Path: ORC[29]-3[1].2
125	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 92
		Column: 80 Path: ORC[29]-17[1]
126	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 93
		Column: 200 Path: RXA[29]-11[1].4
127	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 93
		Column: 200 Path: RXA[29]-11[1].4.1
128	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 95
		Column: 16 Path: ORC[30]-3[1].2
129	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 95
		Column: 73 Path: ORC[30]-17[1]
130	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 96
		Column: 200 Path: RXA[30]-11[1].4

131	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 96
		Column: 200 Path: RXA[30]-11[1].4.1
132	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 98
		Column: 16 Path: ORC[31]-3[1].2
133	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 98
		Column: 73 Path: ORC[31]-17[1]
134	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 99
		Column: 155 Path: RXA[31]-11[1].4
135	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 99
		Column: 155 Path: RXA[31]-11[1].4.1
136	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 101
		Column: 16 Path: ORC[32]-3[1].2
137	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 101
		Column: 73 Path: ORC[32]-17[1]
138	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 102
		Column: 188 Path: RXA[32]-11[1].4
139	Type :	VALUE_SET

	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 102
		Column: 188 Path: RXA[32]-11[1].4.1
140	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 104 Column: 16 Path: ORC[33]-3[1].2
141	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 104 Column: 80 Path: ORC[33]-17[1]
142	Type :	VALUE_SET
	Description:	The value set HL70362_IZ has been excluded from the validation
	Location:	Line: 105 Column: 179 Path: RXA[33]-11[1].4
143	Type :	VALUE_SET
	Description:	The value set HL70363_IZ has been excluded from the validation
	Location:	Line: 105 Column: 179 Path: RXA[33]-11[1].4.1

Validation Warnings		Count : 240
RE_USAGE		Count : 240
1	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 5 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
2	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 6 Column: 184 Path: RXA[1]-10[1].10
3	Type :	RE_USAGE

	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 6 Column: 184 Path: RXA[1]-10[1].4
4	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 5 Column: 40 Path: ORC[1]-12[1].4
5	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 5 Column: 26 Path: ORC[1]-10[1].10
6	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 5 Column: 26 Path: ORC[1]-10[1].4
7	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 5 Column: 1 Path: ORC[1]-2[1]
8	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 8 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]

9	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 9 Column: 147 Path: RXA[2]-10[1].10
10	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 9 Column: 147 Path: RXA[2]-10[1].4
11	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 8 Column: 42 Path: ORC[2]-12[1].4
12	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 8 Column: 26 Path: ORC[2]-10[1].10
13	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 8 Column: 26 Path: ORC[2]-10[1].4
14	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 8 Column: 1 Path: ORC[2]-2[1]

15	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 11 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
16	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 12 Column: 184 Path: RXA[3]-10[1].10
17	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 12 Column: 184 Path: RXA[3]-10[1].4
18	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 11 Column: 39 Path: ORC[3]-12[1].4
19	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 11 Column: 26 Path: ORC[3]-10[1].10
20	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 11 Column: 26

		Path: ORC[3]-10[1].4
21	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 11 Column: 1 Path: ORC[3]-2[1]
22	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 14 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
23	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 15 Column: 195 Path: RXA[4]-10[1].10
24	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 15 Column: 195 Path: RXA[4]-10[1].4
25	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 14 Column: 39 Path: ORC[4]-12[1].4
26	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 14 Column: 26

		Path: ORC[4]-10[1].10
27	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 14 Column: 26 Path: ORC[4]-10[1].4
28	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 14 Column: 1 Path: ORC[4]-2[1]
29	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 17 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
30	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 18 Column: 195 Path: RXA[5]-10[1].10
31	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 18 Column: 195 Path: RXA[5]-10[1].4
32	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 17

		Column: 39 Path: ORC[5]-12[1].4
33	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 17 Column: 26 Path: ORC[5]-10[1].10
34	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 17 Column: 26 Path: ORC[5]-10[1].4
35	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 17 Column: 1 Path: ORC[5]-2[1]
36	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 21 Column: 195 Path: RXA[6]-10[1].10
37	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 21 Column: 195 Path: RXA[6]-10[1].4
38	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 20

		Column: 39 Path: ORC[6]-12[1].4
39	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 20 Column: 26 Path: ORC[6]-10[1].10
40	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 20 Column: 26 Path: ORC[6]-10[1].4
41	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 20 Column: 1 Path: ORC[6]-2[1]
42	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 24 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
43	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 25 Column: 195 Path: RXA[7]-10[1].10
44	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 25

		Column: 195 Path: RXA[7]-10[1].4
45	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 24 Column: 39 Path: ORC[7]-12[1].4
46	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 24 Column: 26 Path: ORC[7]-10[1].10
47	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 24 Column: 26 Path: ORC[7]-10[1].4
48	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 24 Column: 1 Path: ORC[7]-2[1]
49	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 27 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
50	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 28

		Column: 196 Path: RXA[8]-10[1].10
51	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 28 Column: 196 Path: RXA[8]-10[1].4
52	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 27 Column: 42 Path: ORC[8]-12[1].4
53	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 27 Column: 26 Path: ORC[8]-10[1].10
54	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 27 Column: 26 Path: ORC[8]-10[1].4
55	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 27 Column: 1 Path: ORC[8]-2[1]
56	Type : Description:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 30 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
57	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 31 Column: 179 Path: RXA[9]-10[1].10
58	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 31 Column: 179 Path: RXA[9]-10[1].4
59	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 30 Column: 39 Path: ORC[9]-12[1].4
60	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 30 Column: 26 Path: ORC[9]-10[1].10
61	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 30 Column: 26 Path: ORC[9]-10[1].4
62	Type : Description:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 30 Column: 1 Path: ORC[9]-2[1]
63	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 33 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
64	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 34 Column: 179 Path: RXA[10]-10[1].10
65	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 34 Column: 179 Path: RXA[10]-10[1].4
66	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 33 Column: 39 Path: ORC[10]-12[1].4
67	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 33 Column: 26 Path: ORC[10]-10[1].10
68	Type : Description:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be

	Location:	Empty) Line: 33 Column: 26 Path: ORC[10]-10[1].4
69	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 33 Column: 1 Path: ORC[10]-2[1]
70	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 36 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
71	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 37 Column: 179 Path: RXA[11]-10[1].10
72	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 37 Column: 179 Path: RXA[11]-10[1].4
73	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 36 Column: 39 Path: ORC[11]-12[1].4
74	Type : Description:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this

	Location:	<p>element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 36</p> <p>Column: 26</p> <p>Path: ORC[11]-10[1].10</p>
75	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 36</p> <p>Column: 26</p> <p>Path: ORC[11]-10[1].4</p>
76	Type : Description: Location:	<p>RE_USAGE</p> <p>Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 36</p> <p>Column: 1</p> <p>Path: ORC[11]-2[1]</p>
77	Type : Description: Location:	<p>RE_USAGE</p> <p>Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 39</p> <p>Column: 1</p> <p>Path: VXU_V04.ORDER.OBSERVATION[1]</p>
78	Type : Description: Location:	<p>RE_USAGE</p> <p>Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 40</p> <p>Column: 179</p> <p>Path: RXA[12]-10[1].10</p>
79	Type : Description: Location:	<p>RE_USAGE</p> <p>Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 40</p> <p>Column: 179</p> <p>Path: RXA[12]-10[1].4</p>
80	Type : Description:	<p>RE_USAGE</p> <p>Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may</p>

	Location:	<p>be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 39 Column: 39 Path: ORC[12]-12[1].4</p>
81	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 39 Column: 26 Path: ORC[12]-10[1].10</p>
82	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 39 Column: 26 Path: ORC[12]-10[1].4</p>
83	Type : Description: Location:	<p>RE_USAGE</p> <p>Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 39 Column: 1 Path: ORC[12]-2[1]</p>
84	Type : Description: Location:	<p>RE_USAGE</p> <p>Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 42 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]</p>
85	Type : Description: Location:	<p>RE_USAGE</p> <p>Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 43 Column: 149 Path: RXA[13]-10[1].10</p>
86	Type : Description:	<p>RE_USAGE</p> <p>Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may</p>

	Location:	<p>be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 43 Column: 149 Path: RXA[13]-10[1].4</p>
87	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 42 Column: 39 Path: ORC[13]-12[1].4</p>
88	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 42 Column: 26 Path: ORC[13]-10[1].10</p>
89	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 42 Column: 26 Path: ORC[13]-10[1].4</p>
90	Type : Description: Location:	<p>RE_USAGE</p> <p>Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 42 Column: 1 Path: ORC[13]-2[1]</p>
91	Type : Description: Location:	<p>RE_USAGE</p> <p>Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 45 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]</p>
92	Type : Description:	<p>RE_USAGE</p> <p>Component RXA-10.10 (Name Type Code) is missing. Depending on the</p>

	Location:	<p>use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 46 Column: 149 Path: RXA[14]-10[1].10</p>
93	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 46 Column: 149 Path: RXA[14]-10[1].4</p>
94	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 45 Column: 39 Path: ORC[14]-12[1].4</p>
95	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 45 Column: 26 Path: ORC[14]-10[1].10</p>
96	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 45 Column: 26 Path: ORC[14]-10[1].4</p>
97	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 45 Column: 1 Path: ORC[14]-2[1]</p>
98	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION

	Location:	(VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 48 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
99	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 49 Column: 150 Path: RXA[15]-10[1].10
100	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 49 Column: 150 Path: RXA[15]-10[1].4
101	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 48 Column: 42 Path: ORC[15]-12[1].4
102	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 48 Column: 26 Path: ORC[15]-10[1].10
103	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 48 Column: 26 Path: ORC[15]-10[1].4
104	Type :	RE_USAGE

	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 48 Column: 1 Path: ORC[15]-2[1]
105	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 51 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
106	Type :	RE_USAGE
	Description:	Segment RXR (Pharmacy/Treatment Route) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 51 Column: 1 Path: RXR[1]
107	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 51 Column: 40 Path: ORC[16]-12[1].4
108	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 51 Column: 24 Path: ORC[16]-10[1].10
109	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 51 Column: 24 Path: ORC[16]-10[1].4
110	Type :	RE_USAGE

	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 51 Column: 1 Path: ORC[16]-2[1]
111	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 53 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
112	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 54 Column: 166 Path: RXA[17]-10[1].10
113	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 54 Column: 166 Path: RXA[17]-10[1].4
114	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 53 Column: 39 Path: ORC[17]-12[1].4
115	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 53 Column: 26 Path: ORC[17]-10[1].10
116	Type :	RE_USAGE

	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 53 Column: 26 Path: ORC[17]-10[1].4
117	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 53 Column: 1 Path: ORC[17]-2[1]
118	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 56 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
119	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 57 Column: 166 Path: RXA[18]-10[1].10
120	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 57 Column: 166 Path: RXA[18]-10[1].4
121	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 56 Column: 39 Path: ORC[18]-12[1].4

122	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 56 Column: 26 Path: ORC[18]-10[1].10
123	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 56 Column: 26 Path: ORC[18]-10[1].4
124	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 56 Column: 1 Path: ORC[18]-2[1]
125	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 59 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
126	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 60 Column: 166 Path: RXA[19]-10[1].10
127	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 60 Column: 166 Path: RXA[19]-10[1].4

128	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 59 Column: 39 Path: ORC[19]-12[1].4
129	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 59 Column: 26 Path: ORC[19]-10[1].10
130	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 59 Column: 26 Path: ORC[19]-10[1].4
131	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 59 Column: 1 Path: ORC[19]-2[1]
132	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 62 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
133	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 63 Column: 166 Path: RXA[20]-10[1].10

134	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 63 Column: 166 Path: RXA[20]-10[1].4
135	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 62 Column: 39 Path: ORC[20]-12[1].4
136	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 62 Column: 26 Path: ORC[20]-10[1].10
137	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 62 Column: 26 Path: ORC[20]-10[1].4
138	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 62 Column: 1 Path: ORC[20]-2[1]
139	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 65 Column: 1

		Path: VXU_V04.ORDER.OBSERVATION[1]
140	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 66 Column: 157 Path: RXA[21]-10[1].10
141	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 66 Column: 157 Path: RXA[21]-10[1].4
142	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 65 Column: 39 Path: ORC[21]-12[1].4
143	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 65 Column: 26 Path: ORC[21]-10[1].10
144	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 65 Column: 26 Path: ORC[21]-10[1].4
145	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 65 Column: 1

		Path: ORC[21]-2[1]
146	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 68 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
147	Type :	RE_USAGE
	Description:	Component R XA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 69 Column: 157 Path: R XA[22]-10[1].10
148	Type :	RE_USAGE
	Description:	Component R XA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 69 Column: 157 Path: R XA[22]-10[1].4
149	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 68 Column: 39 Path: ORC[22]-12[1].4
150	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 68 Column: 26 Path: ORC[22]-10[1].10
151	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 68

		Column: 26 Path: ORC[22]-10[1].4
152	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 68 Column: 1 Path: ORC[22]-2[1]
153	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 71 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
154	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 72 Column: 199 Path: RXA[23]-10[1].10
155	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 72 Column: 199 Path: RXA[23]-10[1].4
156	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 71 Column: 39 Path: ORC[23]-12[1].4
157	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 71

		Column: 26 Path: ORC[23]-10[1].10
158	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 71 Column: 26 Path: ORC[23]-10[1].4
159	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 71 Column: 1 Path: ORC[23]-2[1]
160	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 74 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
161	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 75 Column: 199 Path: RXA[24]-10[1].10
162	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 75 Column: 199 Path: RXA[24]-10[1].4
163	Type : Description:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 74 Column: 39 Path: ORC[24]-12[1].4
164	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 74 Column: 26 Path: ORC[24]-10[1].10
165	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 74 Column: 26 Path: ORC[24]-10[1].4
166	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 74 Column: 1 Path: ORC[24]-2[1]
167	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 77 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
168	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 78 Column: 199 Path: RXA[25]-10[1].10
169	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 78 Column: 199 Path: RXA[25]-10[1].4
170	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 77 Column: 39 Path: ORC[25]-12[1].4
171	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 77 Column: 26 Path: ORC[25]-10[1].10
172	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 77 Column: 26 Path: ORC[25]-10[1].4
173	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 77 Column: 1 Path: ORC[25]-2[1]
174	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 80 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
175	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 81 Column: 208 Path: RXA[26]-10[1].10
176	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 81 Column: 208 Path: RXA[26]-10[1].4
177	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 80 Column: 42 Path: ORC[26]-12[1].4
178	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 80 Column: 26 Path: ORC[26]-10[1].10
179	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 80 Column: 26 Path: ORC[26]-10[1].4
180	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 80 Column: 1 Path: ORC[26]-2[1]
181	Type : Description:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 84 Column: 164 Path: RXA[27]-10[1].10
182	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 84 Column: 164 Path: RXA[27]-10[1].4
183	Type :	RE_USAGE
	Description:	Component RXA-7.2 (Text) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 84 Column: 120 Path: RXA[27]-7[1].2
184	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 83 Column: 42 Path: ORC[27]-12[1].4
185	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 83 Column: 26 Path: ORC[27]-10[1].10
186	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 83 Column: 26 Path: ORC[27]-10[1].4
187	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 83 Column: 1 Path: ORC[27]-2[1]
188	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (V XU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 89 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
189	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 90 Column: 176 Path: RXA[28]-10[1].10
190	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 90 Column: 176 Path: RXA[28]-10[1].4
191	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 89 Column: 39 Path: ORC[28]-12[1].4
192	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 89 Column: 26 Path: ORC[28]-10[1].10
193	Type : Description:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be

	Location:	Empty) Line: 89 Column: 26 Path: ORC[28]-10[1].4
194	Type : Description: Location:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 89 Column: 1 Path: ORC[28]-2[1]
195	Type : Description: Location:	RE_USAGE Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 92 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]
196	Type : Description: Location:	RE_USAGE Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 93 Column: 185 Path: RXA[29]-10[1].10
197	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 93 Column: 185 Path: RXA[29]-10[1].4
198	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 92 Column: 39 Path: ORC[29]-12[1].4
199	Type : Description:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this

	Location:	<p>element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 92</p> <p>Column: 26</p> <p>Path: ORC[29]-10[1].10</p>
200	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 92</p> <p>Column: 26</p> <p>Path: ORC[29]-10[1].4</p>
201	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 92</p> <p>Column: 1</p> <p>Path: ORC[29]-2[1]</p>
202	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 95</p> <p>Column: 1</p> <p>Path: VXU_V04.ORDER.OBSERVATION[1]</p>
203	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 96</p> <p>Column: 185</p> <p>Path: RXA[30]-10[1].10</p>
204	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 96</p> <p>Column: 185</p> <p>Path: RXA[30]-10[1].4</p>
205	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may

	Location:	<p>be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 95 Column: 39 Path: ORC[30]-12[1].4</p>
206	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 95 Column: 26 Path: ORC[30]-10[1].10</p>
207	Type : Description: Location:	<p>RE_USAGE</p> <p>Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 95 Column: 26 Path: ORC[30]-10[1].4</p>
208	Type : Description: Location:	<p>RE_USAGE</p> <p>Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 95 Column: 1 Path: ORC[30]-2[1]</p>
209	Type : Description: Location:	<p>RE_USAGE</p> <p>Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 98 Column: 1 Path: VXU_V04.ORDER.OBSERVATION[1]</p>
210	Type : Description: Location:	<p>RE_USAGE</p> <p>Component RXA-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 99 Column: 140 Path: RXA[31]-10[1].10</p>
211	Type : Description:	<p>RE_USAGE</p> <p>Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may</p>

	Location:	<p>be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 99</p> <p>Column: 140</p> <p>Path: RXA[31]-10[1].4</p>
212	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 98</p> <p>Column: 39</p> <p>Path: ORC[31]-12[1].4</p>
213	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 98</p> <p>Column: 26</p> <p>Path: ORC[31]-10[1].10</p>
214	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 98</p> <p>Column: 26</p> <p>Path: ORC[31]-10[1].4</p>
215	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 98</p> <p>Column: 1</p> <p>Path: ORC[31]-2[1]</p>
216	Type :	RE_USAGE
	Description:	Group VXU_V04.ORDER.OBSERVATION (VXU_V04.ORDER.OBSERVATION) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 101</p> <p>Column: 1</p> <p>Path: VXU_V04.ORDER.OBSERVATION[1]</p>
217	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the

	Location:	<p>use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)</p> <p>Line: 102 Column: 173 Path: RXA[32]-10[1].10</p>
218	Type :	RE_USAGE
	Description:	Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 102 Column: 173 Path: RXA[32]-10[1].4</p>
219	Type :	RE_USAGE
	Description:	Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 101 Column: 39 Path: ORC[32]-12[1].4</p>
220	Type :	RE_USAGE
	Description:	Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 101 Column: 26 Path: ORC[32]-10[1].10</p>
221	Type :	RE_USAGE
	Description:	Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 101 Column: 26 Path: ORC[32]-10[1].4</p>
222	Type :	RE_USAGE
	Description:	Field ORC-2 (Placer Order Number) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	<p>Line: 101 Column: 1 Path: ORC[32]-2[1]</p>
223	Type :	RE_USAGE
	Description:	Component RXA-10.10 (Name Type Code) is missing. Depending on the

	Location:	use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 105 Column: 161 Path: RXA[33]-10[1].10
224	Type : Description: Location:	RE_USAGE Component RXA-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 105 Column: 161 Path: RXA[33]-10[1].4
225	Type : Description: Location:	RE_USAGE Component RXA-7.2 (Text) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 105 Column: 117 Path: RXA[33]-7[1].2
226	Type : Description: Location:	RE_USAGE Component ORC-12.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 104 Column: 42 Path: ORC[33]-12[1].4
227	Type : Description: Location:	RE_USAGE Component ORC-10.10 (Name Type Code) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 104 Column: 26 Path: ORC[33]-10[1].10
228	Type : Description: Location:	RE_USAGE Component ORC-10.4 (Second and Further Given Names or Initials Thereof) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 104 Column: 26 Path: ORC[33]-10[1].4
229	Type : Description:	RE_USAGE Field ORC-2 (Placer Order Number) is missing. Depending on the use case

	Location:	and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 104 Column: 1 Path: ORC[33]-2[1]
230	Type : Description: Location:	RE_USAGE Component NK1-4.6 (Country) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 4 Column: 59 Path: NK1[1]-4[1].6
231	Type : Description: Location:	RE_USAGE Component NK1-4.2 (Other Designation) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 4 Column: 59 Path: NK1[1]-4[1].2
232	Type : Description: Location:	RE_USAGE Field PD1-12 (Protection Indicator) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 3 Column: 1 Path: PD1[1]-12[1]
233	Type : Description: Location:	RE_USAGE Field PID-30 (Patient Death Indicator) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 2 Column: 1 Path: PID[1]-30[1]
234	Type : Description: Location:	RE_USAGE Field PID-24 (Multiple Birth Indicator) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty) Line: 2 Column: 1 Path: PID[1]-24[1]
235	Type : Description:	RE_USAGE Component PID-11.2 (Other Designation) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)

	Location:	Line: 2 Column: 140 Path: PID[1]-11[1].2
236	Type :	RE_USAGE
	Description:	Component PID-11.6 (Country) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 2 Column: 183 Path: PID[1]-11[2].6
237	Type :	RE_USAGE
	Description:	Component PID-11.2 (Other Designation) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 2 Column: 183 Path: PID[1]-11[2].2
238	Type :	RE_USAGE
	Description:	Field MSH-23 (Receiving Responsible Organization) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 1 Column: 1 Path: MSH[1]-23[1]
239	Type :	RE_USAGE
	Description:	Field MSH-22 (Sending Responsible Organization) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 1 Column: 1 Path: MSH[1]-22[1]
240	Type :	RE_USAGE
	Description:	Field MSH-5 (Receiving Application) is missing. Depending on the use case and data availability it may be appropriate to value this element.(Usage is RE, Required, but may be Empty)
	Location:	Line: 1 Column: 1 Path: MSH[1]-5[1]