

Solving Pathfinding Problems using Search Algorithms

1. Problem Description

The pathfinding problem is a fundamental challenge in Artificial Intelligence that involves finding a valid path between a starting point and a target destination within a given environment. The environment is typically represented as a graph or a grid where certain areas are traversable and others are blocked by obstacles. The objective is to navigate through the configuration space while satisfying specific constraints, such as minimizing the total distance traveled or avoiding high-cost regions. This project focuses on implementing a framework to solve this problem by simulating different environmental complexities and evaluating how various search strategies behave in terms of efficiency and path quality.

2. Problem Domain

The domain of this project is **Pathfinding and Robotics Navigation**. In a grid-based map, the problem is defined by a set of states (cells), transitions (movement between adjacent cells), and costs associated with each transition. Pathfinding is essential in various fields, including autonomous robot navigation, video game AI, and logistics. The complexity of the domain arises from the presence of obstacles, the size of the search space, and the necessity to find an optimal or near-optimal path in real-time.

3. Algorithms Used to Solve the Problem

To address the pathfinding problem, the following five algorithms will be implemented and analyzed:

- **Breadth-First Search (BFS):** An uninformed search strategy that explores all neighbor nodes at the present depth before moving on to the nodes at the next depth level. In pathfinding, it guarantees the shortest path in an unweighted grid by exploring the uniform expansion of the search frontier.
 - **Depth-First Search (DFS):** An uninformed search that explores as far as possible along each branch before backtracking. For pathfinding, DFS is used to demonstrate the limitations of non-optimal search, as it may find a valid path but often fails to find the shortest one.
 - **Dijkstra's Algorithm:** A weighted search strategy that expands the node with the lowest path cost from the start. It ensures optimality in grids where different cells have different traversal costs, effectively finding the path with the minimum cumulative cost.
 - **A* Search:** An informed search algorithm that uses a heuristic function to guide the search towards the goal. By combining the actual cost from the start with an estimated cost to the target (e.g., Manhattan distance), it achieves high efficiency and guarantees optimality.
 - **Greedy Best-First Search:** An informed strategy that expands the node that is closest to the goal according to the heuristic function alone. While it can find a solution very quickly by ignoring the cost already spent, it does not guarantee the shortest or most optimal path.
- Swarm Algorithm (Ant Colony Optimization):** A nature-inspired metaheuristic that simulates the foraging behavior of ant colonies. In pathfinding, multiple agents (ants) explore the grid, leaving behind a "pheromone" trail on the paths they traverse. Over time, the paths that lead to the goal more efficiently accumulate more pheromones,

causing the swarm to converge on the most optimal route. This approach is highly effective for discovering paths in complex, non-linear environments.

- **Bidirectional Swarm Algorithm:** This advanced strategy combines swarm intelligence with bidirectional search by launching two concurrent swarms: one from the starting point and another from the goal. The two swarms explore the environment simultaneously, guided by pheromone updates and heuristic direction. The search concludes when the frontiers of the two swarms meet, significantly reducing the exploration time and computational resources required to find a complete path in large-scale grids.

Team Members

- محمد على الشحات على محمد أبو هلال
- أحمد عبدالمجيد عطيه زلط
- إيمان شريف عبدالونيس احمد جبر
- حمدي نشأت عيد صالح دهيم
- سما محمد رشدي محمد مجاهد
- عبدالجواد محمد عبدالجواد إسماعيل حبيب
- محمد محمد رمضان شاهين