

- nuxt: Use built-in consola prompts (#23205)
- kit,nuxt,schema: Use consola and improve test dx (#23302)

- Add documentation on nuxt2 command (#23211)
- Clarify nuxi start command usage (<u>#23215</u>)
- Close code-block in migration guide (<u>#23224</u>)
- Typo on callHook method (#23231)
- nuxt: Remove hanging word in modules docs (#23242)
- Update latest node.js version to 20.x (<u>#23252</u>)
- Add more files to srcDir JSDoc (#23250)
- Add steps for contributing to docs locally (<u>#23270</u>)
- Add support details and update roadmap (<u>#21867</u>, <u>#21893</u>)
- Add nuxtApp.runWithContext (#23258)
- Update 'scheduled' status name (#23307)
- Fix links to configuration options (#23324)
- Update link to devtools.nuxt.com (#23350)
- Add explicit await to clarify sendRedirect is async (#23345)
- Remove version from npm links to redirect to latest (#23371)
- Add tryUseNuxt to kit context utils list (#23373)

Chore

- Add .devcontainer (#22810)
- Remove previous e2e crawler script (<u>5d36e5c93</u>)

🖷 CI

- Add lychee link checker (#23254)
- Rename linkChecker job to link-checker (#23319)
- Don't run link checker on pushes to main (<u>e0ddcfa9e</u>)

- Damian Głowala (@DamianGlowala)
- Tech Genius (@TechGenius7777)
- Daniel Roe (@danielroe)
- Percy Ma (<u>@kecrily</u>)
- Josh Deltener (@hecktarzuli)
- Arash (@arashsheyda)
- Abdul Al-Hasany (<u>@abdul-alhasany</u>)
- Muhammad Mahmoud (@MuhammadM1998)

- Pooya Parsa (@pi0)
- Alex Riviere (@fimion)
- Default-kaas (@default-kaas)
- Michel EDIGHOFFER (@edimitchel)
- Arkadiusz Sygulski (@Aareksio)
- Joaquín Sánchez (@userquin)
- Josh Jancourtz (@jcolpal)
- 翠 / Green (@sapphi-red)
- Jeremy Graziani (<u>@AcelisWeaven</u>)
- Julien Huang (@huang-julien)
- Andrey Yolkin (<u>@AndreyYolkin</u>)
- Petro Silenius (@PetroSilenius)
- Ryota Watanabe (@wattanx)





abdul-alhasany, hecktarzuli, and 19 other contributors







3 weeks ago



♥ v3.7.3

-o- 16e40f8

0

Compare •

v3.7.3

3.7.3 is a hotfix release to address a regression introduced in 3.7.2.





compare changes



- nuxt: Ensure plugins retain original order (#23174)
- nuxt: Allow importing server components from #components (#23188)







• nuxt: Scroll to top by default on dynamic routes (#22403)

• nuxt: Don't joinurl with remote sources on NuxtIsland (#23093)

- nuxt: Exclude data-v attrs from server component props (#23095)
- nuxt: Handle optional params within a path segment (#23070)
- nuxt: Include method when creating useFetch auto key (#23086)
- vite: Add css to manifest without cssCodeSplit (#23049)
- nuxt: Find parent routes by exact path match (#23040)
- nuxt: Load spaLoadingTemplate if file exists (#23048)
- nuxt: Handle unset spa-loading fallback (#23120)
- **kit:** Improve generated tsconfig.json defaults (<u>#23121</u>)
- vite: Remove dev styles injected via absolute path (#23126)
- nuxt: Default scanned layer components to priority 0 (#23127)
- nuxt: Allow granularly overriding pages in layers (#23134)
- nuxt: Respect layer order for other layer plugins (<u>#23148</u>)
- nuxt: Allow changing dirs within modules (#23133)
- nuxt: Allow overriding components + only warn if clash (#23156)

- Remove 'caching' section from data fetching (<u>fe29948fe</u>)
- Fix broken links on experimental features (#23052)
- Fix typo (<u>#23060</u>)
- Add name param to PageMeta interface description (#23107)
- Fix typo for experimental.componentIslands (<u>#23138</u>)
- Change NuxtLabs UI to Nuxt UI (#23150)
- Fix typo in nuxi init command (#23155)

Chore

nuxt: Update nuxi (<u>#23145</u>)

🔁 CI

- Test on node 20.5 rather than 20.6 (#23041)
- Update fixtures to node 18 (<u>#23122</u>)
- Unpin node 20 actions runners (<u>#23135</u>)

- Daniel Roe (@danielroe)
- ML (@ijkml)
- Tech Genius (<u>@TechGenius7777</u>)
- Manthankumar Satani (@itsmnthn)
- David Gonzalez (@davidglezz)
- Maxime Pauvert (<u>@maximepvrt</u>)

- Dmitry Istomin (<u>@tirojal</u>)
- Maxim (@MaxKostenko)
- Julien Huang (<u>@huang-julien</u>)
- Sma11X (@Sma11X)
- Michel EDIGHOFFER (@edimitchel)

Contributors





















davidglezz, maximepvrt, and 9 other contributors

Assets





👍 18) 💗 39) 🚀 22) 57 people reacted

Sep 5



√ v3.7.1

-O- 88a6d0a



Compare •

v3.7.1

3.7.1 is a regularly scheduled patch release.

Upgrading

As usual, our recommendation for upgrading is to run:

nuxi upgrade --force



This will refresh your lockfile as well, and ensures that you pull in updates from other dependencies that Nuxt relies on, particularly in the unjs ecosystem.



Changelog

compare changes

Performance

- nuxt: Prevent head dom from rendering twice (#22974)
- nuxt: Decrease default bundle size (#22999)

Fixes

- nuxt: Exclude resolved vite virtual modules prefix (#22834)
- nuxt: Ensure typed layout prop persists through build (<u>#22855</u>)

- nuxt: Render server components when ssr: false (#22869)
- kit: Respect priority when registering components dirs (#22882)
- kit: Allow passing a string to addLayout (#22902)
- nuxt: Ensure middleware is processed when returning true (#22905)
- nuxt: Unpause dom updates on error (<u>#22945</u>)
- nuxt: Disallow write: false for type templates (#22972)
- vite: Don't set explicit conditions in shouldExternalize (#22991)
- nuxt: Render inlined ssr styles before stylesheets (#22986)
- nuxt: Improve types within plugin templates (#22998)
- nuxt: Load layer plugins before project plugins (#22889)
- nuxt: Use destr in more places over JSON.parse (#22997)
- nuxt: Resolve head instance from Nuxt app (<u>#22973</u>)
- nuxt: Always use increment for id with client side islands (#22975)

- Add info about dynamic nested routes (<u>#22862</u>)
- Update nuxt bridge migration guide (#22815)
- Rename nuxt-community to nuxt-modules (9991da634)
- Add banner for readme (<u>e92d99db3</u>)
- Simplify readme (<u>681f92915</u>)
- Text center on banner (<u>ea5142176</u>)
- Clarify that 'it' is <NuxtPage> (#22912)
- Update examples of dynamic pageKey (<u>#22920</u>)
- Fix types in 'server utilities' example (#22978)
- Describe env object for nuxt plugins (<u>#22963</u>)
- Docs/3.api/3.utils/define-page-meta.md (<u>#23006</u>)
- Accessing custom props for NuxtLayout (#22989)
- Add information about server component context (#22964)


Chore

- Fix variable name in release scripts (<u>adb6ec674</u>)
- Track nuxi-edge rather than nuxi-ng (9610cf03d)

CI

- Create 2.x release branch as well (cdf9b5547)
- Use GITHUB_REF_NAME to get branch for release (<u>d49ea58de</u>)
- Use changelogen utility to get current branch (7431e2258)

- Julien Huang (<u>@huang-julien</u>)
- Saman (@bounoable)
- Harlan Wilton (@harlan-zw)
- Kekeocha Justin Chetachukwu (@justinkekeocha)
- Daniel Roe (@danielroe)
- Xjccc (<u>@xjccc</u>)
- Joaquín Sánchez (@userquin)
- Andrey Yolkin (AndreyYolkin)
- OrlS15 (@OrlS15)
- Alex Liu (@Mini-ghost)
- Jonas Thelemann (@dargmuesli)
- Sébastien Chopin (@Atinux)
- Ryota Watanabe (<u>@wattanx</u>)
- Heb (@Hebilicious)
- Maik Kowol (<u>@94726</u>)





v3.7.0

Highlights



We've refactored nuxi using <u>unjs/citty</u> and this marks the first Nuxt release that depends on the new version, safely in its own repository. We have grand plans for this - check out some of the features + roadmap discussions in <u>nuxt/cli</u> and please feel free to contribute!

- Project Goals
- Feedbacks and Ideas
- The journey of Nuxt CLI Generations

Nuxi is now decoupled from the main nuxt version - we plan to iterate and release nuxi more quickly in future so you can expect new things coming soon!

® Native Web Streams and Response

With improvements in <u>unjs/h3</u> and <u>unjs/nitro</u>, it's now possible to directly return a Response object from server routes, meaning it's *also* possible to return and handle streams natively in Nuxt.

c Check out the full detail in the <u>unjs/h3</u> and <u>unjs/nitro</u> release notes.

HTML Rendering Optimisations

This release comes with a couple of improvements in rendering HTML responses from the server. We now determine whether to preload/prefetch resources at build time (so you can customise this in the <code>build:manifest</code> hook). We also now manage rendering the HTML for them directly in <code>unhead</code> (#22179), which means you can configure the *order* for <code><link></code>, <code><meta></code>, <code><script></code>, <code><style></code>, and more. And - in our preliminary testing - it's even faster!

It's possible to opt-in to upcoming head improvements with the experimental.headNext flag. This currently includes a new ordering algorithm based on capo.js (#22431) and allows enabling future optimisations as they are released in unhead:

```
export default defineNuxtConfig({
   experimental: {
    headNext: true
   }
})
```

We'd love your thoughts - you can respond with any issues/feedback in <u>this</u> discussion.

**** Build Environment Shortcuts**

In your Nuxt config you can now use \$client and \$server shortcuts to easily define configuration that is specific to just the Vite client/server (#22302) or webpack client/server (#22304) builds. This previously was only possible with the vite:extendConfig and webpack:config hooks.

For example:

```
chunkFileNames: '_nuxt/[hash].js',
    assetFileNames: '_nuxt/[hash][extname]',
    entryFileNames: '_nuxt/[hash].js'
    }
}
}
}
```

♦ Vite 4.4

We've chosen to unpin Vite from minor versions, meaning whenever Vite releases a new feature version you can opt-in straight away. Vite 4.4 brings a lot of exciting things, including experimental Lightning CSS support - and much more!

Check out the Vite release notes for more.

TypeScript Updates

We now use purely relative paths in the generated <code>tsconfig.json</code> instead of setting a <code>baseurl</code>. This means better support for dev environments like docker images where the absolute path may not match your IDE (#22410).

We also set a couple of additional compiler flag defaults to match Vite/TS recommendations (#22468).

Plus, you should now get type hinted access to layouts in setPageLayout and also in <NuxtLayout name> (#22363).

Async Context support

If you've ever got an issue with 'Nuxt context unavailable' this might be one for you. We now support native async context for Bun and Node under an experimental flag, in both Nuxt and Nitro (#20918).

This enables using Nuxt composables on the server *without* needing to ensure they are being called directly in a setup function. It also allows the same in Nitro, with a new <code>useEvent()</code> utility that is usable in server routes.

To try it out, you can enable experimental.asyncContext:

```
export default defineNuxtConfig({
   experimental: {
     asyncContext: true
   }
})
```

Q

Watcher Updates

We've fixed a couple of issues with watchers, meaning that you should need to restart your server less often - and you should see a significant performance increase if you are using layers.

Nitro 2.6

There lots more exciting features coming directly from Nitro 2.6, including smaller, lighter servers and new persistent data storage in a .data directory.

Fread more in the full release article.

Upgrading

As usual, our recommendation for upgrading is to run:

npx nuxi upgrade --force



This will refresh your lockfile as well, and ensures that you pull in updates from other dependencies that Nuxt relies on, particularly in the <u>unjs</u> ecosystem.



Changelog

compare changes

Enhancements

- vite: Unpin vite from minor (#22031)
- nuxt: Polyfill idle callback utils (#21863)
- nuxt: Smooth scroll behavior option (<u>#21948</u>)
- schema, vite: Allow \$client and \$server vite env overrides (#22302)
- schema,webpack: Allow \$client and \$server overrides (#22304)
- nuxt: Allow dynamic scrollToTop page meta (#21741)
- nuxt: Expose filtered templates in app:templatesGenerated hook (#21935)
- nuxt: Render all head tags on server with unhead (#22179)
- nuxt: Auto-install @nuxt/webpack-builder when needed (#21747)
- nuxt: Allow remote sources for islands (#21592)
- **nuxt:** Environment-specific plugin execution for islands (#20726)
- **kit,nuxi**: Add writeTypes utility (#22385)
- nuxt: Autocomplete layouts in setPageLayout / <NuxtLayout> (#22362)
- **nuxt:** Allow 'lazy' (non-blocking) server components (<u>#21918</u>)
- **nuxt**: Use build plugin to access nuxt route injection (#21585)
- vite,webpack: Tree-shakable import.meta.* build flags (#22428)
- **nuxt:** Resolve unresolved paths within node_modules (#22478)

- nuxt: Experimental native async context support (<u>#20918</u>)
- nuxt: Warn on external webpack / nitro / postcss config (#22521)
- nuxt: Allow experimental global: 'sync' components (#22558)
- nuxt: Make app.rootId optional (#22528)
- nuxt: Add experimental.headNext unhead integration (#22620)
- cli: Detect bun package manager (<u>#22673</u>)
- nuxt: Upgrade nitro + reduce node-specific usage (#22515)
- nuxt: Add support for routeRules defined within pages (#20391)
- schema: Support setting hidden sourcemaps (#22787)
- kit,nuxt: Respect nuxt ignore patterns in nitro (#22808)
- nuxt: Migrate to new nuxt/cli (#22799)
- schema: Export ./schema/config.schema.json subpath (#22813)

Performance

- nuxt: Export DefineNuxtConfig interface from nuxt/config (#22391)
- nuxt: Write templates in single sync step + improve logs (#22384)
- nuxt: Render css/inline css higher than resource hints (#21793)
- nuxt: Experimental support of capo.js head tag order (#22431)
- nuxt: Use LRU prerender cache and limit cached items (#22465)
- nuxt: Reduce multiple calls to .toLowerCase() (#22743)
- nuxt: Reduce multiple calls to dirname (#22800)

Fixes

- nuxt: Await prerender: routes hook (#22247)
- nuxt: Access resolved scrollBehaviorType (<u>#22264</u>)
- nuxt: Add overloads for asyncData generic + default ([#22258](#22258...


Contributors



marr, manniL, and 45 other contributors

Assets





• Anthony Fu anthonyfu117@hotmail.com



Jul 19

Jul 19

antfu

♥ v3.6.5

-O- f6a3adb

Compare •



♥ v3.6.4

-o- 380a919



v3.6.4

3.6.4 is a patch release, brought forward to allow releasing some important bug fixes before work begins on 3.7.

Compare

Warning

We're currently investigating a regression with nuxt/content and will be releasing 3.6.5 later today.

Upgrading

As usual, our recommendation for upgrading is to run:

nuxi upgrade --force



This will refresh your lockfile as well, and ensures that you pull in updates from other dependencies that Nuxt relies on, particularly in the unjs ecosystem.



Changelog

compare changes

Performance

nuxt,schema: Do not watch buildDir and node_modules (#22214)

Fixes

- nuxt: Correctly use toLowerCase for possible moduleResolution (#22160)
- nuxt: Don't redirect if initial path has trailing slash (#22192)
- **nuxt:** Work around payload extraction issue (#22162)
- **nuxt:** Add baseURL to island fetch requests (#22009)
- **nuxt:** Resolve race condition regenerating auto imports (#22201)
- **nuxt:** Ensure we only increment hydrating count once (#22200)
- **nuxt**: Avoid premature hydration when using async layouts (#22198)
- cli: Support --inspect in dev mode (#22205)
- test-utils: Pass along error if server can't start (#22216)

Documentation

- Add runtime storage configuration examples (<u>#22189</u>)
- Add instruction on how to use other modules in a module (#22081)
- Standardize indentation and tag positioning (#22157)

- Daniel Roe (@danielroe)
- Nirina Rabeson (@Seboran)
- Anthony Fu (@antfu)

- Julien Huang (<u>@huang-julien</u>)
- Alexander Lichter (@manniL)
- Mahdi Shah Abbasian (@shahabbasian)
- Ali Azimi (@ali4zimi)
- Qin Guan (@qin-guan)

Contributors

















manniL, qin-guan, and 6 other contributors

Assets

🤎 21) 🚀 18) 33 people reacted

Join discussion

Jul 14



♥ v3.6.3

-o- f068ad5

 \odot

Compare •

v3.6.3

3.6.3 is the next patch release, including a number of fixes. It's anticipated this will be the last patch release before 3.7.

Upgrading

As usual, our recommendation for upgrading is to run:

nuxi upgrade --force



This will refresh your lockfile as well, and ensures that you pull in updates from other dependencies that Nuxt relies on, particularly in the unjs ecosystem.



Changelog

compare changes



nuxt: Prepopulate island payloads from rendered html (#22049)

Fixes

- kit: Module compatibility not working with module names (6cabe69ce)
- schema: Correct type of unctx options (<u>4e32e70bb</u>)

- vite: Pass modulesDir to isExternal (#21966)
- nuxt: Add pages in correct hook when generating (#22088)
- test-utils: Export from core playwright package (#22122)
- nuxt: Skip view transitions where there is no route change (#22140)
- nuxt: Skip scanning components that do not produce a name (#22074)
- cli: Add aliases to monorepo paths to tsconfig includes (#21997)
- cli: Allow non-existent experimental option (0643d4315)

Refactors

• cli,schema: Add bundler module resolution flag (#22142)

Documentation

- Fix accessing custom props from child pages (#21977)
- Add leading slash (<u>3bae61507</u>)
- Add more internal links (<u>#22013</u>)
- Add space in list (<u>#22032</u>)
- Add details and components folder to auto imports introduction (<u>#22062</u>)
- Use sfc syntax in example (<u>#22073</u>)
- Prefix internal links with / (#22118)
- Fix typos (<u>#22125</u>)
- Update link to router options (<u>#22131</u>)

Chore

- Add explicit vue dependency in fixtures (<u>c10a62405</u>)
- Update lockfile (<u>6481162f4</u>)
- Add explicit type dependencies (<u>d590c85c3</u>)
- Add volar to workspace recommendations (<u>0c826ee27</u>)
- Add eslint schema (4d7df49eb)

- Daniel Roe (@danielroe)
- Samuel Burkhard (@samydoesit)
- 云游君 (@YunYouJun)
- Jianqi Pan (@Jannchie)
- Luke Pinion (@lwpinion)
- Fanny (@FannyGautierr)
- Hebilicious (@Hebilicious)
- Eduardo San Martin Morote (@posva)
- Eduardo Santos De Brito (@EduSantosBrito)

- Nurassyl (@Nura-21)
- Zakir Hossen (@devzakir)
- Harlan Wilton (@harlan-zw)

Contributors

























posva, harlan-zw, and 10 other contributors

Assets



 \square 2

Join discussion

Jul 14



v2.17.1

-**O**- 9de25af

Compare •

v2.17.1

2.17.1 is the next patch release for Nuxt 2.



c Changelog

compare changes



- webpack: Downgrade dev-middleware to fix peer dep issue (#21626)
- webpack: Pin webpack-dev-middleware to 5.0.0 (#21804)

Contributors

- Daniel Roe (@danielroe)
- Lehoczky Zoltán (<u>@Lehoczky</u>)

Contributors





danielroe and Lehoczky

Assets







(👍 6) (🎉 1) (♥ 5) 9 people reacted

Jul 5



♥ v3.6.2

-o- 88f914e



Compare •

v3.6.2

3.6.2 is the next patch release, with a raft of fixes including preparations for use without --shamefully-hoist and some fixes for data fetching within nested layouts/pages.

Upgrading

As usual, our recommendation for upgrading is to run:

nuxi upgrade --force



This will refresh your lockfile as well, and ensures that you pull in updates from other dependencies that Nuxt relies on, particularly in the unjs ecosystem.



👉 Changelog

compare changes

Performance

- nuxt: Don't run island transform plugin if disabled (#21844)
- **nuxt:** Allow hmr for server components in dev mode (#21916)
- **nuxt:** Use getters when constructing reactive routes (#21957)

Fixes

- **nuxt:** Only redirect if path is not the same as initial url (#21815)
- cli: Resolve @nuxt/ui-templates from modulesDir (#21836)
- nuxt, vite: Do not use cjs utils to resolve/alias vue (#21837)
- **nuxt:** Improve default prerender behaviour (#21817)
- vite: Greater type-safety within runtime vite-node (#21849)
- **nuxt:** Ensure static presets equivalent to nuxi generate (#21860)
- nuxt: Handle injecting multiple entry ids for styles (#21864)
- **nuxt**: Stop loading indicator on navigation failure (#21751)
- cli: Respect nitro ssl cert/key variables (#21912)
- **nuxt**: Include external layers in tsconfig.json scope (#21917)
- **nuxt:** Support custom route name meta with typedPages (#21659)
- vite: Remove @vue/ scoped libraries from resolutions (#21922)
- **nuxt:** Add layers in node_modules to tsconfig include (#21929)
- **nuxt:** Regenerate imports after template (#21934)

- vite: Fix issue detecting shadowed keyed composables (#21891)
- nuxt: Use \$fetch.raw in dev client mode for islands (#21904)
- schema: Warn if user provides vite.publicDir (#21847)
- nuxt: Preserve old vnode when leaving nested route (#21823)
- **kit**: Ignore telemetry startup time (as it has prompt) (#21959)

- Add warning about dynamic import of css (#21805)
- Update example links (#21811)
- Fix broken spaLoadingTemplate link (<u>#21845</u>)
- Update useFetch return values (#21852)
- Describe environment override feature (<u>#21879</u>)
- Add Daniel example for hybrid rendering and Vercel (20d59d1cf)
- Improve hybrid rendering (<u>3fb329cc8</u>)
- rendering: Add end of sentence (<u>565787183</u>)
- Add closing bracket (<u>#21887</u>)
- Added a note about server dynamic routes limitation (#21919)
- Update docs for <NuxtLoadingIndicator> (#21952)
- Update more links to examples repo (<u>13a892361</u>)
- Add JetBrains IDEs debug configuration (#21965)

Chore


- Prune internal unused code and exports (#21809)
- Add codeflow overrides configuration (<u>d7267663f</u>)

Tests

• Add nuxt-vitest and composable unit tests (#21884)

- Mateusz Kulpa (<u>@mateuszkulpa</u>)
- Daniel Roe (@danielroe)
- Nozomu Ikuta (@Nozomulkuta)
- Julien Huang (@huang-julien)
- Muhamad Jamil (@Fanreza)
- Anhao (@ah-dc)
- Anthony Fu (<u>@antfu</u>)
- Agénor Debriat (<u>@agenordebriat</u>)
- ChronicStone (@ChronicStone)
- Ali Azimi (@ali4zimi)

- Vasek (<u>@vasek-code</u>)
- Sébastien Chopin (@Atinux)
- Aditya Rawat (@adityarawat1223)
- Lucas Vargas (@vargasmesh)
- David Stack (@davidstackio)
- Rayan Inerky (@InerkyJad)



Previous 1 2 3 4 5 ... 19 20 Next