


Omar alaa el din 2205152


## Index



The screenshot shows a web browser window with the URL `localhost/phpscript/Assignment%209/index.php`. The page displays a table titled "CAR RECORDS". Above the table is a blue button labeled "Add New Car". The table has six columns: ID, Model, Used, Sale Date, Price, and Actions. There is one row of data with ID 1, Model chevorlet lanos, Used No, Sale Date 2024-11-28, Price \$10,000.00, and Actions buttons Show, Edit, and Delete.

ID	Model	Used	Sale Date	Price	Actions
1	chevorlet lanos	No	2024-11-28	\$10,000.00	<a href="#">Show</a> <a href="#">Edit</a> <a href="#">Delete</a>

## Create.php



The screenshot shows a web browser window with the URL `localhost/phpscript/Assignment%209/create.php`. The page displays a form titled "ADD NEW CAR". The form has five input fields: Model, Used, Sale Date, and Price. The Used field has a dropdown menu with "No" selected. The Sale Date field has a date picker with "mm/dd/yyyy" format. Below the input fields is a blue button labeled "ADD CAR".

Model

Used

Sale Date

Price

[ADD CAR](#)

## Update.php

EDIT CAR DETAILS

Model

chevrolet lanos

Used

No

Sale Date

11/28/2024

Price

10000.00

Update Car

CAR DETAILS

Model: chevrolet lanos

Used: No

Sale Date: 2024-11-28

Price: \$10,000.00

BACK TO RECORDS

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

	car_id	model	used	sale_date	price
<input type="checkbox"/>	1	chevrolet lanos	0	2024-11-28	10000.00

☐ Check all

With selected:

☐ Edit

☐ Copy

☐ Delete

☐ Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table

car\_id : This is a unique identifier for each car record

model: A text field used to store the car's model name

used: A field that specifies whether the car is new or used

sale\_date: The date on which the car was sold

price: The selling price of the car in decimal