

EB

EduBook

Designer Handoff

School Book Management System

Version 1.0 | June 2026

Screens & Flows

Branding & Style

Components

UX Copy

1. Product Overview

EduBook (brand name: **ScholarShelf**) is a multi-tenant, school book-management system. Schools register on the platform, admin staff add books, classes and students, parents link their children and pay for book packs, and teachers confirm distribution. The Platform Owner (BytHub) manages all schools from a single owner dashboard.

User roles

Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Role' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='Hel vetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Role', textColor= Color(.392157,.454902,, 545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Colour' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='Hel vetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Colour', textColor =Color(.392157,.45490 2,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Access level' 'frags': [ParaFrag(__t ag__='b', bold=1, font Name='Helvetica-Bol d', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Access level', te xtColor=Color(.39215 7,.454902,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Primary task' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='Helvetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Primary task', textColor=Color(.392157,.454902,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Platform Owner	#F59E0B Amber	Cross-tenant	Onboard schools, review activity
School Admin	#2563EB Blue	School-scoped	Manage books, students, payments
Teacher	#10B981 Emerald	Class-scoped	Confirm book distribution
Finance	#06B6D4 Cyan	School-scoped	Verify payment references
Parent	#7C3AED Violet	Child-scoped	Pay for book packs, track orders

2. Branding & Style

Typography

Two Google Fonts are loaded at runtime via a `@import` or CDN link.


<pre>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Role' 'frags': [ParaFrag(__tag__='b' , bold=1, fontName= 'Helvetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Role', textCo lor=Color(.392157, 454902,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</pre>	<pre>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Font' 'frags': [ParaFrag(__tag__='b' , bold=1, fontName= 'Helvetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Font', textCo lor=Color(.392157, 454902,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</pre>	<pre>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'CSS var' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='Helvetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='CSS var', textCo lor=Color(.392157, 454902,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</pre>	<pre>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Usage' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='Helvetica-Bold', fontSize=8.5, greek=0, italic=0, link=[], rise=0, text='Usage', textCo lor=Color(.392157, 454902,.545098,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</pre>
Body / UI	Inter	--font-sans	All body text, labels, inputs
Headings	Outfit	--font-heading	h1–h6, card titles, dashboard figures




Scale: **3xl / 30px bold** (page headings) · **2xl / 24px bold** (section headings) · **lg / 18px** (card titles) · **base / 16px** (body) · **sm / 14px** (table data) · **xs / 12px** (labels, badges). Letter-spacing: `tracking-tight` on headings.

Border Radius

Global radius token: **--radius = 0.75rem (12px)**. Derived tokens: `sm 8px` · `md 10px` · `lg 12px` · `xl 16px`. Cards, dialogs and inputs use **rounded-xl (12px)**. Buttons use **rounded-md (6px)** by default. Badges use **rounded-full**.

Colour Tokens (Light Mode)

	Primary	#2563EB	Buttons, links, active nav, ring
	Primary Foreground	#F8FAFC	Text on primary backgrounds
	Destructive	#EF4444	Delete buttons, error states
	Background	#F8FAFC	Page background
	Card	#FFFFFF	Card, popover, dialog surface

	Foreground / Text	#0F172A	Primary text colour
	Muted Foreground	#64748B	Secondary text, placeholders
	Border / Input	#E2E8F0	All borders, input outlines
	Muted / Secondary	#F1F5F9	Subtle backgrounds, tags
	Sidebar	#FFFFFF	Sidebar surface

Dark Mode Equivalents

	Background (dark)	#1E293B	hsl(222 47% 11%) — dark page bg
	Primary (dark)	#60A5FA	hsl(217 91% 60%) — slightly lighter blue
	Muted (dark)	#1E3A5F	hsl(217 32% 17%) — subtle dark surface
	Muted FG (dark)	#94A3B8	hsl(215 20% 65%) — lighter secondary text

Status Badge Colours

Badges are **outline** variant with custom background/border fills. They appear on payment orders, extra requests and allocation rows.

Pending / Awaiting Reference	#FEF3C7 bg, #F59E0B text	amber
Reference Submitted	#DBEAFE bg, #2563EB text	blue
Payment Confirmed / Completed	#D1FAE5 bg, #059669 text	emerald
Ready for Collection	#E0E7FF bg, #4338CA text	indigo
Needs Review	#FEF3C7 bg, #D97706 text	orange
Cancelled / Rejected / Failed	#FEE2E2 bg, #DC2626 text	red
Absent	#F1F5F9 bg, #374151 text	gray

3. Screens & User Flows

All authenticated pages share a **sidebar + main content** layout (Layout component). The sidebar contains role-specific nav items. Public pages (login, register, forgot/reset password, accept-invite) are full-page centred cards on a blue-to-white gradient background.

Public / Auth Screens

/login	Sign In	Username + password + optional school code. Logo/name swapped by school branding. Demo account buttons.
/register	Parent Sign Up	Full name, email, username, password (min 8 chars). School-code optional at registration.
/forgot-password	Forgot Password	Email input. Sends reset link.
/reset-password	Reset Password	New password + confirm. Token in URL.
/accept-invite	Accept Invite	Staff invite acceptance flow. Sets password, activates account.

Platform Owner Portal

/ admin/owner	Owner Dashboard	KPI cards: total/active/suspended schools. Recent activity log.
/ admin/schools	Schools	Searchable table of all schools with status chips and actions.
/ admin/pending-setups	Pending Setups	Schools with status pending_setup awaiting first-admin invite.
/ admin/admin-invites	Admin Invites	Send / resend / revoke first-admin invites.
/ admin/email-status	Email Status	Shows recent invite emails and delivery status.
/ admin/activity	Activity Logs	Full audit log across all schools and owner actions.
/ admin/owner-settings	Owner Settings	Read-only platform profile in v1.
/ admin/school-details	School Details	Per-school drill-down: users, status, support entry.

School Admin Portal

/ admin	Dashboard	Setup checklist (10 steps), KPI cards, quick actions, activity log, nav shortcuts.
/ admin/setup	Continue Setup	Guided checklist walkthrough with blocker logic.

/ admin/books	Books	CRUD + barcode scan + stock adjust + CSV import + barcode print.
/ admin/levels	Book Levels	Named book bundles. Assign books + quantities. Assign levels to classes.
/ admin/classes	Classes	CRUD for school classes. Teacher assignment. Academic year.
/ admin/students	Students	CRUD + archive/restore + CSV bulk import + class assign.
/ admin/parents	Parents	Read-only list of linked parents with their children.
/ admin/codes	Linking Codes	Generate + rotate parent-child link codes. Email delivery.
/ admin/payments	Payment Review	Full payment lifecycle: confirm, reject, flag, mark collected.
/ admin/allocations	Allocations	View finance-approved allocations and teacher distribution status.
/ admin/requests	Extra Copy Requests	Approve or reject teacher requests for extra book copies.
/ admin/communications	Communications	Internal message threads between admin and parents/teachers.
/ admin/reports	Reports	5 report cards: inventory, payments, distribution, class, users.
/ admin/users	Users	Manage school staff accounts. Invite by email. Set permissions.
/ admin/branding	Branding	Upload logo, set school name, primary colour, font preference.

Teacher Portal

/ teacher	Dashboard	Summary of pending distributions and extra requests.
/ teacher/distribution	Book Distribution	Per-student book checklist. Mark received / absent / issue. Barcode scan support.
/ teacher/requests	Extra Copy Requests	Submit request for additional book copies with reason.
/ teacher/messages	Messages	Threaded inbox for messages from school admin.

Finance Portal

/ finance	Dashboard	Revenue KPI cards. Monthly revenue bar chart. Payment status doughnut.
/ finance/payments	Payment Review	Verify payment references. Search by parent name or reference. Approve/reject.
/ finance/reports	Reports	Financial summary reports.

Parent Portal

/ parent	Dashboard	Welcome, linked children summary, pending actions card.
/ parent/link	Link Child	Enter link code (manual or QR scan). Preview student before confirming.
/ parent/baskets	Book Baskets	One basket per linked child. Select books, place order.
/ parent/payments	Payments	Submit Paragon reference. Track full payment history per child.
/ parent/messages	Messages	Threaded inbox. Compose and reply to school admin messages.

4. Component Inventory

EduBook uses **shadcn/ui** as the base component library (Radix UI primitives + Tailwind CSS v4). All components live in `client/src/components/ui/`. The table below covers every component actively used in the product.

Component	Variants / States	Used on
Button	default · outline · ghost · destructive · success · warning · link; sizes: default / sm / lg / icon	Every page — CTAs, table actions, dialog footers
Card	CardHeader, CardTitle, CardDescription, CardContent, CardFooter	KPI cards, forms, report panels, message threads
Badge	default · outline · secondary · destructive; + custom status colours	Payment status, allocation status, user roles
Input	text · email · password · search (with icon prefix); disabled state	All forms, search bars, barcode scan field
Textarea	Default; rows prop varies	Message compose, review notes, extra request details
Label	Default; pairs with Input/Select	All form field labels
Select / SelectTrigger	Single-select with placeholder; disabled	Class picker, book picker, status filter, teacher assign
Dialog	DialogTrigger · Content · Header · Title · Description · Footer	Add/edit forms (books, students, classes, users), confirms
Alert Dialog	Destructive confirm pattern	Delete student, delete book, delete class
Table	TableHeader · Row · Head · Body · Cell; sortable columns	Books, Students, Parents, Payments, Codes, Users, Allocations
Tabs	TabsList · TabsTrigger · TabsContent	Admin Reports (5 tabs), Students (Active/Archived), Levels (Books/Assignments)
Sheet	Side drawer; left/right variants	Mobile nav on small screens
Tooltip	Wraps icon-only buttons	Icon actions in tables and toolbars
Separator	Horizontal rule	Sidebar sections, form groups
Skeleton	Loading placeholder rectangles	Table rows, KPI cards during data fetch

Spinner	Animated ring	Auth loading state, mutation pending state
Sonner / Toast	Toaster — success / destructive; title + optional description	All mutation feedback (add, edit, delete, import, send)
Progress	Numeric 0-100	Setup checklist completion bar
Checkbox	Controlled	Student book-distribution checklist
Switch	Controlled boolean	Book active/inactive toggle, user permission toggles
Avatar	Fallback initials	User menu in sidebar header
Dropdown Menu	DropdownMenuTrigger + Content + Items	User account menu (settings, sign out)
Sidebar	Collapsible on mobile; fixed on desktop; role-colour accent	Shared Layout component across all authenticated roles
HRFlowable / Divider	Thin 1px border-color rule	Section separators inside forms and cards
Empty State	Centred icon + heading + body + optional CTA button	Book Levels (no levels yet), Distribution (no students)
Chart	Bar chart (monthly revenue), Doughnut (payment status)	Finance Dashboard, Admin Reports

Icon Library

All icons come from **lucide-react** (stroke icons, 1.5px weight, 16×16 or 20×20). Key icons used:

Navigation

LayoutDashboard · BookOpen · Layers · GraduationCap · Users · Key · CreditCard · BoxSelect · ClipboardList · MessageSquare · BarChart2 · UserPlus · Palette · Package

Actions

Plus · Pencil · Trash2 · ScanBarcode · Printer · RotateCcw · RefreshCw · Eye · EyeOff · LogIn · LogOut · ChevronRight · ChevronDown · X

Status / Info

CheckCircle · AlertCircle · Info · ShieldCheck · History · Lock · Unlock · Mail · LinkIcon · ShoppingCart

Branding context

BookOpen (app icon fallback) · EB initials text (cover icon stand-in)

5. UX Copy & Labels

All copy is in **English (UK)**. The app name switches to the school's *school/Name* branding field when a school code is entered on login. Default app name: **EduBook**. Platform owner brand: **BytHub**.

Page headings (H1)

Location	Type	Copy
Login	Page	EduBook / [School Name]
Login	Subtitle	School Book Management System
Admin Dashboard	H1	Dashboard
Admin Books	H1	Books
Admin Book Levels	H1	Book Levels
Admin Classes	H1	Classes
Admin Students	H1	Students
Admin Parents	H1	Parents
Admin Linking Codes	H1	Linking Codes
Admin Payments	H1	Payment Review
Admin Allocations	H1	Allocations
Admin Extra Requests	H1	Extra Copy Requests
Admin Users	H1	Users
Admin Branding	H2	Branding & Design Identity
Admin Setup	H1	Continue School Setup
Admin Schools (Owner)	H1	Schools
Admin Owner Dashboard	H1	BytHub Platform Owner
Admin Pending Setups	H1	Pending Setups
Admin Admin Invites	H1	Admin Invites
Admin Email Status	H1	Email Status
Admin Activity Logs	H1	Activity Logs
Teacher Distribution	H1	Book Distribution
Teacher Requests	H1	Extra Copy Requests

Teacher Messages	H1	Parent Messages
Finance Dashboard	H1	Finance Dashboard
Finance Payments	H1	Payment Review
Finance Reports	H1	Financial Reports
Parent Dashboard	H1	Parent Portal
Parent Link Child	H1	Link Child
Parent Baskets	H1	Book Baskets
Parent Payments	H1	Payments
Parent Messages	H1	Secure School Messages

Buttons — primary CTAs

Location	Type	Copy
Login	Primary	Sign In
Login	Links	Forgot password? · Parent sign up
Login	Demo row	BytHub · Admin · Teacher · Parent · Finance
Register	Primary	Create Account
Admin Books	Primary	Add Book · Import CSV
Admin Books	Inline	Scan · Print Label · Edit · Delete · Adjust Stock
Admin Levels	Primary	New Level · Create First Level
Admin Levels	Inline	Add Book to Level · Assign to Class · Remove
Admin Classes	Primary	Add Class
Admin Students	Primary	Add Student · Import CSV
Admin Students	Inline	Edit · Archive · Restore
Admin Codes	Primary	Generate Code · Rotate Code
Admin Payments	Inline	Confirm · Reject · Flag · Ready · Collected · Cancel
Admin Extra Requests	Inline	Approve · Reject
Admin Branding	Primary	Save Changes · Reset to Defaults
Admin Setup	Primary	Mark Setup Complete · Skip Step
Teacher Distribution	Inline	Mark Received · Mark Absent · Report Issue
Finance Payments	Inline	Confirm · Reject · Flag for Review

Parent Link Child	Primary	Link Child · Confirm (preview step)
Parent Baskets	Primary	Create Basket · Place Order
Parent Payments	Primary	Submit Reference
Parent Messages	Primary	Send · Reply

Form placeholders

Location	Type	Copy
Login — Username	Input	Enter your username
Login — Password	Input	Enter your password
Login — School Code	Input	Enter your school code
Login — hint	Helper text	Required for school-linked accounts (School Admin, Teacher, Parent, Student).
Register — Name	Input	Your full name
Register — Email	Input	your@email.com
Register — Username	Input	Choose a username
Register — Password	Input	At least 8 characters
Register — Confirm	Input	Repeat your password
Books search	Search	Search by title, author, ISBN, or book code...
Books scan	Input	Scan or type book code...
Students search	Search	Search students...
Parents search	Search	Search parents...
Users search	Search	Search users...
Schools search	Search	Search schools...
Payments search	Search	Search by parent or student name...
Finance search	Search	Search parent, reference...
School code field	Input	e.g. HILLTOP-PRIMARY
Level name	Input	e.g. Year 3 Books
Parent email (generate code)	Input	parent@example.com
Parent email (rotate code)	Input	parent@example.com

User email (invite)	Input	e.g. sarah@school.edu
User password (edit)	Input	Leave blank to keep current
Admin email (invite school)	Input	admin@school.edu
Admin full name	Input	Full name of the first School Admin
Branding theme name	Input	Default
Branding font	Input	system
Review note	Textarea	Add a note about this review decision...
Rejection reason	Textarea	Provide a reason for this action...
Teacher issue note	Textarea	e.g. Book is damaged, wrong edition, student disputes receipt...
Extra request details	Textarea	Additional details...
Paragon reference	Input	Enter reference from Paragon App
Message subject	Input	Message subject
Message body	Textarea	Type your message...
Message reply	Textarea	Type your reply...
Parent link code	Input	e.g., A7B-9X2Z
Class select	Select	Select a class
Book select	Select	Select a book / Select book
Level select	Select	Select level
Student select	Select	Select student
Teacher select	Select	Select teacher (optional) / Select teacher
Child select	Select	Select a child
Teacher (for message)	Select	Select a child first / Select a teacher
Extra request reason	Select	Select reason
Payment status filter	Select	Filter status / Status
Class filter	Select	Select Class

Toast notifications

Location	Type	Copy
Books	Success	Book added · Book updated · Book deleted · Stock updated · Book added to level · Book removed from level

Book Levels	Success	Book level created · Level assigned to class
Classes	Success	Class created · Class updated · Class deleted
Students	Success	Student added · Student updated · Student archived · Student restored
Students — archived hint	Description	Records preserved. Restore from Archived tab if needed.
Linking Codes	Success	Linking code generated
Codes — rotated	Success + desc	Code rotated — Previous codes invalidated. New code sent to parent.
Payments — Admin	Success	Payment confirmed & books allocated · Payment flagged for review · Payment rejected — parent can resubmit · Order cancelled · Order marked ready for collection · Order marked as collected
Users	Success	User updated successfully · User deleted successfully
Setup	Success	Setup completed
Extra Requests	Success	Request approved · Request rejected
Teacher distribution	Success	Confirmed (student marked as received) · Issue Reported · Marked Absent
Finance payments	Success	Payment Confirmed · Payment Rejected · Flagged for Review
Parent — link child	Success	[Student name] has been linked to your account.
Parent — link QR	Success	Code Scanned — Code "[code]" detected.
Parent — basket	Success	Basket Created
Parent — payment	Success	Reference Submitted — Your payment reference has been submitted for school review.
Parent — messages	Success	Message Sent · Reply Sent
Teacher — requests	Success	Request Submitted — Your extra copy request has been sent to the admin.
Imports	Success	Import successful
All pages	Destructive	Error — [error.message] (generic fallback for all mutations)
Import failures	Destructive	Import failed · Import preview failed
Invites (Owner)	Success/Fail	Resend failed · Revoke failed · Invite failed

Empty states

Location	Type	Copy
Book Levels	Heading	No Book Levels

Book Levels	Body	Create your first book level to start assigning books to classes.
Students	Heading	No students yet
Students — search	Heading	No results
Teacher Distribution	Heading	No students assigned to your class
Parent Baskets	Heading	No baskets yet
Parent Payments	Heading	No payment history
Parent Messages	Heading	No messages
404 / Not Found	Heading	404 Page Not Found
404 / Not Found	Body	Did you forget to add the page to the router?

Error messages

Location	Type	Copy
Login — 401 (no school code)	Inline error	Invalid username or password
Login — 401 (school code issue)	Inline error	Invalid school code for this account
Login — 429	Inline error	Too many login attempts. Please try again later.
Login — other	Inline error	Login failed. Please try again.
School access blocked	Banner	School Access Blocked — [blockedMessage from server]
Barcode not found	Alert	No book matches code "{scanInput}".

6. Per-School Branding Customisation

Each school can override the app's default branding via **Admin** → **Branding**. Overrides propagate to the login page in real-time once the school code is entered.

School Name	Replaces "EduBook" on the login page logo area and sidebar header.
Logo URL	Replaces the BookOpen icon on login and in the sidebar. Formats: PNG, JPG, JPEG, WEBP. Max 5 MB.
Primary Colour	Hex value. Overrides --primary and sidebar accent across the entire UI.
Theme Name	Label for the saved theme (e.g. "Default"). Display only.
Font Preference	Overrides --font-sans. Defaults to "system" if blank.

The `applyBrandingToDocument ( )` function (called on login page and inside Layout) writes CSS variables to `document . documentElement . style`, so branding changes take effect without a page reload.

7. Useful References

Live app	https://www.scholarshelf.co.uk
Stack	React 19 + TypeScript · Vite 7 · TailwindCSS v4 · shadcn/ui · Express 5 · PostgreSQL (Neon) · Drizzle ORM
Component source	<code>client/src/components/ui/</code> (shadcn/ui base)
Page source	<code>client/src/pages/{admin,teacher,parent,finance,login,register,...}.tsx</code>
CSS tokens	<code>client/src/index.css</code> (@theme inline block)
Branding helper	<code>client/src/lib/branding.ts</code> — <code>applyBrandingToDocument()</code>
Google Fonts	Inter (body), Outfit (headings) — load via Google Fonts CDN or self-hosted
Icons	lucide-react — https://lucide.dev
shadcn/ui docs	https://ui.shadcn.com/docs