Fawry Rise Journey

Full Stack Development Internship Challenge

Test case 1:

```
Quantity available less than required

(Quanitity of biscuits = 3)

cart.add(cheese, 2);

cart.add(biscuits, 5);

CONSOLE OUTPUT

Checkout failed: Biscuits stock is not enough
```

Test case 2:

```
Balance is not sufficient

Balance = 100 & Price OF [Cheese = 100, Biscuits = 150]

cart.add(cheese, 2);

cart.add(biscuits, 2);

CONSOLE OUTPUT

Checkout failed: Customer don't has enough money
```

Test case 3:

```
Normal flow

Note: Shipping = 30 for each kilo

cart.add(cheese, 2);

cart.add(biscuits, 2);

cart.add(scratchCard, 1);
```

CONSOLE OUTPUT

```
** Shipment notice **
2x Cheese
                400g
2x Biscuits
               1400g
Total package weight 1.8kg
** Checkout receipt **
2x Cheese
                 200
2x Biscuits
                 300
1x Scratch Card 100
Subtotal
                 600
Shipping
                  60
Amount
                 660
Abdelrahman new Balance :
                                  340
```

Card.add(scratchCard,1)

Test case 4:

```
cart is empty
```

Cart cart = new Cart();

CONSOLE OUTPUT

Checkout failed: Cart is empty.
