

<i>ID Number</i> – Name:	UC01 – Rent Plot
Short-Description / Goal:	Allows the farmer to rent an available garden plot.
Preconditions:	Farmer is logged in Plot is available
Postconditions:	Plot assigned to farmer
Error Situations – <i>System State in the Event of an Error</i> :	Plot not available → reject
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer selects a plot to rent
Standard Process (<i>Main Success Scenario</i>):	Farmer selects plot System checks availability System calculates fees Farmer confirms System saves rental

<i>ID Number</i> – Name:	UC02 – View Plots
Short-Description / Goal:	Allow farmer to view available garden plots.
Preconditions:	Farmer is logged in
Postconditions:	List of plots displayed
Error Situations – <i>System State in the Event of an Error</i> :	No plots => empty list
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer opens plots page
Standard Process (<i>Main Success Scenario</i>):	Farmer requests plots System plots System displays plots
Alternative Processes (<i>Alternative/Other Scenarios</i>):	No data → shows nothing

<i>ID Number</i> – Name:	UC03 – Renew Rental
Short-Description / Goal:	Allow farmer to renew rental.
Preconditions:	Rental exists Farmer logged in
Postconditions:	Rental extended
Error Situations – <i>System State in the Event of an Error</i> :	Plot unavailable → reject
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer selects renew
Standard Process (<i>Main Success Scenario</i>):	Select rental System checks availability Confirm renewal Update record
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Not available => stop the use case

<i>ID Number</i> – Name:	UC04 – End Rental
Short-Description / Goal:	Allow farmer to end rental.
Preconditions:	rental is activated
Postconditions:	Plot released
Error Situations – <i>System State in the Event of an Error</i> :	Rental not found
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer ends rental
Standard Process (<i>Main Success Scenario</i>):	Select rental Confirm end System updates status for plot
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Cancel => no change

<i>ID Number</i> – Name:	UC05 – Share Plot
Short-Description / Goal:	Allow farmer to share plot.
Preconditions:	Plot owned
Postconditions:	Access shared
Error Situations – <i>System State in the Event of an Error</i> :	Invalid user
Actor(s) / Initiator(s):	Farmer
Trigger:	Share request
Standard Process (<i>Main Success Scenario</i>):	Select plot Add user Confirm Save
Alternative Processes (<i>Alternative/Other</i>	User invalid

<i>ID Number</i> – Name:	UC06 – Schedule Irrigation
Short-Description / Goal:	Allows admin to schedule irrigation.
Preconditions:	Admin logged in
Postconditions:	Irrigation scheduled
Error Situations – <i>System State in the Event of an Error</i> :	Wrong data => reject
Actor(s) / Initiator(s):	Admin
Trigger:	Admin sets schedule
Standard Process (<i>Main Success Scenario</i>):	Admin selects plot Admin sets schedule System saves schedule
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Conflict timing => shows error messege

<i>ID Number</i> – Name:	UC07 – Track Fertilizer Usage
Short-Description / Goal:	track fertilizer usage per plot
Preconditions:	Farmer logged in
Postconditions:	Fert. usage recorded
Error Situations – <i>System State in the Event of an Error</i> :	Invalid data => reject
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer record usage
Standard Process (<i>Main Success Scenario</i>):	Enter fertilizer usage data saves record
Alternative Processes (<i>Alternative/Other Scenarios</i>):	missed data → error messege

<i>ID Number</i> – Name:	UC08 – Manage Inventory
Short-Description / Goal:	Admin manages inventory items.
Preconditions:	Admin logged in
Postconditions:	Inventory updated
Error Situations – <i>System State in the Event of an Error</i> :	Invalid input => reject
Actor(s) / Initiator(s):	Admin
Trigger:	Admin updates inventory Low stocks
Standard Process (<i>Main Success Scenario</i>):	select item edit quantity save changes
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Invalid value => error (-ve value)

<i>ID Number</i> – Name:	UC09 – View Tools
Short-Description / Goal:	View available tools
Preconditions:	View available tools
Postconditions:	System shows available tools
Error Situations – <i>System State in the Event of an Error</i> :	Empty list
Actor(s) / Initiator(s):	Farmer, Volunteer
Trigger:	User views tools
Standard Process (<i>Main Success Scenario</i>):	Request tools Display tools
Alternative Processes (<i>Alternative/Other Scenarios</i>):	No tools => empty list

<i>ID Number</i> – Name:	UC10 – Borrow Tool
Short-Description / Goal:	Allow a user to borrow a tool.
Preconditions:	User logged in Tool available
Postconditions:	Tool marked as borrowed
Error Situations – <i>System State in the Event of an Error</i> :	Tool unavailable => request rejected
Actor(s) / Initiator(s):	Farmer, Volunteer
Trigger:	User selects a tool
Standard Process (<i>Main Success Scenario</i>):	User selects tool System checks availability System approves Tool assigned
Alternative Processes (<i>Alternative/Other</i>	Tool not available => show message

<i>ID Number</i> – Name:	UC11 – Return Tool
Short-Description / Goal:	Allow a user to return a borrowed tool.
Preconditions:	User is logged in Tool is currently borrowed
Postconditions:	Tool is released Tool condition recorded
Error Situations – <i>System State in the Event of an Error</i> :	Tool not found => return rejected
Actor(s) / Initiator(s):	Farmer, Volunteer
Trigger:	User press return tool
Standard Process (<i>Main Success Scenario</i>):	User returns tool System checks condition (tool is already borrowed) System updates status to available
Alternative Processes (<i>Alternative/Other</i>	Tool damaged => system applies fine Invalid tool => show error

<i>ID Number</i> – Name:	UC12 – Manage Tools
Short-Description / Goal:	Admin manages tools
Preconditions:	Admin was authorized
Postconditions:	Action was made on tools
Error Situations – <i>System State in the Event of an Error</i> :	Admin not authorized
Actor(s) / Initiator(s):	Admin
Trigger:	Admin initiates a change
Standard Process (<i>Main Success Scenario</i>):	Add/Edit/Delete tool Save
Alternative Processes (<i>Alternative/Other Scenarios</i>):	---

<i>ID Number</i> – Name:	UC13 – View Seeds
Short-Description / Goal:	View seeds
Preconditions:	---
Postconditions:	Seeds is listed
Error Situations – <i>System State in the Event of an Error</i> :	-----
Actor(s) / Initiator(s):	Farmer
Trigger:	----
Standard Process (<i>Main Success Scenario</i>):	Request seeds Display list
Alternative Processes (<i>Alternative/Other Scenarios</i>):	-----

<i>ID Number</i> – Name:	UC14 – Exchange Seeds
Short-Description / Goal:	Allows farmers to exchange seeds.
Preconditions:	Seeds available Farmer logged in
Postconditions:	Seeds exchanged Inventory updated
Error Situations – <i>System State in the Event of an Error</i> :	Seeds unavailable => reject exchange
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer requests exchange
Standard Process (<i>Main Success Scenario</i>):	Farmer selects seeds System checks availability Exchange validated
Alternative Processes (<i>Alternative/Other</i>	Not available => cancel

<i>ID Number – Name:</i>	UC15 – Join Shift
Short-Description / Goal:	Allow volunteer to join a shift.
Preconditions:	Volunteer is registered Shift is available
Postconditions:	Volunteer assigned to shift
Error Situations – <i>System State in the Event of an Error:</i>	Shift full => request rejected
Actor(s) / Initiator(s):	Volunteer
Trigger:	Volunteer selects a shift
Standard Process (<i>Main Success Scenario</i>):	Volunteer views shifts Volunteer selects shift System checks availability System assigns volunteer
Alternative Processes (<i>Alternative/Other</i>	No available shifts => show message (no shifts available)

<i>ID Number</i> – Name:	UC16 – Swap Shift
Short-Description / Goal:	Swap shifts
Preconditions:	---
Postconditions:	---
Error Situations – <i>System State in the Event of an Error</i> :	Swap not validated
Actor(s) / Initiator(s):	Volunteer
Trigger:	User wants to swap shifts with another user
Standard Process (<i>Main Success Scenario</i>):	Select shift Request swap Validate Confirm
Alternative Processes (<i>Alternative/Other Scenarios</i>):	----

<i>ID Number</i> – Name:	UC17 – Cancel Shift
Short-Description / Goal:	Cancel shift
Preconditions:	-----
Postconditions:	Shifts cancelled
Error Situations – <i>System State in the Event of an Error</i> :	-----
Actor(s) / Initiator(s):	Volunteer
Trigger:	-----
Standard Process (<i>Main Success Scenario</i>):	Select shift Cancel shift Update system
Alternative Processes (<i>Alternative/Other Scenarios</i>):	-----

<i>ID Number</i> – Name:	UC18 – Track Hours
Short-Description / Goal:	Track volunteer hours
Preconditions:	-----
Postconditions:	-----
Error Situations – <i>System State in the Event of an Error</i> :	-----
Actor(s) / Initiator(s):	System, Admin
Trigger:	-----
Standard Process (<i>Main Success Scenario</i>):	Record hours Store data
Alternative Processes (<i>Alternative/Other Scenarios</i>):	-----

<i>ID Number</i> – Name:	UC19 – Add Product
Short-Description / Goal:	Add product
Preconditions:	----
Postconditions:	Product was added
Error Situations – <i>System State in the Event of an Error</i> :	-----
Actor(s) / Initiator(s):	Admin
Trigger:	A new product exists
Standard Process (<i>Main Success Scenario</i>):	Enter data Save
Alternative Processes (<i>Alternative/Other Scenarios</i>):	----

<i>ID Number</i> – Name:	UC20 – Buy Product
Short-Description / Goal:	Allow customer to purchase products.
Preconditions:	Product is available
Postconditions:	order created inventory updated
Error Situations – <i>System State in the Event of an Error</i> :	Product unavailable => purchase rejected
Actor(s) / Initiator(s):	Customer
Trigger:	Customer selects a product
Standard Process (<i>Main Success Scenario</i>):	Customer selects product System checks availability Customer confirms purchase System updates inventory
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Product unavailable => process stops

<i>ID Number</i> – Name:	UC21 – Check Product Quality
Short-Description / Goal:	Check quality
Preconditions:	Product is available
Postconditions:	Quality inspected
Error Situations – <i>System State in the Event of an Error</i> :	Product isn't available
Actor(s) / Initiator(s):	Admin
Trigger:	Admin checks quality
Standard Process (<i>Main Success Scenario</i>):	Inspect product Approve/Reject
Alternative Processes (<i>Alternative/Other Scenarios</i>):	-----

<i>ID Number</i> – Name:	UC22 – Login
Short-Description / Goal:	Allows user to access system
Preconditions:	User registered
Postconditions:	User logged in
Error Situations – <i>System State in the Event of an Error</i> :	wrong credentials => deny access (wrong data)
Actor(s) / Initiator(s):	User
Trigger:	User enters credentials
Standard Process (<i>Main Success Scenario</i>):	Enter username/password System authenticates data Access granted
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Invalid data => error

<i>ID Number</i> – Name:	UC23 – Manage Users
Short-Description / Goal:	Admin manages system users
Preconditions:	Admin logged in
Postconditions:	User data updated
Error Situations – <i>System State in the Event of an Error</i> :	Invalid data => reject
Actor(s) / Initiator(s):	Admin
Trigger:	Admin selects user
Standard Process (<i>Main Success Scenario</i>):	Select user Update/delete Save changes
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Invalid data => error

<i>ID Number</i> – Name:	UC24 – Assign Roles
Short-Description / Goal:	Admin assigns roles to users.
Preconditions:	Admin logged in
Postconditions:	Role updated
Error Situations – <i>System State in the Event of an Error</i> :	Invalid role => reject
Actor(s) / Initiator(s):	Admin
Trigger:	Admin selects user
Standard Process (<i>Main Success Scenario</i>):	Choose user Assign role Save changes
Alternative Processes (<i>Alternative/Other</i>	role conflict with another user => error

<i>ID Number</i> – Name:	UC25 – Generate Reports
Short-Description / Goal:	Generate system reports.
Preconditions:	Admin logged in
Postconditions:	Report generated
Error Situations – <i>System State in the Event of an Error</i> :	no data entered => empty report
Actor(s) / Initiator(s):	Admin
Trigger:	Admin requests report
Standard Process (<i>Main Success Scenario</i>):	Admin enters report's data System retrieves data System generates report System displays report
Alternative Processes (<i>Alternative/Other</i>	Data is missing => show error message

<i>ID Number – Name:</i>	UC26 – View Audit Logs
Short-Description / Goal:	View system logs
Preconditions:	Admin logged in
Postconditions:	View logs
Error Situations – <i>System State in the Event of an Error:</i>	Wrong credential of admin => reject
Actor(s) / Initiator(s):	Admin
Trigger:	admin request logs
Standard Process (<i>Main Success Scenario</i>):	Request logs Display logs
Alternative Processes (<i>Alternative/Other Scenarios</i>):	Wrong data => show error massege

<i>ID Number</i> – Name:	UC27 – Send Notification
Short-Description / Goal:	System sends alerts to users
Preconditions:	Event triggered
Postconditions:	Notification delivered to users
Error Situations – <i>System State in the Event of an Error</i> :	Delivery fails => retry
Actor(s) / Initiator(s):	System
Trigger:	Event occurs
Standard Process (<i>Main Success Scenario</i>):	Event detected Message generated Notification sent
Alternative Processes (<i>Alternative/Other</i>	Notification not send => retry

<i>ID Number</i> – Name:	UC28 – Report Pest
Short-Description / Goal:	Allows farmer to report pest issues
Preconditions:	Farmer logged in Pests were found
Postconditions:	Alert was generated
Error Situations – <i>System State in the Event of an Error</i> :	Invalid data => reject
Actor(s) / Initiator(s):	Farmer
Trigger:	Farmer report pests
Standard Process (<i>Main Success Scenario</i>):	Farmer submits pest issue System records issue System send notification to other farmers
Alternative Processes (<i>Alternative/Other Scenarios</i>):	missed data => show error message