

Project Submission – Database Administration Vehicle Service Management Database

Student Details

Student Name	Abdhur Raheem.A
Register Number	2428C0366
Department	BSc AI&ML
ID	asbrubw2428c0366
College	AKSHAYA COLLEGE OF ARTS AND SCIENCE
Semester	V
Date of Submission	2 – 10 - 2026
TITLE	VEHICLE SERVICE MANAGEMENT DATABASE
GITHUB Link	https://github.com/Abdhurraheem-git/VRU.git

1. Problem Statement & Objectives – 5 Marks

Problem Statement

Vehicle service centers handle many customers, vehicles, and repeated service visits every day. When this information is maintained manually or in scattered spreadsheets, it becomes difficult to track which vehicle belongs to which customer, what services were performed, when a vehicle was last serviced, and how much revenue each service type generates. This often leads to lost records, duplicate entries, delayed service history lookups, and poor customer service. The Vehicle Service Management Database is designed to solve this problem by storing customer details, vehicle details, and service records in a structured, relational database. This allows the service centre staff to quickly retrieve a customer's vehicle history, track ongoing and completed services, calculate revenue, and generate reports using simple SQL queries instead of manual bookkeeping.

Objectives

- To design a normalized relational database for a vehicle service center.*
- To store and manage customer information, vehicle details, and service records.*
- To establish proper relationships between tables using primary and foreign keys.*
- To perform CRUD operations (INSERT, SELECT, UPDATE, DELETE) on the database.*
- To retrieve meaningful information using filtering, sorting, aggregate functions, and joins.*

- To generate useful reports such as total revenue, service history, and service status summaries

2. Database Design – 10 Marks

2.1 Database Structure

The database consists of three main tables — Customer, Vehicle, and Service — that together capture the complete workflow of a vehicle service centre: a customer owns one or more vehicles, and each vehicle can have multiple service records over time.

Tables Used


Table name	Purpose
Customer	Stores customer information like(name, phone,email,address)
Vehicle	Stores vehicle information linked to a customer
Service	Store vehicle service records linked to a vehicle

2.2 Entity Relationship Diagram

The ER diagram below shows the three tables, their attributes, primary keys (PK), foreign keys (FK), and the relationships between them (1 Customer → Many Vehicles → Many Services):

Diagram:

ER Diagram



2.3 Technologies Used

Technology / Tool	Purpose
MySQL	Database management system used to store and manage data
MySQL Workbench	Environment used to write and execute SQL scripts
SQL	Used for database creation, manipulation, and querying

3. Practical Implementation – 15 Marks

3.1 Database and table creation

Database Creation

Oracle does not use a CREATE DATABASE statement like MySQL — each user works within their own schema, which is already provisioned in Oracle Live SQL / SQL Developer. Tables are created directly within this schema, as shown below.

Customer Table



ORACLE

```
CREATE TABLE Customer (  
customer NUMBER (5) PRIMARY KEY, customer name  
VARCHAR2(50) NOT NULL,  
phone number VARCHAR2(15) UNIQUE NOT NULL, email  
VARCHAR2(50) UNIQUE,  
address VARCHAR2(100)  
  
);
```

Vehicle Table

```
CREATE TABLE Vehicle (  
vehicle_id NUMBER (5) PRIMARY KEY, customer_id  
NUMBER (5) NOT NULL, vehicle number  
VARCHAR2(15) UNIQUE NOT NULL, brand  
VARCHAR2(30) NOT NULL, model  
VARCHAR2(30) NOT NULL,  
manuf_year NUMBER (4) CHECK (manuf_year BETWEEN 1990  
AND 2026),  
CONSTRAINT fk_customer FOREIGN KEY (customer_id)  
REFERENCES Customer(customer_id)  
ON DELETE CASCADE  
  
);
```

Service Table

```
CREATE TABLE Service (  
Service_id NUMBER (5) PRIMARY KEY,  
Vehicle_id NUMBER (5) NOT NULL,  
Service_date DATE DEFAULT SYSDATE,  
Service_type VARCHAR2(30) NOT NULL,  
Description VARCHAR2(100),  
Cost NUMBER (8,2) CHECK (cost >= 0),  
Status VARCHAR2(20) DEFAULT 'Pending'  
CHECK (status IN ('Pending', 'In Progress', 'Completed')),  
CONSTRAINT fk_vehicle FOREIGN KEY (vehicle_id)  
REFERENCES Vehicle(vehicle_id)  
ON DELETE CASCADE  
  
);
```

3.2 Constraints and Relationships

Explain the primary keys, foreign keys, and other constraints applied to the tables.

Table	Primary Key	Foreign Key	Other Constraints
Customer	Customer_id	—	Phone number UNIQUE & NOT NULL, email UNIQUE, customer name NOT NULL
Vehicle	Vehicle_id	Customer → Customer (customer id)	Vehicle number UNIQUE & NOT NULL, manuf_year CHECK (1990–2026), ON DELETE CASCADE
Service	Service_id	vehicle_id → Vehicle(vehicle_id)	Cost CHECK (>=0), status CHECK (Pending/In Progress/Completed), ON DELETE CASCADE

3.3 Data Insertion

Customer Data

```
INSERT INTO Customer VALUES (101, 'Arun Kumar', '9840012345', 'arun.k@gmail.com', 'Chennai');
INSERT INTO Customer VALUES (102, 'Priya Sundar', '9884023456', 'priya.s@gmail.com', 'Coimbatore');
INSERT INTO Customer VALUES (103, 'Vignesh Raja', '9994034567', 'vignesh.r@gmail.com', 'Madurai');
INSERT INTO Customer VALUES (104, 'Deepa Lakshmi', '9791045678', 'deepa.l@gmail.com', 'Trichy');
INSERT INTO Customer VALUES (105, 'Karthik Subramani', '8608056789', 'karthik.s@gmail.com', 'Salem');
```

Vehicle Data

```
INSERT INTO Vehicle VALUES (201, 101, 'TN01AB1234', 'Honda', 'City', 2020);
INSERT INTO Vehicle VALUES (202, 102, 'TN37CD5678', 'Toyota', 'Innova', 2019);
INSERT INTO Vehicle VALUES (203, 103, 'TN59EF9012', 'Maruti', 'Swift', 2021);
INSERT INTO Vehicle VALUES (204, 104, 'TN45GH3456', 'Hyundai', 'Creta', 2022);
INSERT INTO Vehicle VALUES (205, 105, 'TN30IJ7890', 'Honda', 'Activa', 2018);
INSERT INTO Vehicle VALUES (206, 101, 'TN01KL2345', 'Yamaha', 'FZ', 2023);
```

Service Data

```
INSERT INTO Service VALUES (301, 201, DATE '2026-01-05', 'Oil Change', 'Engine oil and
filter change', 1200.00, 'Completed');
INSERT INTO Service VALUES (302, 202, DATE '2026-02-10', 'Brake Service', 'Front brake
pad replacement', 2500.00, 'Completed');
INSERT INTO Service VALUES (303, 203, DATE '2026-02-20', 'General Service', 'Full
vehicle check-up', 1800.00, 'In Progress');
INSERT INTO Service VALUES (304, 204, DATE '2026-03-01', 'AC Repair', 'AC gas refill
and compressor check', 3200.00, 'Completed');
INSERT INTO Service VALUES (305, 205, DATE '2026-03-15', 'Tyre Replacement', 'Rear
tyre replacement', 1500.00, 'Completed');
INSERT INTO Service VALUES (306, 206, DATE '2026-04-02', 'Oil Change', 'Engine oil
change', 600.00, 'Completed');
INSERT INTO Service VALUES (307, 201, DATE '2026-04-18', 'Battery Check', 'Battery
health check and top-up', 450.00, 'Completed');
INSERT INTO Service VALUES (308, 203, DATE '2026-05-05', 'Wheel Alignment', 'Wheel
alignment and balancing', 900.00, 'Pending');
COMMIT;
```

3.4 SQL Operations

INSERT

Adds a new customer record into the Customer table.

```
INSERT INTO Customer VALUES (106, 'Meena Rani', '9500067890', 'meena.r@gmail.com',
'Erode');
```

SELECT

Retrieves all records from a table.

```
SELECT * FROM Customer;
```

```
SELECT * FROM Vehicle;  
SELECT * FROM Vehicle;
```

UPDATE

Updates the status of a service record once it is finished.

```
UPDATE Service  
SET status = 'Completed'  
WHERE service_id = 308;
```

DELETE

Removes a customer record from the database.

```
DELETE FROM Customer  
WHERE customer_id = 106;
```

WHERE

Filters service records that are marked as Completed.

```
SELECT * FROM Service  
WHERE status = 'Completed';
```

ORDER BY

Sorts service records by cost, highest first.

```
SELECT * FROM Service  
ORDER BY cost DESC;
```

LIKE

Finds customers whose name starts with the letter 'A'.

```
SELECT * FROM Customer  
WHERE customer_name LIKE 'A%';
```



BETWEEN

Retrieves services costing between 1000 and 2500.

```
SELECT * FROM Service
WHERE cost BETWEEN 1000 AND 2500;
```

Aggregate Functions

Calculates key summary statistics for the Service table.

```
SELECT COUNT (*) AS total services FROM Service;
SELECT SUM (cost) AS total revenue FROM Service; SELECT AVG (cost) AS average cost
FROM Service;
SELECT MAX (cost) AS highest cost FROM Service;
SELECT MIN (cost) AS lowest cost FROM Service;
```

GROUP BY

Groups service records by status, and separately by service type with total revenue per type.

```
SELECT status, COUNT (*) AS total count
FROM Service
GROUP BY status;
SELECT service type, SUM (cost) AS total cost
FROM Service
GROUP BY service type
ORDER BY total cost DESC;
```

INNER JOIN

Retrieves customer, vehicle, and service information together in a single result set.

```
SELECT c.customer_name, v.vehicle_number, v.brand, v.model,
s.service_type, s.service_date, s.cost, s.status
FROM Customer c
INNER JOIN Vehicle v ON c.customer_id = v.customer_id
INNER JOIN Service s ON v.vehicle_id = s.vehicle_id ORDER BY
s.service_date;
```


3.5 Project Execution

The database was created in Oracle Live SQL by first defining the Customer, Vehicle, and Service tables with appropriate primary keys, foreign keys, and constraints. Sample data was then inserted into each table using INSERT statements, maintaining referential integrity (each Vehicle references a valid Customer, and each Service references a valid Vehicle). All SQL scripts — table creation, data insertion, and query operations — were written and executed sequentially in the SQL worksheet, and the results of each query (SELECT output, updated rows, join results) were verified directly in the results grid before being captured as screenshots.


4 Output Screenshots – 10 Marks

Include screenshots showing the database creation, table structure, executed queries, and query results.


Screenshot 1 – Database and Tables




Screenshot 2 – Customer Table with Records




Screenshot 3 – Vehicle Table with Records




Screenshot 4 – Service Table with Records




Screenshot 5 – INSERT / UPDATE / DELETE Operations




Screenshot 6 – SELECT and Filtering Operations




Screenshot 7 – Aggregate Functions




Screenshot 8 – GROUP BY Operation



Screenshot 9 – INNER JOIN Operation



Screenshot 10 – Final Database / Query Results



	CUSTOMER ID	CUSTOMER NAME	PHONE NUMBER	EMAIL	ADDRESS
1	201	Anu Kumar	940012345	anu@gmail.com	Delhi
2	202	Anu Kumar	940012345	anu@gmail.com	Delhi
3	203	Vignesh Kulkarni	9990234567	vignesh@gmail.com	Mumbai
4	204	Deepa Kulkarni	9799345678	deepa@gmail.com	Hydrabad
5	205	Santhi Kulkarni	9600234567	santhi@gmail.com	Delhi
6	206	Mohan Kumar	940012345	mohan@gmail.com	Mumbai

5 Technical Explanation – 5 Marks

Database Design

The database is split into three separate tables to avoid data redundancy and follow normalization principles. The Customer table stores customer-specific details that do not change often. The Vehicle table stores vehicle details separately because one customer can own multiple vehicles — storing vehicle data in the Customer table would duplicate customer information for every vehicle. Similarly, the Service table is separated because one vehicle can undergo many service visits over time; keeping service records in their own table allows unlimited service history without altering the Vehicle table's structure.

Keys and Constraints

Each table has a PRIMARY KEY (customer_id, vehicle_id, service_id) to uniquely identify every row. FOREIGN KEYS link Vehicle to Customer and Service to Vehicle, enforcing that a vehicle cannot exist without a valid customer, and a service record cannot exist without a valid vehicle. NOT NULL constraints ensure essential fields are always filled, UNIQUE constraints prevent duplicate phone numbers, emails, and vehicle numbers, and CHECK constraints restrict values such as manufacturing year, cost, and status to valid ranges/options. ON DELETE CASCADE ensures that removing a customer or vehicle automatically removes their dependent records, keeping the database consistent.

SQL Operations

INSERT statements were used to add new customer, vehicle, and service records. SELECT statements retrieve data from one or more tables. UPDATE statements were used to change existing values, such as marking a service as 'Completed'. DELETE statements remove records that are no longer needed, such as a mistakenly added customer, with the foreign key relationships and ON DELETE CASCADE ensuring related records are handled correctly.

Data Retrieval

WHERE was used to filter rows based on a condition (e.g., status = 'Completed'). ORDER BY sorts the result set, such as arranging services by cost in descending order. LIKE performs partial/pattern matching, useful for searching customers by name. BETWEEN retrieves rows within a numeric or date range, such as services within a certain cost bracket. GROUP BY aggregates rows that share a common value (like status or service_type) so that summary statistics can be calculated for each group.

Aggregate Functions and Joins

Aggregate functions — COUNT(), SUM(), AVG(), MAX(), and MIN() — summarize numeric data across many rows, which is useful for reporting total revenue, average service cost, and the number of services performed. INNER JOIN was used to combine the Customer, Vehicle, and Service tables using their key relationships, allowing a single query to display which customer owns which vehicle and what services were performed on it, rather than looking up each table separately.

6 Conclusion – 5 Marks

Conclusion

The Vehicle Service Management Database successfully models a real-world vehicle service centre using three well-structured, related tables: Customer, Vehicle, and Service. Primary keys, foreign keys, and constraints were used to maintain data integrity and enforce meaningful relationships between customers, their vehicles, and service history. Core SQL operations — INSERT, SELECT, UPDATE, and DELETE — were implemented and demonstrated, along with data retrieval techniques such as WHERE, ORDER BY, LIKE, BETWEEN, and GROUP BY. Aggregate functions and INNER JOIN queries were used to generate meaningful business insights such as total revenue, average service cost, and combined customer-vehicle-service reports. Through this project, key database administration concepts — schema design, normalization, constraints, and SQL querying — were learned and applied practically using SQL.

FUTURE ENHANCEMENT

- Customer login and authentication.
- Online service appointment booking.
- Automated service reminders.
- Service history reports.
- Invoice generation.
- Mechanic assignment and management.
- Integration with a web or mobile application.
- Automated database backup and recovery.