CMPS1134
Fundamentals of Computing

Data Abstractions 1

Computer Science: An Overview
Eleventh Edition
J. Glenn Brookshear
Chapter 8

Chapter 8: Data Abstractions

- **Data Structure Fundamentals**
- **Related Concepts**
- **Implementing Data Structures**
  - **Storing Arrays**
  - **Storing Lists**
- Implementing Data Structures (continued)
  - Storing Stacks and Queues
  - Storing Binary Trees
  - Manipulating Data Structures
- A Short Case Study
- Customized Data Types
- Classes and Objects
- Pointers in Machine Language

Basic Data Structures

- Arrays
- Lists
- Stacks
- Queues
- Trees

Terminology for Arrays

- **Homogeneous Array:** A "rectangular" block of data whose entries are of same type.
  - May have multiple **dimensions**. Example: A two-2 dimensional array consists rows and columns
  - **Indices** are used to identify positions (i, j)

3	4	7
6	2	5
1	3	8

- **Heterogeneous Array** (or Aggregate): A block of data items that might be of different type or sizes.
  - Each data item is called a **field**
  - Fields are usually accessed by name



Basic Data Structures

Terminology for Lists

List:
A collection of data whose entries are arranged sequentially



- **Head:** The beginning of the list
- **Tail:** The end of the list

 5

Basic Data Structures

Terminology for Stacks

Stack:
A list in which entries are removed and inserted only at the head



- **LIFO:** Last-in-first-out
- **Top:** The head of list (stack)
- **Bottom** or **base:** The tail of list (stack)
- **Pop:** To remove the entry at the top
- **Push:** To insert an entry at the top

 6

Basic Data Structures

Terminology for Queues

Queue:
A list in which entries are removed at the head and are inserted at the tail

- **FIFO:** First-in-first-out



Basic Data Structures

Terminology for a Tree

Tree:
A collection of data whose entries have a hierarchical organization



- **Node:** An entry in a tree
- **Root node:** The node at the top
- **Terminal** or **leaf node:** A node at the bottom

Basic Data Structures

Terminology for a Tree (cont)

- **Parent:** The node immediately above a specified node
- **Child:** A node immediately below a specified node
- **Ancestor:** Parent, parent of parent, etc.
- **Descendent:** Child, child of child, etc.
- **Siblings:** Nodes sharing a common parent



 9

Basic Data Structures

Terminology for a Tree (cont)

- **Binary tree:** A tree in which every node has at most two children
- **Depth:** The number of nodes in longest path from root to leaf
- **Subtree:** A node together with all the nodes below it. Each subtree is a **branch** from its parent.



 10

Basic Data Structures

Tree terminology (Fig 8.3 mod)



Related Concepts

- **Abstraction**
  - Shield users (application software) from details of actual data storage
- **Static vs. Dynamic Structure**
  - Does the shape and size change over time?
- **Pointer**
  - A storage area that encodes an address where data is stored
  - Later used to access the data



Implementing Data Structures

Different techniques are used for storing data structures in a computer's main memory.

We look at:

- **Storing Arrays** (homo/heterogeneous)
- **Storing Lists**
- Storing Stacks and Queues
- Storing Binary Trees
- Manipulating Data Structures

Storing Homogeneous Arrays

Memory address of a particular cell can be computed

- **Row-major order** versus **column major order**
  - Row major order (by rows) used in most languages: 3,4,7,6,2,5,1,3,8
  - Column major order (by columns) used in Fortran: 3,6,1,4,2,3,7,5,8
- Address polynomial
  - $(c \text{ x } (i\text{-}1)) + (j\text{-}1)$
  - Cell size (c) multiplied by the number of rows (i-1) above an element, plus the number of elements to the left of the element (j-1)

3	4	7
6	2	5
1	3	8



Implementing Data Structures

Storing Homogeneous Arrays

The array of temperature readings stored in memory starting at address x (Fig 8.5)



Implementing Data Structures

Storing Homogeneous Arrays

Two-dimensional array with four rows and five columns stored in row major order (Fig 8.6)



Implementing Data Structures

Storing Heterogeneous Arrays

- Fields can be stored one after the other in a contiguous block:
  - Memory cell address of each field can be computed
- Fields can be stored in separate locations identified by pointers

Implementing Data Structures

Storing Heterogeneous Array Employee



Implementing Data Structures

Storing Lists

- **Contiguous list:** List stored in a homogeneous array
- **Linked list:** List in which each entries are linked by pointers
  - **Head pointer:** Pointer to first entry in list
  - **null pointer:** A "non-pointer" value used to indicate end of list

Implementing Data Structures - Storing Lists

Names stored in memory as a contiguous list



(Fig 8.8)

Implementing Data Structures - Storing Lists

The structure of a linked list (Fig 8.9)



 21

Implementing Data Structures - Storing Lists

Deleting an entry from a linked list (Fig 8.10)



 22

Implementing Data Structures - Storing Lists

Inserting an entry into a linked list (Fig 8.11)



Chapter 8: Topics Covered

- Data Structure Fundamentals
- Related Concepts
- Implementing Data Structures
  - Storing Arrays
  - Storing Lists

