

МУҲАММАД АЛ-ХОРАЗМИЙ НОМИДАГИ ТОШКЕНТ АХБОРОТ ТЕХНОЛОГИЯЛАРИ УНИВЕРСИТЕТИ

Мултимедиа технологиялари кафедраси

CSS ХУСУСИЯТЛАРИ. CSS САҲИФАЛАШ.

@UniversalstudyTUIT

Режа:

1. CSS ранг хусусиятлари (**Color**)
2. CSSда чегара хусусиятлари (**Border**)
3. CSSда орқа фон хусусиятлари (**Background**)
4. CSS шрифт хусусиятлари (**Font**)
5. **Margin** хусусиятлари
6. **Padding** хусусиятлари

CSS ранг хусусиятлари (Color)

Орқа фонга ранг
бериш

- `<h1 style="background-color:red;">Hello World</h1>`

Матнга ранг
бериш

- `<h3 style="color:red;">Hello World</h3>`

Чегарага ранг
бериш

- `<h1 style="border: 4px solid red;">Hello World</h1>`

Hello World

Hello World

Hello World

CSS ранг хусусиятлари (Color)

CSS да рангнинг қийматлари қуйидаги усуллардан бирида берилади:

Ранг номи орқали

RGB – ранг модели орқали

Рангнинг 16 лик санок тизимидаги қиймати орқали (HEX – hexadecimal)

HSL – ранг модели орқали

RGBA ранг модели орқали

HSLA ранг модели орқали

Ранг номлари

HTML ва CSS да ранг қийматларини **140** та стандарт ранг номлари орқали бериш мумкин:

Color	Name
	Red
	Green
	Blue
	Orange
	Yellow
	Cyan
	Black

RGB – ранг модели

CSS да ранг қийматини **RGB** ранг моделида бериш қуйидаги формула асосида берилади:

rgb(*red***,** *green***,** *blue***)**

бу ерда: **red**, **green**, **blue** параметрлар **[0, 255]** оралиғидаги бутун қийматларни қабул қилади.

Қизил ранг: **rgb(255, 0, 0)**; Яшил ранг: **rgb(0, 255, 0)**;

Кўк ранг: **rgb(0, 0, 255)**; Қора ранг: **rgb(0, 0, 0)**;

Оқ ранг: **rgb(255, 255, 255)** ;

Color	RGB
	rgb(255,0,0)
	rgb(0,255,0)
	rgb(0,0,255)
	rgb(255,165,0)
	rgb(255,255,0)
	rgb(0,255,255)

16 лик санок тизимидаги ранглар

CSS да ранг қийматини 16 лик санок тизимида бериш қуйидагича ифодаланади:

#RRGGBB

бу ерда: **RR** (Red-қизил), **GG** (Green-яшил), **BB** (Blue-кўк) лар **[00, FF]** оралиғидаги қийматларни қабул қилади.

Color	HEX
	#FF0000
	#00FF00
	#0000FF
	#FFA500
	#FFFF00

HSL – ранг модели

CSS да ранг қийматини HSL ранг моделида бериш бериш қуйидагича ифодаланади:

hsl(hue, saturation, lightness)

бу ерда: **hue** – рангни, **saturation** – тўйинганликни, **lightness** – ёрқинлик (равшанлик) ни ифодадайди.

Hue – [0, 360] оралиғидаги ранг даражаларини қабул қилади:

0 – қизил, 120 – яшил, 240 – кўк ранглари ифодалайди.

Saturation – ранг тўйинганлигининг фоиз қийматини ифодалаб, [0, 100]% оралиғидаги қийматлар қабул қилади. 0% – кўлранг соя, 100% – тўлиқ ранглари ифодалайди.

Lightness – ранг ёрқинлигининг фоиз қийматини ифодалаб, [0, 100]% оралиғидаги қийматлар қабул қилади. 0% – қора, 100% – оқ, 50% – на ёруғ на қоронғуни ифодалайди.

hsl(0, 100%, 50%)

hsl(240, 100%, 50%)

hsl(0, 100%, 0%)

hsl(0, 100%, 25%)

hsl(0, 60%, 50%)

hsl(0, 40%, 50%)

hsl(0, 100%, 50%)

hsl(0, 100%, 75%)

hsl(0, 20%, 50%)

hsl(0, 0%, 50%)

hsl(0, 100%, 90%)

hsl(0, 100%, 100%)


RGBA ранг модели орқали

RGBA – RGB ранг моделининг кенгайтмаси бўлиб, ундаги рангларнинг шаффофлигини белгилайди.

CSS да ранг қийматини RGBA ранг моделида бериш бериш қуйидагича ифодаланади:

`rgba(red, green, blue, alpha)`

Бу ерда, **alpha** параметр шаффофлик даражаси бўлиб, $[0.0, 1.0]$ орасидаги қийматни қабул қилади. 0.0 – тўлиқ шаффоф, 1.0 – умуман шаффоф эмас.




HSLA ранг модели

HSLA – HSL ранг моделининг кенгайтмаси бўлиб, ундаги рангларнинг шаффофлигини белгилайди.

CSS да ранг қийматини HSLA ранг моделида бериш бериш қуйидагича ифодаланади:

`hsla(hue, saturation, lightness, alpha)`

Бу ерда, **alpha** параметр шаффофлик даражаси бўлиб, $[0.0, 1.0]$ орасидаги қийматни қабул қилади. 0.0 – тўлиқ шаффоф, 1.0 – умуман шаффоф эмас.



CSSда чегара хусусиятлари

CSSда чегара хусусиятлари орқали HTML элементнинг чегараси қалинлиги (**border-width**), стили (**border-style**), ранги (**border-color**) ни белгилаш мумкин.

Чегарани белгилаш бўйича асосий хусусиятлар:	
Хусусият номи	Изоҳ
border-style	Юқори, ўнг, пастки ва чап чегара стилини бир вақтда ўрнатиш
border-width	Юқори, ўнг, пастки ва чап чегара қалинлиги қийматини бир вақтда ўрнатиш
border-color	Юқори, ўнг, пастки ва чап чегара рангини бир вақтда ўрнатиш
border-radius	Юқори-чап, юқори-ўнг, пастки-ўнг ва пастки-чап чегара радиусларини бир вақтда ўрнатиш
border	Барча чегара хусусиятларини (<u><i>border-width, border-style, border-color</i></u>) бир вақтда ўрнатиш

CSSда чегара хусусиятлари: border-style

border-style:

none | hidden | dotted | dashed | solid | double | groove | ridge | inset | outset | initial | inherit;

Қиймат	ИЗОХ
none	Одатий (сукут ҳолатдаги) қиймат. Чегара белгиланмайди.
hidden	Яширин чегарани белгилайди
dotted	Нуқта-нуқта шаклли чегарани аниқлайди
dashed	Ўзуқ-ўзуқ шаклли чегарани аниқлайди
solid	Узлуксиз шаклли чегарани аниқлайди
double	Иккита қаватли чегарани белгилаш
groove	Specifies a 3D grooved border. The effect depends on the border-color value
ridge	Specifies a 3D ridged border. The effect depends on the border-color value
inset	Specifies a 3D inset border. The effect depends on the border-color value
outset	Specifies a 3D outset border. The effect depends on the border-color value
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда чегара хусусиятлари: border-style

```
p.dotted {border-style: dotted;}  
p.dashed {border-style: dashed;}  
p.solid {border-style: solid;}  
p.double {border-style: double;}  
p.groove {border-style: groove;}  
p.ridge {border-style: ridge;}  
p.inset {border-style: inset;}  
p.outset {border-style: outset;}  
p.none {border-style: none;}  
p.hidden {border-style: hidden;}  
p.mix {border-style: dotted  
dashed solid double;}
```

A dotted border.

A dashed border.

A solid border.

A double border.

A groove border. The effect depends on the border-color value.

A ridge border. The effect depends on the border-color value.

An inset border. The effect depends on the border-color value.

An outset border. The effect depends on the border-color value.

No border.

A hidden border.

A mixed border.

CSSда чегара хусусиятлари: border-width

```
border-width: medium|thin|thick|length|initial|inherit;
```

Қиймат	Изоҳ
medium	Ўртача чегарани белгилайди. Одатий (сукут ҳолатдаги) қиймат.
thin	Ингичка чегарани белгилайди
thick	Қалин чегарани белгилайди
length	Чегаранинг қалинлик ўлчовини белгилаш
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда чегара хусусиятлари: border-width

```
p.one {  
  border-width: 5px;  
  border-style: solid;  
}  
p.two {  
  border-width: medium;  
  border-style: solid;  
}  
p.three {  
  border-width: thin;  
  border-style: solid;  
}  
p.four {  
  border-width: thick;  
  border-style: solid;  
}  
p.seven {  
  border-width: 2px 10px 4px 20px;  
  border-style: solid;  
}
```

Some text.

Some text.

Some text.

Some text.

Some text.

CSSда чегара хусусиятлари: border-width

```
p.one {  
  border-width: thin medium thick 10px; //top-thin, right-medium, bottom-thick, left-10px  
  border-style: solid;  
}  
p.two {  
  border-width: thin medium thick; //top-thin, right, left-medium, bottom-thick  
  border-style: solid;  
}  
p.three {  
  border-width: thin medium; //top,bottom-thin, right,left-medium  
  border-style: solid;  
}  
p.four {  
  border-width: thin; //барча чегара қалинлиги қиймати-thin  
  border-style: solid;  
}
```

Some text.

Some text.

Some text.

Some text.

CSSда чегара хусусиятлари: border-color

```
border-color: color|transparent|initial|inherit;
```

Қиймат	Изоҳ
color	Чегара орқа фони рангининг қийматини белгилайди. Одатий (сукут ҳолатдаги) қиймати қора ранг ҳисобланади.
transparent	Чегара ранги шаффоф бўлиши кераклигини белгилайди
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда чегара хусусиятлари: border-color

```
p.one {  
  border-color: red;  
  border-style: solid;  
}  
p.two {  
  border-color: red green blue;  
  border-style: solid;  
}  
p.three {  
border-color: blue hsl(89, 43%, 51%)  
red yellow;  
  border-style: solid;  
}
```

A solid red border

A solid green border

A solid multicolor border

CSSда чегара хусусиятлари: border-radius

```
border-radius: 1-4 length|% / 1-4 length|%|initial|inherit;
```

Қиймат	Изоҳ
length	Чегара бурчакларининг шаклини белгилайди. Одатий (сукут ҳолатдаги) қиймати 0 (нол) ҳисобланади.
%	Чегара бурчакларининг шаклини %да белгилайди.
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда чегара хусусиятлари: border-radius

```
p.one {  
  border-radius: 15px;  
  border-style: solid;  
}  
  
p.two {  
  border-radius: 15px 50px;  
  border-style: solid;  
}  
  
p.three {  
  border-radius: 15px 50px 30px;  
  border-style: solid;  
}  
  
p.four {  
  border-radius: 15px 50px 30px 5px;  
  border-style: solid;  
}
```



CSSда чегара хусусиятлари: border

```
border: border-width border-style border-color|initial|inherit;
```


```
h4 {  
  border: 5px solid red;  
}  
  
h6 {  
  border: 4px dotted blue;  
}  
  
div {  
  border: double;  
}
```

A heading with a solid red border

A heading with a dotted blue border

A div element with a double border.

CSSда чегара хусусиятлари



CSSда орқа фон хусусиятлари

CSSда орқа фон хусусиятлари орқали HTML элементларнинг фон эффектларини белгилаш мумкин.

Хусусият номи	Изоҳ
background	Барча орқа фон хусусиятларини бир вақтда ўрнатиш
background-attachment	Орқа фон расмининг барқарорлиги (қимирламайдиган) ёки саҳифанинг бошқа қисми билан айланишини белгилайди
background-clip	Орқа фоннинг бўялиш соҳасини белгилайди
background-color	Орқа фонга ранг ўрнатишни белгилайди
background-image	Орқа фонга расм ўрнатишни белгилайди
background-origin	Орқа фондаги расм(лар) қаерда жойлашишини белгилайди
background-position	Орқа фон расмининг бошланғич жойлашув ўрнини белгилайди
background-repeat	Орқа фон расмининг такрорланишини белгилайди
background-size	Орқа фон расм(лар)ининг ўлчамини белгилайди

CSSда орқа фон хусусиятлари :

background-color

background-color: color|transparent|initial|inherit;

Қиймат	Изоҳ
color	Орқа фонга ўрнатиладиган рангнинг қийматини белгилайди
transparent	Орқа фонга ранги шаффоф бўлиши кераклигини белгилайди
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

```
body {  
  background-color: #fefbd8;  
}  
h1 {  
  background-color: #80ced6;  
}  
div {  
  background-color: #d5f4e6;  
}  
span {  
  background-color: #f18973;  
}
```

Background Color

Set a background color for a div element.

Set a **background color** for only a part of a text.

CSSда орқа фон хусусиятлари :

background-image

```
background-image: url|none|initial|inherit;
```

Қиймат	Изоҳ
<code>url('URL')</code>	Орқа фонга ўрнатиладиган расмнинг URL манзили. Бир нечта расмларни кўрсатиш учун URLларни вергул билан ажратилади.
<code>none</code>	Орқа фонда расм кўрсатилмайди. Одатий (сукут ҳолатдаги) қиймат.
<code>linear-gradient()</code>	Орқа фонга чизикли градиент ўрнатишни белгилайди. Градиентда юқоридан пастга қараб камида 2 та ранг иштирок этиши керак.
<code>radial-gradient()</code>	Орқа фонга радиал (радиус бўйлаб тарқалган, нурли) градиент ўрнатишни белгилайди. Градиентда марказдан четга қараб камида 2 та ранг иштирок этиши керак.
<code>repeating-linear-gradient()</code>	Такрорланадиган чизикли градиентни белгилайди
<code>repeating-radial-gradient()</code>	Такрорланадиган радиал градиентни белгилайди
<code>initial</code>	Сукут ҳолатдаги қийматни ўрнатади
<code>inherit</code>	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:


background-image

```
body {  
  background-image: url("paper.gif");  
}
```

Hello World!


This page has an image as the background!

```
body {  
  background-image: url("img_tree.gif"),  
                  url("paper.gif");  
}
```





CSSда орқа фон хусусиятлари: linear-gradient(), repeating-linear-gradient

```
#grad1 {  
  height: 120px;  
  background-image: linear-gradient(red,  
yellow, green);  
}  
  
#grad2 {  
  height: 120px;  
  background-image: linear-gradient(red,  
yellow);  
}  
  
#grad3 {  
  height: 120px;  
  background-image: repeating-linear-  
gradient(red, yellow 10%, green 20%);  
}
```



CSSда орқа фон хусусиятлари: radial-gradient(), repeating-radial-gradient

```
#grad1 {  
  height: 130px;  
  background-image: radial-gradient(red,  
yellow);  
}  
#grad2 {  
  height: 130px;  
  background-image: radial-gradient(red,  
yellow, green);  
}  
#grad3 {  
  height: 130px;  
  background-image: repeating-radial-  
gradient(red, yellow 10%, green 15%);  
}
```



CSSда орқа фон хусусиятлари :

background-repeat

```
background-repeat: repeat | repeat-x | repeat-y | no-repeat | initial | inherit;
```

Қиймат	Изоҳ
repeat	Орқа фон расми вертикал ва горизонтал равишда такрорланади. Агар охирги расм сиғмай қолган тақдирда, у кесилади. Одатий (сукут ҳолатдаги) қиймат.
repeat-x	Орқа фон расми фақат горизонтал равишда такрорланади.
repeat-y	Орқа фон расми фақат вертикал равишда такрорланади.
no-repeat	Орқа фон расми такрорланмайди. Расм фақат 1 марта кўрсатилади.
space	Орқа фон расми иложи борица қирқилмасдан (кесилмасдан) такрорланади. Биринчи ва охирги расмлар элементнинг иккала томонига жойлаштирилиб, ўртадаги бўш жойлар расмлар ўртасида тенг тақсимланади.
round	Орқа фон расми расмлар орасидаги бўш жойни тўлдириш учун ёйилган (чўзилган) ҳолатда такрорланади (бўш жойлар бўлмайди)
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:

background-repeat

```
#example1 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url("w3css.gif");  
  background-repeat: repeat;  
}  
  
#example2 {  
  border: 2px solid black;  
  padding: 45px;  
  background: url("w3css.gif");  
  background-repeat: repeat-x;  
}  
  
#example3 {  
  border: 2px solid black;  
  padding: 75px;  
  background: url("w3css.gif");  
  background-repeat: repeat-y;  
}
```


background-repeat: repeat (default)



background-repeat: repeat-x



background-repeat: repeat-y



CSSда орқа фон хусусиятлари:

background-repeat

```
#example4 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url("w3css.gif");  
  background-repeat: space;  
}
```

```
#example5 {  
  border: 1px solid black;  
  padding: 25px;  
  background: url("w3css.gif");  
  background-repeat: round;  
}
```

background-repeat: space



background-repeat: round



CSSда орқа фон хусусиятлари : background-attachment

background-attachment: scroll|fixed|local|initial|inherit;

Қиймат	Изоҳ
<i>scroll</i>	Орқа фон расми саҳифа билан айланиши (scroll) белгиланади. Одатий (сукут ҳолатдаги) қиймат.
<i>fixed</i>	Орқа фон расми саҳифа билан айланмаслиги (not scroll), яъни қимирламайдиган ҳолати белгиланади.
<i>local</i>	Орқа фон расми саҳифадаги элементлар таркибига қараб силжийди.
<i>initial</i>	Сукут ҳолатдаги қийматни ўрнатади
<i>inherit</i>	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:

background-attachment

```
body {  
    background-image:  
url("img_tree.png");  
    background-repeat: no-repeat;  
    background-position: right top;  
    margin-right: 200px;  
    background-attachment: scroll;  
}
```

```
body {  
    background-image:  
url("img_tree.png");  
    background-repeat: no-repeat;  
    background-position: right top;  
    margin-right: 200px;  
    background-attachment: fixed;  
}
```

The background-attachment Property

The background-attachment property specifies whether the background image should scroll or be fixed (will not scroll with the rest of the page).

Tip: If you do not see any scrollbars, try to resize the browser window.

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down



CSSда орқа фон хусусиятлари :

background-position

```
background-position: value;
```

Қиймат	Изоҳ
left top – left center – left bottom – right top – right center – right bottom – center top – center center – center bottom <i>Агар битта калит сўзни белгиласангиз, бошқа қийматни “center” бўлади.</i>	
x% y%	Биринчи қиймат – горизонтал ҳолат, иккинчи қиймат – вертикал ҳолат ҳисобланади. <i>Top left</i> (юқори-чап) бурчак – 0% 0%. <i>Right bottom</i> (ўнг-пастки) бурчак – 100% 100%. Агар фақат битта қиймат белгилангиз, бошқа қиймат 50% га тенг бўлади. Одатий (сукут ҳолатдаги) қиймат 0% 0%.
xpos ypos	Биринчи қиймат – горизонтал ҳолат, иккинчи қиймат – вертикал ҳолат ҳисобланади. <i>Top left</i> (юқори-чап) бурчак – 0 0. Ўлчов бирликлари пикселлар (0px 0px) ёки бошқа бирликлар бўлиши мумкин. Агар фақат битта қиймат белгилангиз, бошқа қиймат 50% га тенг бўлади. % ва pos қийматларни аралаш фойдаланиш мумкин.
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:

background-position

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: center top;  
}
```

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: bottom right;  
}
```

The background-position Property



Here, the background image will be positioned centered at top.

The background-position Property

Here, the background image will be positioned centered at top.



CSSда орқа фон хусусиятлари:

background-position

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: 50px 150px;  
}
```

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: 50% 50%;  
}
```

The background-position Property

Here, the background image is positioned 50px from the left, and 150px down from the top.



The background-position Property

Here, the background image will be positioned in the center of the element, using percent.



CSSда орқа фон хусусиятлари : background-clip

```
background-clip: border-box | padding-box | content-  
box | initial | inherit;
```


Қиймат	Изоҳ
<i>border-box</i>	Элемент чегараси ортидаги орқа фондан бошлаб белгиланади. Одатий (сукут ҳолатдаги) қиймат.
<i>padding-box</i>	Элемент чегараси ичидаги орқа фонини белгилайди.
<i>content-box</i>	Элемент ичидаги контентнинг орқа фонини белгилайди.
<i>initial</i>	Сукут ҳолатдаги қийматни ўрнатади.
<i>inherit</i>	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:


background-clip

```
#example1 {  
  border: 10px dotted black;  
  padding: 10px;  
  background: lightblue;  
  background-clip: border-box;  
}  
  
#example2 {  
  border: 10px dotted black;  
  padding: 10px;  
  background: lightblue;  
  background-clip: padding-box;  
}  
  
#example3 {  
  border: 10px dotted black;  
  padding: 10px;  
  background: lightblue;  
  background-clip: content-box;  
}
```


background-clip: border-box (this is default):



background-clip: padding-box:



background-clip: content-box:



CSSда орқа фон хусусиятлари :

background-size

```
background-size: auto | length | cover | contain | initial | inherit ;
```


Қиймат	Изоҳ
auto	Орқа фон расми оригинал (асл) ўлчамида кўрсатилади. Одатий (сукут ҳолатдаги) қиймат.
length	Орқа фон расмининг кенглиги (width) ва баландлиги (height) ўрнатилади. Биринчи қиймат кенгликни, иккинчи қиймат баландликни белгилайди. Агар фақат битта қиймат берилса, иккинчиси автоматик ўрнатилади.
percentage	Орқа фон расмининг кенглиги ва баландлигини ота (parent) элементга нисбатан ўрнатилади. Биринчи қиймат кенгликни, иккинчи қиймат баландликни белгилайди. Агар фақат битта қиймат берилса, иккинчиси автоматик ўрнатилади.
cover	Орқа фон расмининг ўлчамини ташқи контейнерни тўлиқ қоплагунча ўзгартиришни белгилайди.
contain	Орқа фон расмининг ўлчамини тўлиқ кўринадиган ҳолатгача ўзгартиришни белгилайди.
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:


background-size

```
#example1 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url(mountain.jpg);  
  background-repeat: no-repeat;  
  background-size: auto;  
}  
  
#example2 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url(mountain.jpg);  
  background-repeat: no-repeat;  
  background-size: 300px 100px;  
}  
  
#example3 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url(mountain.jpg);  
  background-repeat: no-repeat;  
  background-size: 75% 50%;  
}
```


background-size: auto (default):



background-size: 300px 100px:



background-size: 75% 50%:



CSSда орқа фон хусусиятлари:


background-size

```
#example1 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url(mountain.jpg) ;  
  background-repeat: no-repeat;  
  background-size: cover;  
}  
#example2 {  
  border: 2px solid black;  
  padding: 25px;  
  background: url(mountain.jpg) ;  
  background-repeat: no-repeat;  
  background-size: contain;  
}
```

background-size: cover:



background-size: contain:



CSSда орқа фон хусусиятлари :

background-origin

```
background-origin: padding-box | border-box | content-box |  
initial | inherit;
```

Қиймат	Изох
padding-box	Орқа фон расми элемент юқори-чап ички бурчагидан бошланади. Одатий (сукут ҳолатдаги) қиймат.
border-box	Орқа фон расми элемент юқори-чап ташқи бурчаги ичидан бошланади.
content-box	Орқа фон расми элемент ичидаги контентнинг юқори-чап бурчагидан бошланишини белгилайди.
initial	Сукут ҳолатдаги қийматни ўрнатади
inherit	Ушбу хусусиятни асосий ота (parent) элементдан мерос қилиб олади

CSSда орқа фон хусусиятлари:

background-origin

```
#example1 {  
  border: 10px double black;  
  padding: 5px;  
  background: url(paper.gif);  
  background-repeat: no-repeat;  
  background-origin: padding-box;  
}  
#example2 {  
  border: 10px double black;  
  padding: 5px;  
  background: url(paper.gif);  
  background-repeat: no-repeat;  
  background-origin: border-box;  
}  
#example3 {  
  border: 10px double black;  
  padding: 5px;  
  background: url(paper.gif);  
  background-repeat: no-repeat;  
  background-origin: content-box;  
}
```

background-origin: padding-box (default):



background-origin: border-box:




background-origin: content-box:



CSSда орқа фон хусусиятлари : background

```
background: bg-color bg-image position/bg-size bg-repeat  
bg-origin bg-clip bg-attachment initial|inherit;
```

```
body {  
  background: lightblue  
  url("img_tree.gif") no-repeat  
  fixed center;  
}
```



CSS шрифт хусусиятлари

CSSда шрифт хусусиятлари орқали матннинг шрифти, қалинлиги, ўлчами ва стилини белгилаш мумкин.

Хусусият номи	Изоҳ
font-family	Матннинг шрифтини белгиланади.
font-size	Матннинг шрифти ўлчамини белгиланади
font-style	Матннинг шрифти стилини белгиланади
font-variant	Матнни кичик ҳарф билан ёзиладиган шрифтда кўрсатиш кераклигини белгиланади
font-weight	Матннинг шрифти қалинлиги белгиланади
font	Барча шрифт хусусиятларини бир вақтда ўрнатиш

CSS шрифт хусусиятлари: font-family

```
font-family: family-name|generic-family|initial|inherit;
```

```
p.a {  
  font-family: "Times New Roman",  
  Times, serif;  
}
```

This is a paragraph, shown in the Times New Roman font.

This is a paragraph, shown in the Arial font.

```
p.b {  
  font-family: Arial, Helvetica,  
  sans-serif;  
}
```

CSS шрифт хусусиятлари: font-size

```
font-size: medium | xx-small | x-small | small | large | x-large | xx-large | smaller | larger | length | initial | inherit;
```

```
div.a {  
  font-size: 15px;  
}  
  
div.b {  
  font-size: large;  
}  
  
div.b1 {  
  font-size: xx-large;  
}  
  
div.c {  
  font-size: 250%;  
}
```

This is some text.

This is some text.

This is some text.

This is some text.

CSS шрифт хусусиятлари: font-style

```
font-style: normal|italic|oblique|initial|inherit;
```

```
p.a {  
  font-style: normal;  
}  
  
p.b {  
  font-style: italic;  
}  
  
p.c {  
  font-style: oblique;  
}
```

This is a paragraph, normal.

This is a paragraph, italic.

This is a paragraph, oblique.

CSS шрифт хусусиятлари: font-variant

```
font-variant: normal|small-caps|initial|inherit;
```

```
p.normal {  
  font-variant: normal;  
}  
  
p.small {  
  font-variant: small-caps;  
}
```

My name is Hege Refsnes.

MY NAME IS HEGE REFSNES.

CSS шрифт хусусиятлари: font-weight

```
font-weight: normal | bold | bolder | lighter | number | initial | inherit;
```

```
font-weight:{100, 200, 300, 400, 500, 600, 700, 800, 900}; //400 - ўртача, 700 - қалин
```

```
p.normal {  
  font-weight: normal;  
}
```

This is a paragraph.

```
p.light {  
  font-weight: lighter;  
}
```

This is a paragraph.

This is a paragraph.

```
p.thick {  
  font-weight: bold;  
}
```

This is a paragraph.

```
p.thicker {  
  font-weight: 900;  
}
```

CSS шрифт хусусиятлари: font

```
font: font-style font-variant font-weight font-size/line-height  
font-family|caption|icon|menu|message-box|small-caption|status-  
bar|initial|inherit;
```


```
p.a {  
  font: 25px arial, sans-serif;  
}
```

```
p.b {  
  font: italic bold 12px/30px  
  Georgia, serif;  
}
```

This is a paragraph. The font size is set to 25 pixels, and the font family is Arial.

This is a paragraph. The font is set to italic and bold, the font size is set to 12 pixels, the line height is set to 30 pixels, and the font family is Georgia.

Margin хусусиятлари



margin


margin-bottom

margin-left

margin-right

margin-top

Padding хусусиятлари



padding

padding-bottom

padding-left

padding-right

padding-top