



ISO 27001 Compliance Report — DJ

Generated: 8 August 2026

Assets covered: 1

ISO DOMAINS COVERED 3	OVERALL SCORE 38%	TOTAL FAILED 102	TOTAL MAPPED CHECKS 165
---------------------------------	-----------------------------	----------------------------	-----------------------------------

ISO 27001 Domain Compliance Details

5 — Organisational Controls

11 failed · 2 passed · 13 mapped checks

85%
NON-COMPLIANT

CONTROL	TITLE	ASSET / CHECK
5.15	Ensure 'Enforce password history' is set to '24 or more password(s)'.	DJ · Check #26000
5.15	Ensure 'Minimum password age' is set to '1 or more day(s)'.	DJ · Check #26002
5.15	Ensure 'Minimum password length' is set to '14 or more character(s)'.	DJ · Check #26003
5.15	Ensure 'Relax minimum password length limits' is set to 'Enabled'.	DJ · Check #26005
5.16	Configure 'Accounts: Rename guest account'.	DJ · Check #26014
5.9	Ensure 'Devices: Allowed to format and eject removable media' is set to 'Administrators and Interactive Users'.	DJ · Check #26017
5.15	Ensure 'Domain member: Maximum machine account password age' is set to '30 or fewer days, but not 0'.	DJ · Check #26023
5.9	Ensure 'Audit Removable Storage' is set to 'Success and Failure'.	DJ · Check #26160
5.15	Ensure 'Password Settings: Password Complexity' is set to 'Enabled: Large letters + small letters + numbers + special characters'.	DJ · Check #26179
5.15	Ensure 'Password Settings: Password Length' is set to 'Enabled: 15 or more'.	DJ · Check #26180
5.15	Ensure 'Password Settings: Password Age (Days)' is set to 'Enabled: 30 or fewer'.	DJ · Check #26181

7 — Physical Controls

9 failed · 5 passed · 14 mapped checks

64%
NON-COMPLIANT

CONTROL	TITLE	ASSET / CHECK
7.7	Ensure 'Interactive logon: Machine inactivity limit' is set to '900 or fewer second(s), but not 0'.	DJ · Check #26028
7.7	Ensure 'Interactive logon: Smart card removal behavior' is set to 'Lock Workstation' or higher.	DJ · Check #26033
7.7	Ensure 'Turn off picture password sign-in' is set to 'Enabled'.	DJ · Check #26260
7.9	Ensure 'Allow network connectivity during connected-standby (on battery)' is set to 'Disabled'.	DJ · Check #26264
7.9	Ensure 'Allow network connectivity during connected-standby (plugged in)' is set to 'Disabled'.	DJ · Check #26265
7.10	Ensure 'Disallow Autoplay for non-volume devices' is set to 'Enabled'.	DJ · Check #26282
7.10	Ensure 'Set the default behavior for AutoRun' is set to 'Enabled: Do not execute any autorun commands'.	DJ · Check #26283
7.10	Ensure 'Turn off Autoplay' is set to 'Enabled: All drives'.	DJ · Check #26284
7.7	Ensure 'Set time limit for active but idle Remote Desktop Services sessions' is set to 'Enabled: 15 minutes or less, but not Never (0)'.	DJ · Check #26349

8 — Technological Controls

82 failed · 56 passed · 138 mapped checks

59%
NON-COMPLIANT

CONTROL	TITLE	ASSET / CHECK
8.5	Ensure 'Password must meet complexity requirements' is set to 'Enabled'.	DJ · Check #26004
8.5	Ensure 'Account lockout duration' is set to '15 or more minute(s)'.	DJ · Check #26006
8.5	Ensure 'Account lockout threshold' is set to '5 or fewer invalid logon attempt(s), but not 0'.	DJ · Check #26007
8.5	Ensure 'Reset account lockout counter after' is set to '15 or more minute(s)'.	DJ · Check #26008
8.2	Configure 'Accounts: Rename administrator account'.	DJ · Check #26013
8.5	Ensure 'Interactive logon: Do not require CTRL+ALT+DEL' is set to 'Disabled'.	DJ · Check #26025
8.5	Ensure 'Interactive logon: Don't display last signed-in' is set to 'Enabled'.	DJ · Check #26026
8.5	Ensure 'Interactive logon: Machine account lockout threshold' is set to '10 or fewer invalid logon attempts, but not 0'.	DJ · Check #26027
8.5	Configure 'Interactive logon: Message text for users attempting to log on'.	DJ · Check #26029
8.5	Configure 'Interactive logon: Message title for users attempting to log on'.	DJ · Check #26030
8.5	Ensure 'Interactive logon: Number of previous logons to cache (in case domain controller is not available)' is set to '4 or fewer logon(s)'.	DJ · Check #26031
8.3	Ensure 'Network access: Do not allow anonymous enumeration of SAM accounts and shares' is set to 'Enabled'.	DJ · Check #26044

CONTROL	TITLE	ASSET / CHECK
8.21	Ensure 'Network access: Do not allow storage of passwords and credentials for network authentication' is set to 'Enabled'.	DJ · Check #26045
8.24	Ensure 'Network security: Allow Local System to use computer identity for NTLM' is set to 'Enabled'.	DJ · Check #26054
8.24	Ensure 'Network security: Configure encryption types allowed for Kerberos' is set to 'AES128_HMAC_SHA1, AES256_HMAC_SHA1, Future encryption types'.	DJ · Check #26057
8.24	Ensure 'Network security: LAN Manager authentication level' is set to 'Send NTLMv2 response only. Refuse LM & NTLM'.	DJ · Check #26060
8.24	Ensure 'Network security: Minimum session security for NTLM SSP based (including secure RPC) clients' is set to 'Require NTLMv2 session security, Require 128-bit encryption'.	DJ · Check #26062
8.24	Ensure 'Network security: Minimum session security for NTLM SSP based (including secure RPC) servers' is set to 'Require NTLMv2 session security, Require 128-bit encryption'.	DJ · Check #26063
8.24	Ensure 'System cryptography: Force strong key protection for user keys stored on the computer' is set to 'User is prompted when the key is first used' or higher.	DJ · Check #26064
8.2	Ensure 'User Account Control: Admin Approval Mode for the Built-in Administrator account' is set to 'Enabled'.	DJ · Check #26067
8.25	Ensure 'Microsoft iSCSI Initiator Service (MSiSCSI)' is set to 'Disabled'.	DJ · Check #26085
8.9	Ensure 'Remote Desktop Configuration (SessionEnv)' is set to 'Disabled'.	DJ · Check #26094
8.21	Ensure 'Remote Desktop Services (TermService)' is set to 'Disabled'.	DJ · Check #26095
8.21	Ensure 'Remote Desktop Services UserMode Port Redirector (UmRdpService)' is set to 'Disabled'.	DJ · Check #26096
8.20	Ensure 'Windows Firewall: Domain: Settings: Display a notification' is set to 'No'.	DJ · Check #26122

CONTROL	TITLE	ASSET / CHECK
8.20	Ensure 'Windows Firewall: Domain: Logging: Name' is set to '%SystemRoot%\System32\logfiles\firewall\domainfw.log'.	DJ · Check #26123
8.20	Ensure 'Windows Firewall: Domain: Logging: Size limit (KB)' is set to '16,384 KB or greater'.	DJ · Check #26124
8.20	Ensure 'Windows Firewall: Domain: Logging: Log dropped packets' is set to 'Yes'.	DJ · Check #26125
8.20	Ensure 'Windows Firewall: Domain: Logging: Log successful connections' is set to 'Yes'.	DJ · Check #26126
8.20	Ensure 'Windows Firewall: Private: Settings: Display a notification' is set to 'No'.	DJ · Check #26130
8.20	Ensure 'Windows Firewall: Private: Logging: Name' is set to '%SystemRoot%\System32\logfiles\firewall\privatefw.log'.	DJ · Check #26131
8.20	Ensure 'Windows Firewall: Private: Logging: Size limit (KB)' is set to '16,384 KB or greater'.	DJ · Check #26132
8.20	Ensure 'Windows Firewall: Private: Logging: Log dropped packets' is set to 'Yes'.	DJ · Check #26133
8.20	Ensure 'Windows Firewall: Private: Logging: Log successful connections' is set to 'Yes'.	DJ · Check #26134
8.20	Ensure 'Windows Firewall: Public: Settings: Display a notification' is set to 'No'.	DJ · Check #26138
8.20	Ensure 'Windows Firewall: Public: Settings: Apply local firewall rules' is set to 'No'.	DJ · Check #26139
8.20	Ensure 'Windows Firewall: Public: Settings: Apply local connection security rules' is set to 'No'.	DJ · Check #26140
8.20	Ensure 'Windows Firewall: Public: Logging: Name' is set to '%SystemRoot%\System32\logfiles\firewall\publicfw.log'.	DJ · Check #26141
8.20	Ensure 'Windows Firewall: Public: Logging: Size limit (KB)' is set to '16,384 KB or greater'.	DJ · Check #26142

CONTROL	TITLE	ASSET / CHECK
8.20	Ensure 'Windows Firewall: Public: Logging: Log dropped packets' is set to 'Yes'.	DJ · Check #26143
8.20	Ensure 'Windows Firewall: Public: Logging: Log successful connections' is set to 'Yes'.	DJ · Check #26144
8.15	Ensure 'Audit Credential Validation' is set to 'Success and Failure'.	DJ · Check #26145
8.15	Ensure 'Audit Application Group Management' is set to 'Success and Failure'.	DJ · Check #26146
8.15	Ensure 'Audit User Account Management' is set to 'Success and Failure'.	DJ · Check #26148
8.15	Ensure 'Audit PNP Activity' is set to include 'Success'.	DJ · Check #26149
8.15	Ensure 'Audit Process Creation' is set to include 'Success'.	DJ · Check #26150
8.5	Ensure 'Audit Account Lockout' is set to include 'Failure'.	DJ · Check #26151
8.15	Ensure 'Audit Group Membership' is set to include 'Success'.	DJ · Check #26152
8.15	Ensure 'Audit Other Logon/Logoff Events' is set to 'Success and Failure'.	DJ · Check #26155
8.15	Ensure 'Audit Detailed File Share' is set to include 'Failure'.	DJ · Check #26157
8.15	Ensure 'Audit File Share' is set to 'Success and Failure'.	DJ · Check #26158
8.15	Ensure 'Audit Other Object Access Events' is set to 'Success and Failure'.	DJ · Check #26159
8.15	Ensure 'Audit Authorization Policy Change' is set to include 'Success'.	DJ · Check #26163
8.15	Ensure 'Audit MPSSVC Rule-Level Policy Change' is set to 'Success and Failure'.	DJ · Check #26164
8.15	Ensure 'Audit Other Policy Change Events' is set to include 'Failure'.	DJ · Check #26165

CONTROL	TITLE	ASSET / CHECK
8.15	Ensure 'Audit Sensitive Privilege Use' is set to 'Success and Failure'.	DJ · Check #26166
8.15	Ensure 'Audit IPsec Driver' is set to 'Success and Failure'.	DJ · Check #26167
8.15	Ensure 'Audit Security System Extension' is set to include 'Success'.	DJ · Check #26170
8.9	Ensure 'NetBT NodeType configuration' is set to 'Enabled: P-node'.	DJ · Check #26187
8.20	Ensure 'MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes' is set to 'Disabled'.	DJ · Check #26193
8.21	Ensure 'MSS: (PerformRouterDiscovery) Allow IRDP to detect and configure Default Gateway addresses (could lead to DoS)' is set to 'Disabled'.	DJ · Check #26196
8.9	Ensure 'Prohibit installation and configuration of Network Bridge on your DNS domain network' is set to 'Enabled'.	DJ · Check #26209
8.9	Ensure 'Configuration of wireless settings using Windows Connect Now' is set to 'Disabled'.	DJ · Check #26214
8.21	Ensure 'Prohibit access of the Windows Connect Now wizards' is set to 'Enabled'.	DJ · Check #26215
8.24	Ensure 'Encryption Oracle Remediation' is set to 'Enabled: Force Updated Clients'.	DJ · Check #26224
8.24	Ensure 'Turn On Virtualization Based Security: Select Platform Security Level' is set to 'Secure Boot and DMA Protection'.	DJ · Check #26227
8.24	Ensure 'Turn On Virtualization Based Security: Virtualization Based Protection of Code Integrity' is set to 'Enabled with UEFI lock'.	DJ · Check #26228
8.24	Ensure 'Turn On Virtualization Based Security: Require UEFI Memory Attributes Table' is set to 'True (checked)'.	DJ · Check #26229
8.9	Ensure 'Turn On Virtualization Based Security: Credential Guard Configuration' is set to 'Enabled with UEFI lock'.	DJ · Check #26230

CONTROL	TITLE	ASSET / CHECK
8.9	Ensure 'Turn On Virtualization Based Security: Secure Launch Configuration' is set to 'Enabled'.	DJ · Check #26231
8.21	Ensure 'Turn off Internet download for Web publishing and online ordering wizards' is set to 'Enabled'.	DJ · Check #26243
8.28	Ensure 'Enumeration policy for external devices incompatible with Kernel DMA Protection' is set to 'Enabled: Block All'.	DJ · Check #26253
8.12	Ensure 'Allow Clipboard synchronization across devices' is set to 'Disabled'.	DJ · Check #26262
8.12	Ensure 'Allow upload of User Activities' is set to 'Disabled'.	DJ · Check #26263
8.15	Ensure 'Enable OneSettings Auditing' is set to 'Enabled'.	DJ · Check #26298
8.21	Ensure 'Do not allow passwords to be saved' is set to 'Enabled'.	DJ · Check #26336
8.21	Ensure 'Require use of specific security layer for remote (RDP) connections' is set to 'Enabled: SSL'.	DJ · Check #26346
8.7	Ensure 'Configure Windows Defender SmartScreen' is set to 'Enabled: Warn and prevent bypass'.	DJ · Check #26365
8.7	Ensure 'Prevent bypassing Windows Defender SmartScreen prompts for sites' is set to 'Enabled'.	DJ · Check #26367
8.12	Ensure 'Allow clipboard sharing with Windows Sandbox' is set to 'Disabled'.	DJ · Check #26385
8.8	Ensure 'No auto-restart with logged on users for scheduled automatic updates installations' is set to 'Disabled'.	DJ · Check #26388
8.8	Ensure 'Remove access to "Pause updates" feature' is set to 'Enabled'.	DJ · Check #26391





Loading...



