

Lab Report

Lab Report

Time Spent: 06:48

Score: 5/5 (100%)

Pass

Passing Score: 5/5 (100%)

TASK SUMMARY

Required Actions & Questions

Test connectivity to each server using ping

Q1 Based on the results of your ping tests, which servers are blocking ICMP traffic at the firewall?

Your answer: CorpFiles16 (192.168.0.12), CorpFiles (192.168.0.13), CorpWeb (192.168.0.15)

Correct answer: CorpFiles16 (192.168.0.12), CorpFiles (192.168.0.13), CorpWeb (192.168.0.15)

Q2 Which of the following would explain why ping failed on some machines?

Your answer: A firewall is blocking ICMP packets.

Correct answer: A firewall is blocking ICMP packets.

Use hping3 to test servers that failed the ping test

Q3 Which of the following would explain why hping3 was successful on the machines where ping failed?

Your answer: The hping3 command uses TCP packets by default.

Correct answer: The hping3 command uses TCP packets by default.

EXPLANATION

To complete this lab, use the following information:

Server	IP Address
CorpDC	192.168.0.11
CorpFiles16	192.168.0.12
CorpFiles	192.168.0.13
CorpDHCP	192.168.0.14
CorpWeb	192.168.0.15
CorpDC2	192.168.0.16
CorpWSUS1	192.168.0.17
CorpCA_Card	192.168.0.18

Complete this lab as follows:

1. Use **ping** to test your connectivity to the servers in your network.
 - a. From the Favorites bar, select **Terminal**.
 - b. Type **ping -c 3 <ip address or server name>** and press **Enter**. Note the results.
 - c. Repeat step b for each applicable server.
 - d. In the top right, select **Answer Questions**.
 - e. Answer Questions 1 and 2.
2. Use **hping3** to test your connectivity to the servers that failed using the **ping** command.
 - a. Type **hping3 -c 3 -n <ip address or server name>** and press **Enter**. Note the results.
 - b. Repeat step b for each applicable server.

- c. Answer Question 3.
- d. Select **Score Lab**.