Sultan Qaboos University
College of Engineering
Office of Assistant Dean for
Industrial Training and Community Services

Weekly Report
Week #: 4
Date: 29/07/2026

Student	Full Name: Malek AL-Shukily	ID: 141776
	Department: ☐CAE ☐ECE ☐MIE ☐PCE ■MCE	Mobile: 72471416
Supervisor	Full Name: Mahmood AlRahbi	Email:
	Training Company & Department: Fire & Safety	Tel./Mobile: 99207796

Tasks Completed (Briefly Describe any tasks that you completed during this week):	
• Learned FM-200 system	•
• Learned workplace safety regulations	•
• Learned fire extinguishers types	•
Tasks in Progress (if any):	
• Improving HSE Knowledge	•
• Applying Saftey Procedures.	•
•	•
Plan for next week (if different from this week):	
• Bulk AC components	•
• understand chiller system.	•
•	•
Problems/Challenges/Recommendations (if any):	
No major Problems we phase.	
Supervisor Comments (your feedback is very important for our continuing improvement):	
GOOD Progress in learning and understanding of safty and fire fight.	

Student:	**Supervisor**:
I have read and understood the whole content of the Students' Training Manual.	I will do my best to guide the student towards achieving all required deliverables.
Signature:	Signature: ....

Note: A copy of this report should be faxed to 24413416 or scanned and emailed to your SQU supervisor on a weekly basis. Originals should be placed in the Appendix of the **Final Report.**

WEEKLY TRAINING SUMMARY

Occupational Safety, Fire Extinguishers & FM-200 Systems

DEPARTMENT	TRAINING MODULE	DATE COMPLETED
HSE & Facilities	**Fire & Life Safety**	**July 28, 2026**

1. Executive Summary

This week's practical safety module delivered core operational insights into facility hazard management, hands-on fire extinguisher selection, regulatory workplace compliance, and high-value asset fire suppression using **FM-200 clean agent systems**. The training equips personnel to make immediate, safe decisions during emergency events while maintaining zero business disruption in critical operational zones.

2. Fire Extinguisher Classification & Operation

Using the correct suppression medium is critical to prevent fire escalation or electrocution risks. Below is the quick-reference guide covered during training:

Class	Fuel Source / Risk	Recommended Agent	Action Mechanism
Class A	Paper, wood, trash, textiles	Water, Foam, ABC Dry Powder	Cools & penetrates ember beds
Class B	Flammable liquids, oil, solvents	CO_2, Foam, Dry Chemical	Smothers flame; cuts off oxygen
Class C	Live electrical panels, computers	CO_2, Clean Agent, ABC Powder	Non-conductive electrical isolation
Class D	Combustible metals (Mg, Ti, Na)	Specialized Dry Powder	Smothers without reactive explosion
Class K / F	Commercial cooking fats & oils	Wet Chemical	Saponification (soapy cooling cap)

STANDARD EMERGENCY EXTINGUISHER PROCEDURE (P.A.S.S.)

P
PULL
Pull safety pin; break tamper seal

A
AIM
Aim low at base of fire

S
SQUEEZE
Squeeze lever steadily

S
SWEEP
Sweep side-to-side across base

3. Workplace Safety & FM-200 Suppression

Workplace Regulations & Compliance

Housekeeping & Egress: All emergency exits, fire doors, and breaker panels must maintain a clear 36-inch clearance. No temporary storage permitted in escape corridors.

HazCom & SDS: Safety Data Sheets must be accessible instantly. Chemical containers require GHS compliant labeling.

PPE Compliance: Daily pre-work checks for eye, hand, and head protection tailored to specific hazard zones.

FM-200 Clean Agent System

Application: Protects high-value electronic assets (server rooms, control centers) where water or powder causes fatal equipment damage.

Mechanism: Absorbs heat at a molecular level; discharges completely within 10 seconds.

Key Benefits: Leaves zero residue, non-conductive, and safe for occupied spaces at design concentration. Includes 30s pre-discharge warning and manual abort capability.

4. Practical Takeaways

- **Immediate Recognition:** Fast identification of the fuel source determines whether to attempt first-aid firefighting or initiate full evacuation.
- **Containment Integrity:** FM-200 efficacy relies on room integrity—enclosure doors and dampers must seal automatically upon alarm trigger to retain gas concentration.

Trainee Signature: ________________

Supervisor / Trainer Verification: ________________