



nextwork.org

Creating a Private Subnet



yakubu abdullahi yusuf

Subnet settings

Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name
Create a tag with a key of 'Name' and a value that you specify.

NextWork Private Subnet

The name can be up to 256 characters long.

Availability Zone [Info](#)
Choose the zone in which your subnet will reside, or let Amazon choose one for you.

United States (Ohio) / use2-az2 (us-east-2b) ▼

IPv4 VPC CIDR block [Info](#)
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.

10.0.0.0/16 ▼

IPv4 subnet CIDR block

10.0.1.0/24

256 IPs

< > ^ v



yakubu abdullahi yusuf

NextWork Student

nextwork.org

Introducing Today's Project!

What is Amazon VPC?

Amazon VPC is a private network in AWS, and it's useful because it keeps your cloud resources secure and under control.

How I used Amazon VPC in this project

In today's project, I used Amazon VPC to create and manage a private cloud network, set up private subnets, configured private route tables and private network ACLs to control and secure traffic to my resources.

One thing I didn't expect in this project was...

One thing I didn't expect in this project is how many small networking components like route tables, security groups, and network ACLs have to work together to make ever.

This project took me...

This project took me thirty minutes to complete.



Private vs Public Subnets

The difference between public and private subnets is that public subnets allow resources to access the internet directly, while private subnets do not.

Having private subnets are useful because they keep sensitive resources secure by preventing direct access from the internet.

My private and public subnets cannot have the same subnet CIDR block

Subnet settings
Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name
Create a tag with a key of 'Name' and a value that you specify.

The name can be up to 256 characters long.

Availability Zone [Info](#)
Choose the zone in which your subnet will reside, or let Amazon choose one for you.

IPv4 VPC CIDR block [Info](#)
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.

IPv4 subnet CIDR block
 256 IPs

< > ^ v




A dedicated route table

By default, my private subnet is associated with my private route table.

I had to set up a new route table because I have to create a private route table for my private subnet.

My private subnet's dedicated route table only has one inbound and one outbound rule that allows traffic within the VPC (local traffic only).






A new network ACL

By default, my private subnet is associated with the default NACL.

I set up a dedicated network ACL for my private subnet because a private subnet needs its private NACL to keep traffic secure.

My new network ACL has two simple rules — one rule that allows inbound traffic, and one rule that allows outbound traffic, while all other traffic is denied by default.





nextwork.org

The place to learn & showcase your skills

Check out nextwork.org for more projects

