MODULE PRESTASHOP
301 REDIRECTS, 302 AND 303 URLS

INSTALLATION AND SETUP

INDEX

INSTALLATION

1.Go → Modules menu to your PrestaShop Modules

2.Click Add new module (top right)

3.Click Browse

4.Select the file lgseoredirect.zip

5.Click on _Upload this module_

6.Find the redirections module 301, 302, 303 of URLs

SEO
301, 302, 303 URL Redirects - SEO v1.1.5 - by Línea Gráfica
Create an unlimited number of 301, 302 and 303 URL redirects to
optimize the SEO of your store.

7.Click Install

8.Click Set

SEO
301, 302, 303 URL Redirects - SEO v1.1.5 - by Línea Gráfica
Create an unlimited number of 301, 302 and 303 URL redirects to
optimize the SEO of your store.

If you have an error during installation, Please read sectionOn1 our FAQ.

CREATE A REDIRECT

1.Enter the URL you want to redirect old

URL Antigua: http:// ████████.com   /es/home/camiseta-destenida-manga-corta.html

Redirection to work, you have to write in the text field old ℹ URI (ie the URL without http, www and domain). You must start with "/".

Multitienda : The domain shown to the left of the text field corresponds to the currently selected store. To create a redirect to another one of your domains, you must select another store above the store.

Store1 ▾ / MODULES / LGSEOREDIRECT / 🔧 CONFIGURE
Configure "301, 302, 303 URL Redirects - SEO" module

Notes:

- In some stores, it is added automatically with a slash at the end of the urls. If it is the case in your store, you must include the "/" at the end of your old urls that have no extension (eg / s / t**/**)

- Make sure you have not put any space before or after the old URL (example:**[No space before]**/es/home/camiseta-destenida-manga-corta.html**[Space after]**)

- Should be written every link whole form (1 link redirect = 1), do not use wildcard characters (*,?, Etc.) to replace strings

2.Enter the new URL to which you want to redirect

New URL: http:// ████████.com/en/blouse/2-blouse.html

ℹ Redirection to work, you have to type the full new URL (ie http, www and domain). Must begin with "http: //" or "https: //".

3. Choose the type of redirect you want to create

301 Moved Permanently (Moved Permanently)

"The requested page has been permanently moved to a new location. When the server returns this response (as a response to a GET or HEAD request), it automatically forwards the requestor to the new location. You must use this code to tell the Googlebot that a page or site has moved to a new location permanently "(source: Google).

302 Moved Temporarily (Moved temporarily)

"The server responds to the request with a page from another location, but the requestor should continue to use the original location for future requests. This code is similar to a 301 in that for a GET or HEAD request, it automatically forwards the requestor to a different location. However, it should not be used to tell the Googlebot that a page or site has moved because Googlebot will continue to crawl and index the original location "(source: Google).

303 See Other Location (See other location)

"The server returns this code when the requestor should make a separate GET request to a different location to get the answer. For all requests other than HEAD, the server automatically directs the user to a new location "(source: Google).

4. Click the button

5. Redirection automatically appears down the page

 Redirections take effect immediately. You can open the old URIs in your front-office and see if the pages are redirected.

If the pages are not rerouted, Please read section 2 our FAQ.

CREATE REDIRECTS IN BULK

If you have to create many redirections, you can use this functionality to save time.

1.Click the link within the module to download a sample model

CREATE REDIRECTS IN BULK ⓘ

If you have a lot of redirects to create, you can use this feature to save time. Create the redirects in a .CSV file and upload it.

- Click here to download an example of CSV file (you can write your redirects directly in it).
- Respect the same layout as below (one redirect per line):

2.Open it with Microsoft Excel or Open Office Calc

	A	B	C	D
1	/en/categoryA/product1.html	http://www.domain.com/en/categoryB/product2.html	301	1
2	/en/mypage/	https://www.domain2.com/en/	302	1
3	/en/content/4-about-us/	http://www.domain.com/en/contact-us/	303	1
4				

ⓘ If you use Open Office Calc, ansure you've selected the option "Separator field;" (Semicolon) to upload the file correctly (For more information, read the Section 3 of our FAQ)

3.Respects the same arrangement (IMPORTANT)

ⓘ A redirection line (not "" to separate elements) and each element in different cell

	A	B	C	D
1	/en/categoryA/product1.html	http://www.domain.com/en/categoryB/product2.html	301	1
2	/en/mypage/	https://www.domain2.com/en/	302	1
3	/en/content/4-about-us/	http://www.domain.com/en/contact-us/	303	1
4				

Column A: Write the old URIs (ie the URLs without 'http', 'www' and command) must begin with "/"

	A	B	C	D
1	/en/categoryA/product1.html	http://www.domain.com/en/categoryB/product2.html	301	1
2	/en/mypage/	https://www.domain2.com/en/	302	1
3	/en/content/4-about-us/	http://www.domain.com/en/contact-us/	303	1
4				

Notes:

- In some stores, it is added automatically with a slash at the end of the urls. If it is the case in your store, you must include the "/" at the end of your old urls that have no extension (eg / s / t**/**)

- Make sure you have not put any space before or after the old URL (eJ:**[No space before]**/es/home/camiseta-destenida-manga-corta.html**[Space after]**)

- Should be written every link whole form (1 link redirect = 1), do not use wildcard characters (*,?, Etc.) to replace strings

Column B: Enter new full URLs (ie with 'http', 'www' and command) must begin with "http" or "https"

	A	B	C	D
1	/en/categoryA/product1.html	http://www.domain.com/en/categoryB/product2.html	301	1
2	/en/mypage/	https://www.domain2.com/en/	302	1
3	/en/content/4-about-us/	http://www.domain.com/en/contact-us/	303	1
4				

Column C: Write the type of forwarding (301, 302 or 303)

|	A	B	C	D
1	/en/categoryA/product1.html	http://www.domain.com/en/categoryB/product2.html	301	1
2	/en/mypage/	https://www.domain2.com/en/	302	1
3	/en/content/4-about-us/	http://www.domain.com/en/contact-us/	303	1
4				

Column D: Enter the ID of the store for which you want the URI column 1 (multitienda) applies
If you do not use multitienda mode, type default "1" for redirection applies to your domain

	A	B	C	D
1	/en/categoryA/product1.html	http://www.domain.com/en/categoryB/product2.html	301	1
2	/en/mypage/	https://www.domain2.com/en/	302	1
3	/en/content/4-about-us/	http://www.domain.com/en/contact-us/	303	1
4				

4. Save the file in .CSV format correct

ℹ️ If you're using Microsoft Excel, be sure you've saved the file in CSV format


(separator: semicolon)

ℹ️ If you're using Open Office Calc, make sure you have the option eligido *Separated by semicolons* when you open a CSV file that already exists or
save a new file in CSV format.
And make sure you've saved the file in Text CSV format and eligido Keep the current format.

5. Go back to the module and click on Select File

6.Select the .CSV file you saved

7.Click the button   Upload the CSV file

8.The redirects appear automatically down from the page

Redirections take effect immediately. You can open the old URIs in your front-office and see if the pages are redirected.

If the pages are not rerouted, Please read section 2 our FAQ.

Failure to properly raise the CSV file redirections, Please read our FAQ Section 3.

EDITS URLS CREATED FROM THE BACK OFFICE

1.From the "List of redirections created" tab you can modify and / or delete redirections

Redirects modifies the already created with just one click "Edit".

Also, you can make massive actions:

LIST OF PAGES NOT FOUND

1. From the "List of page not found" tab you will see the pages not found your website.

In this tab you can add the URL you want to redirect the page not found.

You can add the URL you want to redirect the page not found

FAQ - FREQUENT ERRORS

All frequent errors on the module are listed below and we explain in detail how to solve them.

Please read the section that corresponds to your problem before writing you will surely find the solution to your problem.

If your problem is not listed, please please contact U.S.

I) Not managed to install the module

1.1 File too large

When installing the module, you can have this error message:
*File too big (limit ************** bytes)*

Error reason: The problem comes from the value of the variable 'upload_max_filesize' which is quite high compared to the weight of the module.

To solve the problem, you can:
- Go to your FTP ey increase the value of the variable 'upload_max_filesize' in the file "/ config / config.inc.php" or within the file "php.ini". ini_set ('upload_max_filesize', '100M');

- Or you can install the module directly to your FTP, just unzip the zip file module and copy the "lgseoredirect" folder within the "modules" folder on FTP (the module will appear in your back-office as soon as the folder the module is in the "modules") folder.

1.2 The file can not write

When installing the module, you can have this error message: lgseoredirect: Unable to install with manual control: The file can not be written

Error reason: The module needs to install a file into your store (you need to work properly) but the current configuration of your server prevents it.

To solve the problem: amends
your FTP permissions and write permissions added to the "override" folder and files inside.

1.3 The init method is already in manual control

When installing the module, you can have this error message: *lgseoredirect: Unable to install with manual control: The init method in the FrontController group already in manual control.*

Reason for error: In PrestaShop 1.5 and 1.6, the module installed automatically during installation an override (necessary to run properly) in the override folder / classes / controller / FrontController.php. The problem is already

You have an override with the same name (created by another module), which

prevents the installation of the module.

To solve the problem:

- – a) Connect to your FTP

- – b) Enter folders Override → Classes → Controller and finds the file FrontController.php

- – c) Rename the file FrontController.php FrontController2.php

- – d) Go to your back-office and install the module redirection

- – e) the module will be installed and a new FrontController.php file will be created in your FTP

- – f) combines the two overrides manually: Open the old override FrontController2.php, copy and paste its contents into the new override FrontController.php

Notice:

To do this properly, it is important to respect the structure of the file:

```
FrontController class extends FrontControllerCore
{
        A function
        {
                […]
        }
        function B
        {
                […]
        }
        […]
}
```

If you have the same functions within the old override, not duplicate functions, combine them

II) Redirections do not work

2.1 Check Store settings

a) In your back office, make sure the over-loads and modules no native people no are disabled (alone in PrestaShop 1.6)

Go to Advanced Settings → Performance menu.
You must have this configuration:

b) Check the cache of your store to account the new FrontController.php override

Connect to your FTP, enter the Cache folder and if you have a file *class_index.php*, Delete

c) Check that he override of the archive FrontController.php It contains the word lgseoredirect

2.2 Check the format of redirections

a) Make sure you have respected the format of the old URIs

Old URL:	http://▓▓▓▓▓▓.com	/en/t-shirts/1-faded-short-sleeve-tshirts.html

⚠ Important: old URI type without http, www and Domino.
The former URI must start with "/".

b) Make sure you have respected the format of new URLs

New URL:	http://▓▓▓▓▓▓.com/en/blouse/2-blouse.html

⚠ Important: Enter the old URL with http, www and Domino. The new URL must begin with "http: //" or "https: //".

c) For older URIs without an extension (eg, html), in some stores you have to add a "/" at the end

Example: / S / t → / en / t **/**

d) Make sure you have not put any space before or after the old URI

[No space before]/es/home/camiseta-destenida-manga-corta.html/**[Space after]**

❌ /en/t-shirts/1-faded-short-sleeve-tshirts.html |

e) Not use wildcard characters (*,?, Etc.) to replace strings, you must write each link whole form (1 link = 1 redirect)

III) Not the CSV file is properly up

a) Make sure you have respected the arrangement within the file

- a redirection per line (not "" to separate elements)
- Column A: old URIs (must start with "/")
- Column B: new URLs (must start with "http" and "https")
- Column C: redirection type (301, 302 or 303)
- Column D: Store ID to which the URIs of column applies ('1' to store default)

b) If you're using Microsoft Excel, be sure you've saved the file in CSV format (separator: semicolon)

c) If you're using Open Office Calc, make sure you have elected the option Separated by semicolons when opening a CSV file that already exists or when you save a new file in CSV format

### And make sure you've saved the file in Text CSV et and maintain the current format eligido

IV) not found pages are not listed

What if the list of pages not found does not appear?

If upon entering the tab "page not found" will not load any URL you must make sure that the module is active pages not found in the back office of your Prestashop.

If it is active correctly, make sure the module is included in the Top Display hook. You can check the> Design> Positions menu and search module pages not found

In the event that you are not on the hook Top Display, click Insert Module and move the module to Display Top.

YOUR OPINION

Please leave your opinion about the module after your purchase. It's fast, useful for other user PrestaShop and helps us develop our business.

http://addons.prestashop.com/es/ratings.php

If you have a problem with the module, please contact us before giving your opinion about the module, our technical support will make every effort to solve your problem.

Calidad del módulo	⊖ ★★★★★
Calidad de la documentación	⊖ ★★★★★
Facilidad de instalación	⊖ ★★★★★
Sus comentarios :	

Aplicar

CONTACT US

A problem? A doubt? We are here to help you.
By favor uses he form from PrestaShop for get in contact us.
https://addons.prestashop.com/es/Write-to-developper? id_product = 11399

If you have a problem with the module, please provide us with:
- access to the admin / back-office (url, email and password) with sufficient permissions to set up the module
- an access to FTP (served, email, password and port)

Contacta a un miembro de la comunidad.

Email *
email@domain.com

Tu versión de PrestaShop
Escoge una versión ▼

Adjunto
📎

Tema *

Módulo
Redirecciones 301, 302, 303 de URLs - S

Tu mensaje *

ENVIAR

OUR MODULES

COOKIES

REDIRECTS

SITEMAPS

SORT PRODUCTS

FREE SHIPPING

EASY DESIGN

DROPSHIPPING

VERIFIED REVIEWS

CREDIT NOTES

MOVE PRODUCTS

TAG MANAGER

REGENERATOR

ACCESS ORDERS FAQ

MOVING TEXT

BANNER ADS

QUESTIONS

Visit our shop