

3. Bootstrapni o'rnatib olish

Reja:

▼ CDN orqali qo'shish



Ommaviy (public) CDN - veb sahifa yaratish uchun ishlatiladigan ochiq manbali (open source) loyihalarni (masalan, jQuery, AngularJS va Bootstrap) o'zida saqlaydigan va boshqalarga ulashadigan veb xizmat

jsDelivr - A free, fast, and reliable CDN for Open Source

Supports npm, GitHub, WordPress, Deno, and more. Largest network and best performance among all CDNs. Serving more than 80 billion requests per month. Built for production use.





Bootstrap

Introduction

Looking to quickly add Bootstrap to your project? Use jsDelivr, a free open source CDN. Using a package manager or need to download the source files? Head to the downloads page. Copy-paste the stylesheet into your before all other stylesheets to load our CSS. Many of our components require



B https://getbootstrap.com/docs/5.0/getting-started/introduction/

▼ Lokal versiyasini qoʻshish



Lokal versiyasini o'rnatish uchun Bootstrap **fayllar** kompyuterga yuklab olinadi va HTML hujjatimizdan ularga **havola** ko'rsatib qo'yiladi

```
<!doctype html>
<html lang="en">
<head>
<!-- Kerakli meta "tag"lar -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<!-- Bootstrap CSS -->
<link href="./bootstrap/css/bootstrap.min.css" rel="stylesheet">

<title>Bootstrap freymvorki</title>
</head>
<body>
<hi>Salom dunyo!</hi>
<!-- Bootstrap JS -->
<script src="./bootstrap/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```