National University of Computer and Emerging Sciences, Lahore Campus

STONAL UNIVERSE
5 x 2
ENGE SO THE SERVICE
STATE WEREINES
ON INTERNATIONAL PROPERTY.

Course Name:	Network Security	Course Code:	CS411
Program:	BS (Computer Science)	Semester:	Spring 2018
Duration:	60 Minutes	Total Marks:	15
Paper Date:	27-02-2018	Weight	15
Section:	-	Page(s):	4
Exam Type:	Final	7	

Student : Name:	
Section: <u></u>	
Instruction/Notes:	1. PLEASE DO NOT WRITE LONG STORIES. BE SPECIFIC!
	2. Attempt all questions on the question paper
	3. You are not allowed to take any part of the question paper with you
	4. You may use rough sheets but you don't need to attach them

Q.No	Answer
E.g	Α
1	
2	
3	
4	
5	

Q.No	Answer
6	
7	
8	
9	
10	


Q 01: Select the correct option and write them in the table above. (10)

- 1. An FTP server having an anonymous account used to access files without authentication
 - a. Is a configurational vulnerability
 - b. Is a potential risk
 - c. Is a policy vulnerability
 - d. Is a technological vulnerability
- 2. The phenomenon with which an attacker is able elevate his access privileges of a resource is called:
 - a. Discretionary access control
 - b. Non-discretionary access control
 - c. Mandatory access control
 - d. Privilege escalation
- 3. Eavesdropping carried without physically accessing link is termed as
 - a. Tempest
 - b. Electronic emanation
 - c. Wiretapping
 - d. Control zone tapping
- 4. Your IP address is 125.114.231.123 and you sent a packet with source IP address of 125.114.231.122, you have done

- a. IP snooping
- b. False IP address injection
- c. IP spoofing
- d. IP redirection
- 5. Hop-by-hop encryption can foil
 - a. Traffic padding
 - b. Traffic analysis
 - c. Traffic integrity
 - d. Traffic confidentiality
- 6. One pillar of security is
 - a. Authenticity
 - b. Availability
 - c. Accountability
 - d. Authorization
- 7. Having a great security policy can ensure security
 - a. True
 - b. False
- 8. A simple DES has
 - a. 16 rounds
 - b. 18 rounds
 - c. 20 round
 - d. None of the above
- 9. Among TCP & UDP which one is considered more secure
 - a. TCP
 - b. UDP
 - c. None
 - d. Both are just the same.
- 10. If the attacker can choose any ciphertext and convert it into plaintext, it is called
 - a. chosen plaintext
 - b. chosen ciphertext
 - c. Known plaintext
 - d. Known ciphertext

Q 02: Instead of using an explicit hashing function like SHA-1, MD5, SHA-2, why can't we use checksum along with a secret code added to it? (3)

Q 03: We know that we can use symmetric encryption below to authenticate the other party, do you think hashing can be used in a similar way for authentication? If yes, how? If no, why? Graphical elaborations are always welcomed. (3)



Q 04: What are the different security mechanisms that can ensure confidentiality? (2)
Q 04: We can create a MAC using an encryption algorithm as well. Why don't we use encryption instead of hashing to compute a MAC? (2)

Q 05: What are the two main methods of integ	rity? Compare the two briefly. (5)