National University of Computer and Emerging Sciences, Lahore Campus

	Course:	Object Oriented Programming	Course Code:	
	Program:	BS(Computer Science)	Semester:	**Spring 2019**
	Topic:	All OOP concepts	Total Marks:	10
	Due Date:	25ᵗʰ November,2019	Weight	%
	Section:	A & B	Page(s):	1
	Exam:	Assignment 4 (project)	Reg. No	

Submission Folder:
On slate

Submission Instructions:
- Submit your running files carefully. After deadline no updated files will be accepted.

Train

A train is a form of transport consisting of a series of connected **vehicles/bogies** that generally runs along a railroad track to transport cargo or passengers. The word "train" comes from the Old French trahiner, derived from the Latin trahere meaning "to pull" or "to draw".

A passenger train includes many passenger-carrying vehicles/bogies that are connected together and can often be very long and fast. Every bogie has a unique identification number.

Every train has an engine (special form of bogie).

Now you have to implement the model of train such that engine is the starting point of train. Engine contains the address of first bogie (connected to it). Initially when no bogie is attached Engine is NULL.

Similarly each bogie will contain the address of next bogie attached to it. Every new bogie will be attached at the end of the train only.

We can simply detach any bogie (based on `Bogie_ID`) by placing the address of next bogie in the address part of previous bogie.
Suppose you have the following train and you want to remove the bogie 12.

After removal your train will look like this

Now you can safely delete bogie 12.
Keep in mind you cannot directly access any bogie. Your traversal should start from engine.
Each bogie can accommodate only 10 people (4 adults and 6 kids) at a time (maximum). Only one family can reserve one bogie. Your system should be able to print the bogie number and following information.

Adult	Kids
Name	Name
Age	Age
Gender	Gender
Occupation	B-form number
Qualification	
NIC number	

Partially filled classes are given to you. You can add any other data member or function or any other class. You have to implement all the functionality.
Your system should be able to maintain the data structure of train. You are not allowed to use any built in data structure of C++.

```cpp
class Person {
        string Name;
        int    Age;
        char Gender;

};
class Adult :public Person {
        string Occupation;
        string Qualification;
        string NIC;

};
class kid :public Person {
        string B_form_number;
};
class Bogie {
        int    Bogie_ID;
        Bogie *next;
        Person * Adults;
        Person * kids;
        string familyName;
public:
        Bogie(int id);
        bool AddPassengers(); // should add adults and kids information etc
        void Print();
        ~Bogie();

};

class train {
        Bogie * engine;
public:
        train() {
              engine = nullptr;
        }
        void addBogie(int ID); //add bogie at the end of the train
        bool removeBogie(int ID); //search the bogie and delete it
        void printTrain(); //print only the Bogie_ID of all bogies
        bool SearchBogie(int ID);//search the particular bogie
        ~train();
};
```