National University of Computer and Emerging Sciences, Lahore Campus



Course: Software for Mobile Devices Program: Software for Mobile Devices BS (Computer Science)

Duration: 180 Minutes
Paper Date: 24-Dec-18
Section: A & B
Exam: Final

Course Code: Semester: Total Marks: Weight Page(s):

Reg. No.

CS-440 Fall 2018 80 40 % 3

Instruction/Notes:

This exam is open book and open notes.

While writing code, make best effort to write correct and relevant code only. Minor syntactic errors are acceptable and will be ignored during marking but overall concept and approach must be correct.

Question 1 (40 points)

Consider designing a Quotation application, when user opens the application he will see some quotations from famous authors around the world and will go to next screen on tap of a single button.

The important consideration is that the layout containing View components such as textview, imageview, button will be determined from server, along with their sequence and layout attributes such as margin, padding, text, text size etc (you need to draw only those view components which are coming from server with their respective attributes).

You will get all these elements after API is hit. (If button comes first in layout it should be drawn first, if imageview comes first in layout it should be drawn first and so on) with their respective attributes. All these layouts will be drawn vertically, you need to code in Java to draw these.

Basic flow of application is illustrated as under:

[App launches -> Server API Hit automatically -> after the response, UI is loaded -> users see quotations -> tap button-> goes to next screen]

You are required to:

- Download and parse the layout from the server, while dealing with both success and failure scenarios. Work out a proper model / business layer class with proper thread management for handling the response
 15 points
- On success response, display the UI programmatically with proper thread management. Use all the attributes in the defined layout and display the components in correct order (as they appear in the layout)
- On failure response, show toast message to user

5 points

• When user clicks on next button, move to next quotation

5 points

National University of Computer and Emerging Sciences, Lahore Campus



Course: Software for Mobile Devices
Program: BS (Computer Science)
180 Minutes

Duration: 180 Minutes
Paper Date: 24-Dec-18
Section: A & B
Exam: Final

Course Code: CS-440 Fall 2018 Total Marks: 80 Weight Page(s): 3 Reg. No.

You may use either of the JSON or XML response formats for the layout. URI for the server is http://api.myquotations.com/android/layout

```
JSON
                                                                    XML
                                       Success scenario
{
                                                <response>
                                                 <status code="200"
 "status code": 200,
                                                         message="Ok" />
 "message": "Ok",
 "data":[
                                                <data>
                                                  <component</pre>
    "view component": "textview",
                                                   view component="textview"
    "view content" : "good luck",
                                                   view content="good luck"
    "view url" : null,
                                                   view url=""
                                                   view padding="20"
    "view padding" : 20,
                                                   view text size="17"
    "view text size" : 17
                                                   />
},
{
                                                   <component</pre>
    "view component": "imageview",
                                                   view component="imageview"
    "view content" : null,
                                                   view content=""
    "view url" :
                                                   view url=
                                                "https://www.someimageonweb.com/smiley.png"
"https://www.someimageonweb.com/smiley.png",
                                                   view padding="20"
    "view padding" : 20,
                                                   view text size="0"
    "view text size" : 0
},
 {
                                                   <component</pre>
    "view component": "button",
                                                   view component="button"
                                                   view content="Next"
    "view content" : "Next",
                                                   view url=""
    "view url" : null,
                                                   view padding="30"
    "view padding" : 30,
                                                   view text size="17"
    "view text size" : 17
                                                   />
} ]
                                                  </data>
}
                                               </response>
                                       Failure Scenario
                                               <response>
"status code": 700,
                                                  <status code="700"
                                                          message="Some error occurred,
"message" : "Some error occurred, please try
                                                                   please try again later"
again later.",
                                                  />
"data": null
                                                 <data />
                                               </response>
```

National University of Computer and Emerging Sciences, Lahore Campus



Course: Software for Mobile Devices Program: BS (Computer Science)

Duration: 180 Minutes
Paper Date: 24-Dec-18
Section: A & B

Final

Exam:

Course Code: Semester: I Total Marks: Weight Page(s):

Reg. No.

CS-440 Fall 2018 80 40 % 3

Question 2 (20 points)

Create a Simple App having [2 textviews + 1 button] **vertically** (declarative approach). Show folder hierarchy, code the layout and show how to reference these configurations in an activity. Create file/folder where necessary.

- 2 TextViews settings:
 - 7" **Tablet:** left margin 30dp, right margin 30dp, top margin 50dp bottom margin 0dp, text size 21sp
 - **smartphones:** left margin: 16dp, right margin 26dp, top margin 30dp bottom margin 0dp, textsize 19sp
- Button settings on:
 - 7" **Tablet:** left margin 90dp, right margin 90dp, top margin 90dp bottom margin 30dp, text size 29sp
 - **smartphones:** left margin: 16dp, right margin 26dp, top margin 30dp, bottom margin 20dp, text size 21sp

Question 3 (10 points)

Describe in maximum of 8 lines, how Message Queue works when application is launched? (please write in legible / readable handwriting)

Question 4 (10 points)

Consider the Facebook App. Suppose you are asked to work out a strategy for updating the display picture of a user in the Facebook Android app; such that all the other users who have commented on that user's previous picture, are notified of the change, on their Facebook Android app in real-time. Describe the architectural approach required to implement this feature, supplemented with relevant code, where necessary.