

CLIENT SIDE SCRIPTING (22519)

Practical No. 13: Create web page with Rollovers effect



Roll No.: 220447

1. Write a program to create following roll over effect in JavaScript.

i. Enlarge the image on mouseover event.

ii. Decrease the image size on mouseout event.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Roll Over Effect</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  
<script>
  function enlarge(img){
    img.height="200";
    img.width="200";
  }
  function decrease(img){
    img.height="100";
    img.width="100";
  }
</script>
</body>
</html>
```





CLIENT SIDE SCRIPTING (22519)

Practical No. 13: Create web page with Rollovers effect

Roll No.: 220447

2. Write a program to create roll over effect on an HTML element.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Roll Over Effect</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <button onmouseover="hover(this)" onmouseout="out(this)"
class="btn">Hover Me</button>
<script>
  function hover(btn){
    btn.style.backgroundColor = "black";
    btn.style.color = "white";
  }
  function out(btn){
    btn.style.backgroundColor = "white";
    btn.style.color = "black";
  }
</script>
</body>
</html>
```



3. Write a program to create roll over effect on text.



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Roll Over Effect</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
```

CLIENT SIDE SCRIPTING (22519)

Practical No. 13: Create web page with Rollovers effect

Roll No.: 220447

```
<p style="font-size:10px; display:inline;" onmouseover="hover(this)">
I am an Agent from 2075. Keep it Secret☹</p>
<script>
    function hover(txt){
        txt.setAttribute('style','font-size:47px;');
        txt.textContent = "It is A SECRET!";
    }
</script>
</body>
</html>
```



4. Write a program to create roll over effect on image.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width,
initial-scale=1.0">
    <title>Roll Over
Effect</title>
    <link rel="stylesheet"
href="style.css">
</head>
<body>
    
<script>
    var images =
['images/redSpiderLily.jpg','image
s/blueSpiderLily.webp'];
    function change(img, index){
        img.src = images[index];
    }
</script>
</body>
</html>
```

