



# Introduction to HCI

Dr. Farman Marwat

# Definition of HCI

- Human-computer interaction is a discipline concerned with the **design, evaluation and implementation of interactive computing systems for human use** and with the study of **major phenomena** surrounding them.
- The major phenomena surrounding HCI include human cognition and behavior, tasks and activities, interaction mechanisms, technological capabilities, context of use, usability, user experience, and social-ethical considerations.
- ACM SIGCHI Curricula for HCI (Hewett et al. 1992)
- <http://sigchi.org/cdg/cdg2.html>

# What fields does HCI cover?

- Computer Science
- Psychology
- Communication
- Education
- Anthropology
- Design (e.g. graphic and industrial)

# Outline

- Design
  - What is a design?
  - What constitutes a good design?
  - How do we design for different user groups?
- Implementation
- Evaluation

# Design

- ▶ In HCI, design is a **user-centered, iterative problem-solving process** focused on creating interactive systems that are effective, efficient, and satisfying for users within their specific context of use. It involves deeply understanding user needs, developing prototypes, and evaluating designs with real users to refine the interaction and ensure the final product is intuitive, accessible, and meets its intended goals.

## Key Aspects of HCI Design

- ▶ **User-Centered Approach:**

At its core, HCI design prioritizes the users, their tasks, their goals, and their context, rather than focusing solely on the technology itself.

# Design

## ► **Interaction Design (IxD):**

This is a critical component of HCI design, concerned with creating the specific actions users take (like clicks or voice commands) and the system's responses (like visual cues or sounds) to ensure a smooth and intuitive user experience.

## ► **Iterative Process:**

Design involves analyzing problems, exploring different solutions (prototyping), and then evaluating these solutions with users, repeating the cycle to achieve the best possible outcome.

# Design



## ► **Accessibility:**

A crucial consideration is designing systems that can be used by everyone, including people with disabilities, adhering to established accessibility guidelines and rules.

## ► **Context of Use:**

The design must account for the environment and circumstances under which the system will be used, as well as the user's cognitive abilities and memory.

# Design

## What constitutes a good design?

There's definitely more than one way to explain it, but if I were to describe designers in one term, it would be “**problem solvers**”. **Good design** is one that fills the gap between **business goals and user needs**.

In order to fill this gap, a process must be followed. A process that takes into consideration best practices of user experience (UX) and usability guidelines to produce the desired outcome.

Good design is one that is tailored for the human use, and not one that is only functional or usable.

# Design

A good designer knows how to get into the mindset of his users, and turns their needs into a meaningful, desirable, and easy-to-use product or service.

***“Good design is actually a lot harder to notice than poor design, in part because good designs fit our needs so well that the design is invisible.” - Don Norman***

It means that when a design is effective and meets user needs perfectly, it becomes intuitive and effortless, fading into the background and not drawing attention to itself. In contrast, a poor design is immediately noticeable because it causes frustration, confusion, and makes the user struggle to achieve their goals.

# Norman Doors

- How do you open this door?



# Design



## Principles of design:

- ▶ 1. Use both knowledge in the world and knowledge in the head.
- ▶ 2. Simplify the structure of tasks.
- ▶ 3. Make things visible: bridge gulfs between Execution and Evaluation.
- ▶ 4. Get the mappings right.
- ▶ 5. Exploit the power of constraints.
- ▶ 6. Design for error.
- ▶ 7. When all else fails, standardize."

# Design



## 1. Use Knowledge in the World and Knowledge in the Head

- **Knowledge in the world:** Information visible in the environment.
- **Knowledge in the head:** Information users remember from experience.
- **Example:** A calculator displays numbers and symbols, while users remember that + means addition.
- **Design principle:** Do not force users to remember everything—provide helpful cues and instructions.

# Design



## 2. Simplify the Structure of Tasks

- ▶ Make tasks easy, simple, and efficient.
- ▶ Reduce unnecessary complexity.
- ▶ Minimize the number of actions required.
- ▶ **Example:** Divide a long form into smaller, manageable steps.

# Design

## 3. Make Things Visible

- ▶ Make available actions and system feedback clearly visible.
- ▶ **Gulf of Execution:** Users should understand what actions they can perform.
- ▶ **Gulf of Evaluation:** Users should understand what happened after an action.
- ▶ **Example:** After clicking Submit, display: 'Your form has been submitted successfully.'

# Design



## 4. Get the Mappings Right

- ▶ Mapping is the relationship between a control and its effect.
- ▶ Good mapping makes a system easy to understand.
- ▶ Poor mapping causes confusion.
- ▶ **Example:** Car seat controls should correspond to the direction in which the seat moves.

# Design



## 5. Exploit the Power of Constraints

- ▶ Constraints prevent users from performing incorrect actions.
- ▶ **Example:** A USB connector guides the user toward the correct insertion.

## 6. Design for Error

- ▶ Humans make mistakes; good systems should anticipate them.
- ▶ Prevent errors whenever possible.
- ▶ Help users recover easily from mistakes.
- ▶ **Examples:** Confirmation messages, Undo option, Auto-save.


# Design

## 7. When All Else Fails, Standardize

- ▶ Use established standards and conventions.
- ▶ Consistency reduces confusion and learning time.
- ▶ Examples:
  - ▶ 🔍 Search    🗑 Delete    ⚙ Settings
  - ▶ Ctrl + C = Copy


# Why we care about HCI

- Why do we care about interfaces?
- We see this all the time.
  - What's good about the design of this error box?
    - The user knows there is an error
  - What's poor about the design of this error box?
    - Discouraging (who gets the blame?)
    - Not enough information
    - No way to *resolve* the problem (instructions or contact info)
  - Whose fault is this?




# Bad Design (Interfaces)

- Encumbering
- Confusing
- Slow
- Trust (ex. windows crashing)



- What's wrong with each?
  - Type of error
  - Who is affected
  - Impact
- What's a redesign solution?



# Coke freestyle



[http://www.creativecrash.com/system/photos/000/106/144/106144/big/Freestyle\\_th007.jpg?1285438080](http://www.creativecrash.com/system/photos/000/106/144/106144/big/Freestyle_th007.jpg?1285438080)

<https://www.youtube.com/watch?v=btMzicBpSK0>

# So how do you avoid bad design?

- Example:
  - Design the ultimate fast food hamburger drive through



Image from:

<http://pigjockey.com/wp-content/uploads/2009/10/mcdonalds-6.jpg>

# User persona

user: <https://xtensio.com/user-persona/> to

create a persona for

A. the person you were considering when you developed your interface

B. someone different than your first user persona

# Did your design support?

- A customer who can't read English?
- A customer who is hearing impaired?
- A customer who has never eaten a hamburger before?
- A customer who is health conscious?
- A customer who has an IQ of less than 80?
- A customer who is over 7' tall
- Did you design an interface for you?
- Is not that what someone already did?

# Reflection

- Brainstorm a list of different perspectives.
- **I am thinking of ...** A drive-through interface...  
**From the point of view of ...** the viewpoint you've chosen
- **I think ...** describe the drive-through interface from your viewpoint. Be an actor - take on the character of your viewpoint
- **A question I have from this viewpoint is ...** ask a question from this viewpoint
- **Wrap up:** What new ideas do you have about the drive-through that you didn't have before? What new questions do you have?

# Good HCI

- You can't create one just by sitting around and dreaming one up
- What do you rely on?
  - Known design solutions
  - Research
  - User feedback
- When in the development process should HCI be considered?
  - Throughout the development process (Lean UX)

# Cultural and International Diversity

- Language
- Date / Time conventions
  - 1/4/15
- Weights and Measures
- Reading: left-to-right, up-and-down
- Telephone #s and addresses
- Names, titles, salutations
- SSN, ID, passport
- Icons, buttons, colors
- Etiquette, tone, formality
- Real world case: creating a simulation for nursing students. Standards of care vary by area.

# Elderly

- How are elderly users different than 18-65 year old users?
- How would design for elderly users?
- Reduced
  - Motor skills
  - Perception
  - Vision, hearing, touch, mobility
  - Speed
  - Memory
- Other needs
  - Technology experience is varied (How many grandmothers use email? mothers?)
  - Uninformed on how technology could help
  - Practice skills (hand-eye, problem solving)
- Touch screens, larger fonts, louder sounds



# Children

- How are children different than 18-65 year old users?
- How would design for children?
- Technology familiarity
- Age changes:
  - Physical dexterity
    - (double-clicking, click and drag, and small targets)
  - Attention span
- Varied backgrounds (socio-economic)
- Goals
  - Educational acceleration
  - Socialization with peers
  - Psychological – improve self-image, self-confidence
  - Creativity – art, music, etc. exploration

# Children

- Teenagers are a special group
  - Next generation
  - Beta test new interfaces, trends
  - Cell phones, text messages, simulations, fantasy games, virtual worlds
- Requires Safety
- They
  - Like exploring (easy to reset state)
  - Don't mind making mistakes
  - Like familiar characters and repetition
  - Don't like patronizing comments, inappropriate humor
- Design: Focus groups

# Users with Disabilities

- How would design for users with vision limitations?
- 1998 Amendment to Rehabilitation Act
- Federal law to ensure access to IT, including computers and web sites
- Vision (text-to-speech)
  - Blind (braille-reader)
  - Low-vision
  - Color-blind
- Hearing (conversion of tones to visual signals)
  - Deaf
  - Limited hearing
- Mobility (eye-gaze control, head-mounted optical mice)
- Learning
  - Dyslexia
  - Attention deficient, hemisphere specific, etc.
- Keyboard, mouse, color alternatives

# Universal Usability

- Does not mean ‘dumbing down’
  - Ex. Helping disabled has helped others (parents w/ strollers, elderly)
  - Ex. Door handles
- Goal: Address the needs of more users - unlike yourself!
- Everyone is often not at full faculties at all times



# Universal Usability

- Interface should handle diversity of users
  - Backgrounds
  - Abilities
  - Motivation
  - Personalities
  - Cultures
  - Technical capacity (e.g. Shadow Health and Alcorn state example)



# Physical Variation

- Field of **anthropometry**
  - Basic data about human dimensions
  - Is no 'average' user
  - Measures of what is 5-95% for weight, height, gender, culture, etc.
  - Large variance reminds us there is great 'variety'
  - Name some devices that this would affect...
    - note most keyboards are the same
    - screen brightness varies considerably
    - chair height, back height, display angle




# Outline

- Course Information and motivation for HCI
- Design
- Implementation
  - How can we implement a good interface?
- Evaluation

# Goals for Requirement Analysis


1. In designing a building I want inhabitants to move between floors
  1. (who are the users) Ascertain users' needs
  2. (how often do they move) Ensure proper reliability
  3. (what approaches are likely users familiar with) Promote appropriate standardization, integration, consistency, and portability



# Goals for Requirement Analysis

## Ascertain User's Needs

- Develop use cases
  - Actors (who)
  - Goals (what)
  - Scope (for which situations)
  - Environment (where)
  - Minimal Guarantee (minimum to deliver)
  - Satisfaction (when are you done)
  - Equipment (with what)
- Let's look at a use case for project 1



# Goals for Requirement Analysis

## ▶ **Ensure reliability**

- ▶ Actions must function as specified
- ▶ Database data displayed must reflect the actual database
- ▶ Appease the user's sense of mistrust
- ▶ The system should be available as often as possible
- ▶ The system must not introduce errors
- ▶ Ensure the user's privacy and data security by protecting against unwarranted access, destruction of data, and malicious tampering

# Goals for Requirement Analysis

- **Promote standardization, integration, consistency, and portability**
- **Standardization** – common user-interface features across multiple applications
  - Apple
  - Web
  - Windows
  - Smart phones
- **Integration** – across application packages
  - file formats
- **Consistency** – common action sequences, terms, units, layouts, color, typography within an application
- **Portability** – convert data and interfaces across multiple hardware and software environments

# Outline

- Course Information and motivation for HCI
- Design
- Implementation
- Evaluation
  - How do you measure a good interface

# Usability Measures

- How can we measure the 'goodness' of an interface?
- What are good metrics?
- ISO 9241
  - Effectiveness
  - Efficiency
  - Satisfaction
- Schneiderman
  - Time to learn
  - Speed of performance
  - Rate of errors
  - Retention over time
  - Subjective satisfaction



# Usability Motivations

- ← Life-Critical systems
  - **Applications:** air traffic, nuclear reactors, military, emergency dispatch
  - **Requirements:** reliability and effective (even under stress)
  - **Not as important:** cost, long training, satisfaction, retention
- ← Industrial and Commercial Use
  - **Applications:** banking, insurance, inventory, reservations
  - **Requirements:** short training, ease of use/learning, multiple languages, adapt to local cultures, multiplatform, speed
- ← Office, Home, and Entertainment
  - **Applications:** E-mail, ATMs, games, education, search engines, cell phones/PDA
  - **Requirements:** Ease of learning/use/retention, error rates, satisfaction
  - **Difficulties:** cost, size

# Usability Motivation

## ← Exploratory, Creative, Collaborative

- **Applications:** Web browsing, search engines, simulations, scientific visualization, CAD, computer graphics, music composition/artist, photo arranger (email photos)
- **Requirements:** remove the 'computer' from the experience,
- **Difficulties:** user tech savvy-ness (apply this to application examples)

## ← Socio-technical systems

- **Applications:** health care, voting, police
- **Requirements:** Trust, security, accuracy, veracity, error handling, user tech-savvy-ness

# No More Norman Doors!



From: <http://lcc3710.comprss.com/?p=140>

# Changing Behavior with Good Design



- [Piano Stairs – TheFunTheory.com](http://www.goodexperience.com/broken/i/04/02/america-fitness-s.jpg)

Images from: <http://www.goodexperience.com/broken/i/04/02/america-fitness-s.jpg>  
<http://failblog.files.wordpress.com/2009/08/fail-owned-lazy-escalator-fail.jpg?w=500&h=375>