My Wishlist (https://robu.in/wishlist/)	My Orders (https://robu.in/my-account/orders/)	Track Order (https://robu.in/order-tracking/)	My Account ▼	
ROBU.IN		Ħ	0 item (https:	//robu.in/cart/)
(https://robu.in/)				
TOGGLE NAVIGATION All Category	Search Item			Q
Home (https://robu.in) > Motors Drivers Actuators (http://solining.com/solining) > Solenoid and Electromagnet (https://robu.in/product-cation) > 12V DC 1/2" Electric Solenoid Water Air Valve Switch	tegory/motors-drivers-actuators/solenoid-electroma			



(https://robu.in/wp-content/uploads/2017/06/robu-1-16.jpg)









12V DC 1/2" Electric Solenoid Water Air Valve Switch (Normally Closed)

4 Review(s)

Availability: Out of stock

SKU: 31396

QUICK OVERVIEW

- 1. Compact and convenient, Easily installed and serviced
- 2. Precise and reliable. Mechanical no power consumption, Steady flow adjustable.
- 3. The installation direction can be arbitrary Angle
- 4. Pressure regulating valve (steady flow valve) function similar to water flow switch
- 5. Not only can the constant current steady flow, but also prevent the dry burning and monitoring the flow

₹ 416.00 (inc GST)

₹ 352.54 (+18% GST extra)

Out of stock - Join the waitlist to be emailed when this product becomes available

JOIN WAITLIST (HTTPS://ROBU.IN/PRODUCT/DC12V-PLASTIC-ELECTRIC-12V-WATER-SOLENOID-VALVE-ELECTRIC-S

Category: Solenoid and Electromagnet (https://robu.in/product-category/motors-drivers-actuators/solenoid-electromagnet-actuator/)

DESCRIPTION	SPECIFICATIONS	WARRANTY	REVIEWS (4)	DISCUSSION FORUM
	Model	1	2V DC 1/2" Solen	oid Valve

Rated Operating Voltage	12v DC		
Rated Current	0.6A		
Operation Mode	Normally Closed		
Power Consumption	8W		
Pressure	0.02- 0.8Mpa		
Energized forms	Intermittent		
Inlet and outlet Dimeter	Hose barbs for 1/2" (outer diameter) hose		
Dimensions (mm) LxWxH	Body: 84 x 57mm (L x H) Coil size: 34 x 23mm (W x H)		
Weight (gm)	100		
Max fluid temperature	100°C		
Shipment Weight	0.225 kg		
Shipment Dimensions	10 × 8 × 5 cm		

Related Products