

SAMPLE COMPREHENSIVE BLOOD TEST REPORT

FICTIONAL / DEMONSTRATION DATA — NOT A REAL MEDICAL RECORD

Patient	Sample Patient	Report ID	DEMO-2026-0916
Age / Sex	34 / Male	Collection	16-Sep-2026 08:10 AM
Specimen	Venous blood	Fasting	Yes — ~10 hours
Ordering context	Routine wellness screening	Status	Final — illustrative only

1. Complete Blood Count (CBC)

Biomarker	Result	Unit	Illustrative reference interval
WBC	6.4	x10 ³ /μL	4.0–11.0
RBC	5.02	x10 ⁶ /μL	4.50–5.90
Hemoglobin	15.1	g/dL	13.5–17.5
Hematocrit	45.2	%	41.0–53.0
MCV	90.0	fL	80–100
MCH	30.1	pg	27–33
MCHC	33.4	g/dL	32–36
RDW	12.8	%	11.5–14.5
Platelets	248	x10 ³ /μL	150–400
MPV	10.2	fL	7.5–12.5
Neutrophils	58	%	40–70
Lymphocytes	32	%	20–40
Monocytes	7	%	2–10
Eosinophils	2	%	0–6
Basophils	1	%	0–2
Absolute neutrophils	3.71	x10 ³ /μL	1.8–7.7
Absolute lymphocytes	2.05	x10 ³ /μL	1.0–4.8
Absolute monocytes	0.45	x10 ³ /μL	0.2–0.8
Absolute eosinophils	0.13	x10 ³ /μL	0.0–0.5
Absolute basophils	0.06	x10 ³ /μL	0.0–0.2

2. Comprehensive Metabolic Panel (CMP)

Biomarker	Result	Unit	Illustrative reference interval
Glucose, fasting	91	mg/dL	70–99
Sodium	140	mmol/L	135–145
Potassium	4.3	mmol/L	3.5–5.1
Chloride	103	mmol/L	98–107
CO ₂ / Bicarbonate	25	mmol/L	22–29
BUN	14	mg/dL	7–20

Biomarker	Result	Unit	Illustrative reference interval
Creatinine	0.94	mg/dL	0.70–1.30
eGFR	105	mL/min/1.73m ²	≥60
Calcium	9.5	mg/dL	8.6–10.2
Total protein	7.1	g/dL	6.0–8.3
Albumin	4.6	g/dL	3.5–5.0
Globulin	2.5	g/dL	2.0–3.5
A/G ratio	1.8	ratio	1.0–2.5
Total bilirubin	0.8	mg/dL	0.2–1.2
Alkaline phosphatase	71	U/L	40–129
AST (SGOT)	22	U/L	10–40
ALT (SGPT)	25	U/L	7–56

3. Lipid / Cardiometabolic Panel

Biomarker	Result	Unit	Illustrative reference interval
Total cholesterol	178	mg/dL	<200
LDL-C, calculated	104	mg/dL	<100*
HDL-C	52	mg/dL	≥40
Triglycerides	109	mg/dL	<150
Non-HDL cholesterol	126	mg/dL	<130
VLDL-C (estimated)	22	mg/dL	5–40
Total cholesterol / HDL	3.4	ratio	~3.5–5.0
Apolipoprotein B	88	mg/dL	~60–100*
Apolipoprotein A1	151	mg/dL	120–180*
Lipoprotein(a)	18	nmol/L	<75*

4. Diabetes / Insulin Resistance Markers

Biomarker	Result	Unit	Illustrative reference interval
HbA1c	5.2	%	<5.7
Estimated average glucose	103	mg/dL	—
Fasting insulin	7.8	μIU/mL	~2–25*
HOMA-IR (calculated)	1.75	index	~<2.5*
C-peptide, fasting	1.7	ng/mL	1.1–4.4*

5. Thyroid Panel

Biomarker	Result	Unit	Illustrative reference interval
TSH	2.05	μIU/mL	0.4–4.5
Free T4	1.18	ng/dL	0.8–1.8
Free T3	3.2	pg/mL	2.3–4.2
Thyroid peroxidase Ab	12	IU/mL	<35

Biomarker	Result	Unit	Illustrative reference interval
Thyroglobulin Ab	<1	IU/mL	<1

6. Iron Status

Biomarker	Result	Unit	Illustrative reference interval
Serum iron	101	µg/dL	60–170
Ferritin	86	ng/mL	24–336
TIBC	326	µg/dL	250–450
Transferrin	233	mg/dL	200–360
Transferrin saturation	31	%	20–50

7. Vitamins & Nutritional Markers

Biomarker	Result	Unit	Illustrative reference interval
Vitamin B12	512	pg/mL	200–900
Folate	12.6	ng/mL	>4.0
25-OH Vitamin D	34	ng/mL	30–100
Magnesium	2.0	mg/dL	1.7–2.2
Zinc	86	µg/dL	60–120*

8. Inflammation / General Health

Biomarker	Result	Unit	Illustrative reference interval
hs-CRP	0.72	mg/L	<1.0*
ESR	6	mm/hr	0–15
Fibrinogen	318	mg/dL	200–400*

9. Liver & Pancreatic Markers

Biomarker	Result	Unit	Illustrative reference interval
GGT	21	U/L	9–48
LDH	164	U/L	120–250
Amylase	61	U/L	30–110
Lipase	32	U/L	13–60

10. Urinalysis (often paired with blood work)

Biomarker	Result	Unit	Illustrative reference interval
Color	Yellow	—	Yellow
Appearance	Clear	—	Clear
Specific gravity	1.018	—	1.005–1.030
pH	6.0	—	5.0–8.0
Protein	Negative	—	Negative
Glucose	Negative	—	Negative
Ketones	Negative	—	Negative

Biomarker	Result	Unit	Illustrative reference interval
Blood	Negative	—	Negative
Nitrite	Negative	—	Negative
Leukocyte esterase	Negative	—	Negative

Additional tests that may be ordered depending on age, symptoms, risk factors, medications, or clinician judgment: peripheral smear, reticulocyte count, PT/INR, aPTT, uric acid, CK, phosphate, homocysteine, methylmalonic acid, PSA, testosterone/free testosterone, SHBG, cortisol, sex hormones, hepatitis/HIV/STI testing, autoimmune antibodies, allergy testing, apolipoprotein subfractions, and specialized genetic or oncology biomarkers. These are not routinely indicated for every healthy adult.

Important: Reference intervals vary by laboratory, assay, age, sex, pregnancy status, and clinical context. A real laboratory report should use the performing laboratory's own ranges. This document contains entirely fictional values and is intended solely as a sample for software/project development, UI testing, or demonstrations. It is not medical advice and must not be used for diagnosis or treatment.