



JANCO

BRAND IDENTITY GUIDE

Version 1.0 | April 2026

On-demand janitorial services | Lagos, Nigeria

Contents

01	Brand Overview	3
02	Logo Usage	4
03	Colour Palette	5
04	Typography	7
05	Spacing & Layout Grid	8
06	Elevation & Shadows	9
07	Iconography	10
08	UI Component Standards	11
09	Do's and Don'ts	12

■ Brand Overview

JANCO is an AI-powered gig-economy platform connecting households in Lagos, Nigeria with vetted, professional domestic cleaning staff. The brand communicates freshness, reliability, and modern technology through a distinctive lime-green and yellow colour palette paired with friendly, approachable typography.

Brand Personality

Fresh & Clean

The lime-green palette evokes cleanliness and natural freshness — core to our service promise.

Trustworthy

Identity verification (NIN/BVN + liveness) and a transparent trust-score system build confidence.

Approachable

Chewy display font and Quicksand body text create a warm, friendly, non-corporate feel.

Tech-forward

AI-driven pricing, dispatch, and trust engines position JANCO as a modern marketplace.

Brand Values

- Quality over quantity
- Safety and transparency first
- Technology that empowers, not replaces
- Respect for every worker
- Local context, global standards

Target Audience

Urban households in Lagos (and expanding Nigerian cities) — busy professionals, families, and property managers who value convenience, safety, and quality domestic cleaning services.
Secondary audience: domestic workers seeking fair, flexible, and dignified gig employment.

■ Logo Usage

The JANCO logo exists in two variants: the primary icon mark and the text logotype. Both must be used consistently across all touchpoints to build brand recognition.



Light Background



Dark Background

Clear Space

Maintain a minimum clear space equal to the height of the 'J' in the logotype around all edges. This ensures the logo remains legible and uncluttered in any context.

Minimum Sizes

Digital (screen): 32 x 32px icon mark | 120px wide logotype

Print: 10mm icon mark | 30mm wide logotype

Incorrect Usage

- ✗ Do not rotate or skew the logo
- ✗ Do not alter the logo colours outside approved palette
- ✗ Do not place the logo on busy photographic backgrounds without a scrim
- ✗ Do not add drop shadows, outlines, or effects to the logo
- ✗ Do not stretch or compress — always preserve aspect ratio


■ Colour Palette

The JANCO palette follows Material Design 3 colour roles. Every token has a paired on* foreground that guarantees WCAG AA contrast (minimum 4.5:1 for normal text). The lime-green primary conveys freshness; yellow accent provides energetic highlights.

Primary — Lime Green




Secondary & Accent



Neutral Scale



Dark Mode Surfaces




Semantic Colours


These utility colours communicate system states. Each has a light container variant for backgrounds and a bold variant for text and icons. Never use semantic colours for decorative purposes.




Error
#D32F2F



Warning
#F9A825



Info
#1565C0



Success
#2E7D32



Error Light
#FFCDD2



Warning Light
#FFF9C4



Info Light
#BBDEFB



Success Light
#C8E6C9

Colour Application Rules

- Primary Lime (#CDDC39) is reserved for primary CTAs (buttons), brand accents, and navigation highlights.
- Secondary (#AFB42B) for secondary buttons, active states, and supporting UI elements.
- Accent Yellow (#FFEB3B) for badges, promotional highlights, and attention-drawing elements only.
- Background tints: light mode uses Lime 100 (#F0F4C3), dark mode uses Grey 950 (#121212).
- Card surfaces: light mode #F7F8F2 (off-white with faint lime), dark mode #2A2A2A.
- All text on coloured backgrounds must meet WCAG AA contrast ratio (4.5:1 minimum).

■ Typography

JANCO uses a two-font system aligned with the Material Design 3 type scale. Chewy-Regular provides personality for display and headline text, while the Quicksand family handles all body, title, and label text with excellent readability at small sizes.

Display & Headline — Chewy Regular

Aa

Display Large — 57pt / 64 lh

Aa

Display Medium — 45pt / 52 lh

Aa

Headline Large — 32pt / 40 lh

Body & Label — Quicksand Family

Aa

Headline Small — 24pt / 32 lh

The quick brown fox

Title Large

QuicksandBold 22pt / 28 lh / 0 ls

The quick brown fox

Title Medium

QuicksandMedium 16pt / 24 lh / 0.15 ls

The quick brown fox

Body Large

Quicksand 16pt / 24 lh / 0.5 ls

The quick brown fox

Body Medium

Quicksand 14pt / 20 lh / 0.25 ls

The quick brown fox

Body Small

Quicksand 12pt / 16 lh / 0.4 ls

The quick brown fox

Label Large

QuicksandMedium 14pt / 20 lh / 0.1 ls

The quick brown fox

Label Medium

QuicksandMedium 12pt / 16 lh / 0.5 ls

The quick brown fox

Label Small

QuicksandMedium 11pt / 16 lh / 0.5 ls

■ Spacing & Layout Grid

JANCO uses a 4px base grid system aligned with Material Design 3 specifications. All spacing values are multiples of 4, ensuring consistent, predictable layouts across all device sizes without rounding artefacts.

Spacing Scale

xs	4px	
sm	8px	
md	12px	
base	16px	
lg	20px	
xl	24px	
xxl	32px	
xxl	40px	
touchTarget	48px	

Layout Guidelines

- Screen padding: 16px (base) horizontal on all screens.
- Card internal padding: 12px (md) for compact cards, 16px (base) for standard cards.
- Section gaps: 20px (lg) between content sections within a screen.
- Component spacing: 8px (sm) between related elements (label + input, icon + text).
- Touch targets: minimum 48px (touchTarget) for all interactive elements per Apple HIG and MD3.
- Safe area: respect system UI insets on all platforms (status bar, home indicator).

Responsive Breakpoints

JANCO is primarily a mobile application (React Native + Expo). The layout system targets portrait orientation with a single-column layout. All measurements use density-independent pixels. For any future web or tablet expansion, apply an 8-column grid on screens wider than 600dp and a 12-column grid above 960dp, with 16px gutters.

Elevation & Shadows

Elevation communicates hierarchy and interactivity. JANCO follows the Material Design 3 elevation system with 6 levels (0-5). Shadows are implemented cross-platform: iOS uses native shadow properties; Android uses the elevation prop.

Level 0 (0dp)

Flat surfaces, backgrounds

No shadow

Level 1 (1dp)

Cards at rest, list items

Subtle lift

Level 2 (3dp)

Elevated cards, FABs at rest

Clear separation

Level 3 (6dp)

Modals, dialogs, menus

Strong prominence

Level 4 (8dp)

Navigation drawers

High emphasis

Level 5 (12dp)

Bottom sheets, overlays

Maximum depth

Implementation

iOS shadows use shadowColor (#000), shadowOffset (width: 0, height: $dp * 0.5$), shadowOpacity ($0.08 + dp * 0.02$), and shadowRadius ($dp * 0.8$). Android uses the native elevation property directly. The helper function shadow(dp) in elevation.js handles cross-platform resolution automatically via Platform.select().

Usage Guidelines

- Cards at rest always use Level 1. Pressed/dragged cards temporarily elevate to Level 2.
- FABs use Level 2 at rest, Level 3 when pressed.
- Modal overlays and bottom sheets use Level 5 with a semi-transparent scrim behind them.
- Never apply shadows to flat UI elements like dividers, status bars, or text fields.

■ Iconography

JANCO uses the Material Community Icons library (via @expo/vector-icons) as its primary icon set. This ensures visual consistency with Material Design 3 while providing a comprehensive library of 7000+ icons for any use case.

Icon Specifications

Size system: 24dp default, 20dp compact, 32dp emphasis, 48dp feature icons

Stroke weight: Outlined style (not filled) for consistency

Colour: Inherit from parent text colour; primary lime for active/selected states

Touch area: Minimum 48dp touch target regardless of visual icon size

Optical alignment: Icons centered within their touch target bounding box

Core Icon Set

The following icons are used across the application for consistent meaning:

home-outline	Home / Dashboard	broom	Cleaning service / Janitor
account-outline	User profile	chat-outline	Messaging / Chat
star-outline	Ratings / Reviews	shield-check-outline	Verification / Trust
map-marker-outline	Location / Address	bell-outline	Notifications
calendar-outline	Booking / Schedule	cash-multiple	Pricing / Payment
cog-outline	Settings	logout	Sign out

Custom Icons

If a required icon is not available in Material Community Icons, create custom SVG icons following these rules: 24x24dp viewport, 2dp stroke width, rounded line caps and joins, same visual weight as the MD icon set. Custom icons must be reviewed for brand consistency before implementation.

■ UI Component Standards

All reusable components live in `frontend/App/components/ui/` and follow a consistent API. Components consume theme tokens from `ThemeContext` — never use hardcoded colours, fonts, or spacing values.

AppBar

Primary CTA component. Lime (#CDDC39) fill with dark text (#212121). 48dp minimum height, 12px border radius, QuicksandBold 14pt label. Supports variants: primary, secondary (outlined), and danger.

AppBar

Surface container with Level 1 elevation. Off-white (#F7F8F2) on light, #2A2A2A on dark. 12px padding, 12px border radius. Optional `onPress`.

AppBar

Themed text wrapper mapping MD3 type scale tokens. Accepts variant prop (`displayLarge`, `bodyMedium`, `labelSmall`, etc.) and auto-applies correct font, size, colour, and line height.

AppBar

Text input field with floating label. 48dp height, Quicksand 14pt, Lime 700 focus border, Grey 300 default border. Error state shows red (#D32F2F) border with error message below.

AppBar

SafeAreaView wrapper applying consistent screen padding (16px horizontal), theme background colour, and status bar configuration.

AppBar

Compact selection indicator. Lime 100 container, Lime 900 text when selected. Grey 200 container, Grey 600 text when unselected. 32dp height.

Do's and Don'ts

Do

- + Use theme tokens for all colours, spacing, and typography — never hardcode values.
- + Maintain 48dp minimum touch targets on all interactive elements.
- + Test colour contrast ratios against WCAG AA (4.5:1 for text, 3:1 for large text).
- + Use the Chewy font only for display and headline text roles.
- + Apply consistent elevation levels based on component hierarchy.
- + Design for both light and dark themes simultaneously.
- + Use outlined icon style from Material Community Icons.
- + Respect the 4px grid — every measurement should be a multiple of 4.
- + Include adequate clear space around the logo in all applications.
- + Use semantic colours (error, warning, success, info) only for their intended state.

Don't

- ✗ Don't use lime green (#CDDC39) for body text — it fails contrast on most backgrounds.
- ✗ Don't mix Chewy with body/label roles — reserve it for display and headlines only.
- ✗ Don't create custom colours outside the defined palette without design team approval.
- ✗ Don't use more than two elevation levels on a single screen to avoid visual clutter.
- ✗ Don't apply shadows to images, illustrations, or full-bleed backgrounds.
- ✗ Don't use the logo smaller than minimum size (32px digital, 10mm print).
- ✗ Don't use the yellow accent colour as a background for text blocks.
- ✗ Don't ignore safe area insets — respect status bars and home indicators on all platforms.



JANCO

Clean. Trusted. Technology-driven.

com.abdulthedev.Janco

Version 1.0 | April 2026 | Confidential