

Cucumber Report

Jan 10, 2024, 5:37:06 PM

Start : Jan 10, 5:35:38.941 PM

End : Jan 10, 5:37:04.559 PM

Duration : 1 m 25.618 s

Features




Scenarios

Steps

PASSED - 4
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 15
SKIPPED - 0

PASSED - 39
FAILED - 15
SKIPPED - 58




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Adding a Product to the Shopping Cart on TutorialsNinja</u>	7.480 s	1	1	0	0	5	5	0	0
<u>Login functionality of TutorialsNinja</u>	29.210 s	15	0	15	0	73	0	15	58
<u>Logout functionality of Tutorialsninja</u>	7.142 s	1	1	0	0	3	3	0	0
<u>Register functionality of TutorialsNinja</u>	26.908 s	4	4	0	0	20	20	0	0
<u>Search Product functionality of TutorialsNinja</u>	14.733 s	3	3	0	0	11	11	0	0


#	Feature Name	Scenario Name
1	<u>Login functionality of TutorialsNinja</u>	<u>Login with valid credentials</u>
2		<u>Login with valid credentials</u>
3		<u>Login with valid credentials</u>
4		<u>Login with valid credentials</u>
5		<u>Login with valid credentials</u>
6		<u>Login with valid credentials</u>
7		<u>Login with valid credentials</u>
8		<u>Login with valid credentials</u>
9		<u>Login with valid credentials</u>
10		<u>Login with valid credentials</u>
11		<u>Login with valid credentials</u>
12		<u>Login with invalid credentials</u>
13		<u>Login with valid email and invalid password</u>

#	Feature Name	Scenario Name
14	<u>Login functionality of TutorialsNinja</u>	<u>Login with invalid email and valid password</u>
15		<u>Login without credential</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TutorialsninjaAddToCart	1	1	0	0	1	1	0	0
@ValidCredentials	11	0	11	0	1	0	1	0
@TutorialsNinjaLogin	15	0	15	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0
@ValidEmailInvalidPassword	1	0	1	0	1	0	1	0
@InvalidEmailValidPassword	1	0	1	0	1	0	1	0
@NoCredentials	1	0	1	0	1	0	1	0
@TutorialsNinjaLogout	1	1	0	0	1	1	0	0
@MandatoryFields	1	1	0	0	1	1	0	0
@TutorialsNinjaRegister	4	4	0	0	1	1	0	0
@AllFields	1	1	0	0	1	1	0	0
@DuplicateEmail	1	1	0	0	1	1	0	0
@NoFields	1	1	0	0	1	1	0	0
@TutorialsNinjaSearchProduct	3	3	0	0	1	1	0	0
@ValidProduct	1	1	0	0	1	1	0	0
@InvalidProduct	1	1	0	0	1	1	0	0
@NoProduct	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Adding a Product to the Shopping Cart on TutorialsNinja</u>	1	1	0	0	7.480 s
2	<u>Login functionality of TutorialsNinja</u>	15	0	15	0	29.210 s
3	<u>Logout functionality of Tutorialsninja</u>	1	1	0	0	7.142 s
4	<u>Register functionality of TutorialsNinja</u>	4	4	0	0	26.908 s
5	<u>Search Product functionality of TutorialsNinja</u>	3	3	0	0	14.733 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Adding a Product to the Shopping Cart on TutorialsNinja</u>	<u>Adding a Product to the Shopping Cart</u>	5	5	0	0	7.469 s
2	<u>Login functionality of TutorialsNinja</u>	<u>Login with valid credentials</u>	5	0	1	4	1.964 s
3		<u>Login with valid credentials</u>	5	0	1	4	1.886 s
4		<u>Login with valid credentials</u>	5	0	1	4	2.006 s
5		<u>Login with valid credentials</u>	5	0	1	4	1.836 s
6		<u>Login with valid credentials</u>	5	0	1	4	1.844 s
7		<u>Login with valid credentials</u>	5	0	1	4	2.033 s
8		<u>Login with valid credentials</u>	5	0	1	4	2.112 s
9		<u>Login with valid credentials</u>	5	0	1	4	1.978 s
10		<u>Login with valid credentials</u>	5	0	1	4	1.728 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Login functionality of TutorialsNinja</u>	<u>Login with valid credentials</u>	5	0	1	4	1.825 s
12		<u>Login with valid credentials</u>	5	0	1	4	1.979 s
13		<u>Login with invalid credentials</u>	5	0	1	4	1.862 s
14		<u>Login with valid email and invalid password</u>	5	0	1	4	1.786 s
15		<u>Login with invalid email and valid password</u>	5	0	1	4	2.042 s
16		<u>Login without credential</u>	3	0	1	2	1.952 s
17	<u>Logout functionality of Tutorialsninja</u>	<u>Successful logout of the application</u>	3	3	0	0	7.142 s
18	<u>Register functionality of TutorialsNinja</u>	<u>Register with mandatory fields</u>	5	5	0	0	7.057 s
19		<u>Register with all fields</u>	6	6	0	0	7.171 s
20		<u>Register with existing email</u>	6	6	0	0	6.710 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Register functionality of TutorialsNinja</u>	<u>Register with no fields</u>	3	3	0	0	5.908 s
22	<u>Search Product functionality of TutorialsNinja</u>	<u>Search with valid Product</u>	4	4	0	0	5.025 s
23		<u>Search with invalid Product</u>	4	4	0	0	4.900 s
24		<u>Search with no Product</u>	3	3	0	0	4.791 s

Adding a Product to the Shopping Cart on Tutorialsninja



PASSED	DURATION - 7.480 s	Scenarios		Steps	
/ 5:35:38.941 PM // 5:35:46.421 PM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Adding a Product to the Shopping Cart



<div>PASSED</div> <div>DURATION - 7.469 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 5:35:38.952 PM // 5:35:46.421 PM /</div>			
<div>Adding a Product to the Shopping Cart on Tutorialsninja</div>			
<div>@TutorialsninjaAddToCart</div>			

#	Step / Hook Details	Status	Duration
1	Given User first open the application	PASSED	0.013 s
2	When User enters the valid product in the search box 'samsung galaxy'	PASSED	1.986 s
3	And User clicks on the Product search button	PASSED	2.105 s
4	And User clicks on the add to cart button	PASSED	0.076 s
5	Then User should see the product added successfully to the cart message	PASSED	0.317 s

Login functionality of Tutorialsninja

FAILED	DURATION - 29.210 s	Scenarios		Steps	
/ 5:35:46.492 PM // 5:36:15.702 PM /		Total - 15		Total - 73	
		Pass - 0		Pass - 0	
		Fail - 15		Fail - 15	
		Skip - 0		Skip - 58	

Login with valid credentials

<div>FAILED</div> <div>DURATION - 1.964 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 5:35:46.496 PM // 5:35:48.460 PM /				
Login functionality of TutorialNinja				
@ValidCredentials @TutorialNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email seleniumpanda@gmail.com into email textbox field	SKIPPED	0.000 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.001 s

Login with valid credentials



FAILED DURATION - 1.886 s / 5:35:48.528 PM // 5:35:50.414 PM / Login functionality of TutorialsNinja @ValidCredentials @TutorialsNinjaLogin		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage <pre> io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters valid email seleniumpanda1@gmail.com into email textbox field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.001 s



Login with valid credentials

FAILED	DURATION - 2.006 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:35:50.440 PM // 5:35:52.446 PM /				
Login functionality of TutorialsNinja				
@ValidCredentials @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email seleniumpanda2@gmail.com into email textbox field	SKIPPED	0.001 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User is navigated to AccountPage	SKIPPED	0.002 s



Login with valid credentials

FAILED	DURATION - 1.836 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:35:52.470 PM // 5:35:54.306 PM /				
Login functionality of TutorialsNinja				
@ValidCredentials @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters valid email seleniumpanda3@gmail.com into email textbox field	SKIPPED	0.000 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.002 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.001 s



Login with valid credentials

FAILED	DURATION - 1.844 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:35:54.327 PM // 5:35:56.171 PM /				
Login functionality of TutorialsNinja				
@ValidCredentials @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters valid email seleniumpanda4@gmail.com into email textbox field	SKIPPED	0.000 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.002 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User is navigated to AccountPage	SKIPPED	0.000 s



Login with valid credentials

<div>FAILED</div> <div>DURATION - 2.033 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 5:35:56.192 PM // 5:35:58.225 PM /				
Login functionality of TutorialsNinja				
@ValidCredentials @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email seleniumpanda5@gmail.com into email textbox field	SKIPPED	0.000 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.000 s

Login with valid credentials



FAILED DURATION - 2.112 s / 5:35:58.249 PM // 5:36:00.361 PM / Login functionality of TutorialsNinja @ValidCredentials @TutorialsNinjaLogin		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage <pre> io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email seleniumpanda6@gmail.com into email textbox field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User is navigated to AccountPage	SKIPPED	0.001 s



Login with valid credentials

FAILED		DURATION - 1.978 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:36:00.382 PM // 5:36:02.360 PM /						
Login functionality of TutorialsNinja						
@ValidCredentials @TutorialsNinjaLogin						

#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email seleniumpanda7@gmail.com into email textbox field	SKIPPED	0.001 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.018 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.000 s



Login with valid credentials

FAILED	DURATION - 1.728 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 5:36:02.387 PM // 5:36:04.115 PM /				
Login functionality of TutorialsNinja				
@ValidCredentials @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters valid email seleniumpanda8@gmail.com into email textbox field	SKIPPED	0.000 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.009 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.001 s



Login with valid credentials

FAILED DURATION - 1.825 s / 5:36:04.132 PM // 5:36:05.957 PM / Login functionality of TutorialsNinja @ValidCredentials @TutorialsNinjaLogin		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters valid email seleniumpanda9@gmail.com into email textbox field	SKIPPED	0.001 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.005 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.000 s

Login with valid credentials

FAILED	DURATION - 1.979 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:36:05.980 PM // 5:36:07.959 PM /				
Login functionality of Tutorialsninja				
@ValidCredentials @TutorialsninjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email seleniumpanda10@gmail.com into email textbox field	SKIPPED	0.001 s
3	And User enters valid password Selenium@123 into password textbox field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User is navigated to AccountPage	SKIPPED	0.001 s

Login with invalid credentials



FAILED DURATION - 1.862 s / 5:36:07.977 PM // 5:36:09.839 PM / Login functionality of TutorialsNinja @InvalidCredentials @TutorialsNinjaLogin		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage <pre> io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters invalid email into email textbox field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	And User enters invalid password 'Selenium@123456' into password textbox field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User gets warning message about credentials mismatch	SKIPPED	0.001 s



Login with valid email and invalid password

<div>FAILED</div> <div>DURATION - 1.786 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:36:09.853 PM // 5:36:11.639 PM /				
Login functionality of TutorialsNinja				
@ValidEmailInvalidPassword @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
2	When User enters valid email 'seleniumpanda@gmail.com' into email textbox field	SKIPPED	0.000 s
3	And User enters invalid password 'Selenium@123456' into password textbox field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User gets warning message about credentials mismatch	SKIPPED	0.000 s

Login with invalid email and valid password

FAILED	DURATION - 2.042 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:36:11.693 PM // 5:36:13.735 PM /				
Login functionality of TutorialsNinja				
@InvalidEmailValidPassword @TutorialsNinjaLogin				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to LoginPage</p> <p>io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	When User enters invalid email into email textbox field	SKIPPED	0.000 s
3	And User enters valid password 'Selenium@123' into password textbox field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User gets warning message about credentials mismatch	SKIPPED	0.000 s



Login without credential

FAILED DURATION - 1.952 s / 5:36:13.750 PM // 5:36:15.702 PM / Login functionality of TutorialsNinja @NoCredentials @TutorialsNinjaLogin		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User navigates to LoginPage io.cucumber.core.exception.CucumberException: Step [User navigates to LoginPage] is defined with 1 parameters at 'step_definitions.Login.user_navigates_to_loginpage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User navigates to LoginPage at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
2	And User clicks on Login button	SKIPPED	0.000 s
3	Then User gets warning message about credentials mismatch	SKIPPED	0.000 s

Logout functionality of Tutorialsninja



PASSED	DURATION - 7.142 s	Scenarios		Steps	
/ 5:36:15.720 PM // 5:36:22.862 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Successful logout of the application

<div><div>PASSED</div><div>DURATION - 7.142 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:36:15.720 PM // 5:36:22.862 PM /				
Logout functionality of Tutorialsninja				
@TutorialsninjaLogout				

#	Step / Hook Details	Status	Duration
1	Given I am logged into the Tutorialsninja website with email "shariarb73@gmail.com" and password "Hamim2007"	PASSED	4.304 s
2	When I click on the logout option	PASSED	0.134 s
3	Then I should be logged out of the system	PASSED	0.723 s

Register functionality of Tutorialsninja

PASSED	DURATION - 26.908 s	Scenarios		Steps	
/ 5:36:22.886 PM // 5:36:49.794 PM /		Total - 4		Total - 20	
		Pass - 4		Pass - 20	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Register with mandatory fields

PASSED	DURATION - 7.057 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:36:22.886 PM // 5:36:29.943 PM /				
Register functionality of Tutorialsninja				
@MandatoryFields @TutorialsninjaRegister				

#	Step / Hook Details	Status	Duration	
1	Given User navigates to RegisterPage	PASSED	2.592 s	
2	When User enters below mandatory fields	PASSED	1.584 s	
	firstname			Selenium
	lastname			Panda
	telephone			9876543210
	password			Selenium@123
	confirmpassword			Selenium@123
3	And User selects PrivacyPolicy checkbox	PASSED	0.079 s	
4	When User clicks on Continue button	PASSED	0.086 s	
5	Then User account gets created successfully	PASSED	0.897 s	



Register with all fields

PASSED	DURATION - 7.171 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:36:29.969 PM // 5:36:37.140 PM /				
Register functionality of Tutorialsninja				
@AllFields @TutorialsninjaRegister				

#	Step / Hook Details	Status	Duration		
1	Given User navigates to RegisterPage	PASSED	2.639 s		
2	When User enters below all fields	PASSED	1.524 s		
	<table><tr><td>firstname</td><td>Selenium</td></tr></table>	firstname	Selenium		
firstname	Selenium				



#	Step / Hook Details		Status	Duration
	lastname	Panda		
	telephone	9876543210		
	password	Selenium@123		
	confirmpassword	Selenium@123		
3	And User selects Yes for newsletter		PASSED	0.083 s
4	And User selects PrivacyPolicy checkbox		PASSED	0.077 s
5	When User clicks on Continue button		PASSED	0.075 s
6	Then User account gets created successfully		PASSED	0.808 s

Register with existing email

PASSED		DURATION - 6.710 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:36:37.167 PM // 5:36:43.877 PM /						
Register functionality of TutorialsNinja						
@DuplicateEmail @TutorialsNinjaRegister						

#	Step / Hook Details		Status	Duration
1	Given User navigates to RegisterPage		PASSED	2.562 s
2	When User enters below all fields with existing email		PASSED	1.440 s
	firstname	Selenium		
	lastname	Panda		
	email	seleniumpanda@gmail.com		
	telephone	9876543210		
	password	Selenium@123		
	confirmpassword	Selenium@123		
3	And User selects Yes for newsletter		PASSED	0.084 s
4	And User selects PrivacyPolicy checkbox		PASSED	0.072 s
5	When User clicks on Continue button		PASSED	0.095 s
6	Then User gets warning message of duplicate email		PASSED	0.505 s

Register with no fields



<div>PASSED</div>	<div>DURATION - 5.908 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:36:43.886 PM // 5:36:49.794 PM /</div>				
<div>Register functionality of TutorialNinja</div>				
<div>@NoFields @TutorialNinjaRegister</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigates to RegisterPage	PASSED	2.694 s
2	When User clicks on Continue button	PASSED	0.731 s
3	Then User gets warning message for mandatory fields	PASSED	0.660 s

Search Product functionality of TutorialNinja

<div>PASSED</div> <div>DURATION - 14.733 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>
/ 5:36:49.826 PM // 5:37:04.559 PM /					



Search with valid Product

<div>PASSED</div>	<div>DURATION - 5.025 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 5:36:49.826 PM // 5:36:54.851 PM /</div>			
<div>Search Product functionality of TutorialsNinja</div>			
<div>@TutorialsNinjaSearchProduct @ValidProduct</div>			

#	Step / Hook Details	Status	Duration
1	Given User opens the application	PASSED	0.000 s
2	When User enters the valid product 'HP'	PASSED	2.497 s



#	Step / Hook Details	Status	Duration
3	And User clicks on the search button	PASSED	0.097 s
4	Then User gets valid product info display in SearchPage	PASSED	0.420 s

Search with invalid Product

PASSED	DURATION - 4.900 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:36:54.861 PM // 5:36:59.761 PM /				
Search Product functionality of TutorialsNinja				
@TutorialsNinjaSearchProduct @InvalidProduct				

#	Step / Hook Details	Status	Duration
1	Given User opens the application	PASSED	0.001 s
2	When User enters the invalid product 'DELL'	PASSED	2.556 s
3	And User clicks on the search button	PASSED	0.091 s
4	Then User gets warning message	PASSED	0.402 s

Search with no Product

PASSED	DURATION - 4.791 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:36:59.768 PM // 5:37:04.559 PM /				
Search Product functionality of TutorialsNinja				
@TutorialsNinjaSearchProduct @NoProduct				

#	Step / Hook Details	Status	Duration
1	Given User opens the application	PASSED	0.001 s
2	And User clicks on the search button	PASSED	2.494 s
3	Then User gets warning message	PASSED	0.466 s