

Commands

#Downloading a webpage using the link and saving in a new directory.

wget -p --convert-links -P new <https://www.facebook.com>

#ip check

ip addr

#Change the current working directory to a folder named new.

cd new

#List files and folders in your current directory

ls

#Host python server

python3 -m http.server 8080

#Access the fake hosted website from ubuntu

<http://10.0.0.99:8080>

Get host info on facebook

host -t a www.facebook.com

#Get the entire network for that single host CIDR

whois 157.240.22.35 | grep CIDR

#Sudo user access

sudo -i

#iptables firewall to limit outbound network traffic

iptables -A OUTPUT -p tcp -d 157.240.0.0/16 -j DROP

#Change the current working directory to a folder named new.

cd new

#Host python server

python3 -m http.server 8080

#iptables firewall to limit inbound network traffic on port 8080

iptables -A INPUT -p tcp --dport 8080 -j DROP

#iptables firewall to unblock inbound network traffic on port 8080

```
iptables -D INPUT -p tcp --dport 8080 -j DROP
```

#Host python server on Ubuntu

```
python3 -m http.server 9090
```

#Connecting Ubuntu Python Server from Kali

<http://10.0.0.73:9090>

#Mac address of Kali

```
08:00:27:a9:c9:9f
```

#Blocking Mac Address of Kali machine using iptables.

```
sudo iptables -A INPUT -m mac --mac-source 08:00:27:a9:c9:9f -p tcp --dport 9090 -j DROP
```

#Mac address changing command

```
macchanger -r eth0
```

#Build SSH connection from Ubuntu

```
ssh kali@10.0.0.99
```

#Check SSH status

```
systemctl status ssh
```

#Block Inbound connection on port 22 SSH

```
sudo iptables -A INPUT -p tcp --dport 22 -j DROP
```

#Un-Block Inbound connection on port 22 SSH

```
sudo iptables -D INPUT -p tcp --dport 22 -j DROP
```

#Block outbound connection on port 22 SSH

```
sudo iptables -D OUTPUT -p tcp --sport 22 -j DROP
```

#Un-Block outbound connection on port 22 SSH

```
sudo iptables -D OUTPUT -p tcp --sport 22 -j DROP
```

#Redirect any inbound request for port 80 to port 8080

```
sudo iptables -t nat Prerouting -p tcp --dport 80 -j REDIRECT --to-port 8080
```

