

2026

**INVITATION OF TENDER FOR CONTRACT OF
OPERATION & MAINTENANCE OF
ELECTRICAL WORKS & SOLAR SYSTEM
INSTALLED AT STATE LIFE BUILDING -
RAHIM YAR KHAN**

TENDER NO. RE/03/ELECT./RYK/2026

- ❖ *POSTQUALIFICATION DOCUMENTS*
CRITERIA EVALUATION/POSTQUALIFICATION
FINANCIAL BID DOCUMENTS
BILL OF QUANTITY/SCOPE OF WORK SPECIAL
CONDITIONS

**REAL ESTATE DEPARTMENT, 4TH FLOOR,
STATE LIFE BUILDING.
ABU DHABI ROAD, RAHIM YAR KHAN**





INVITATION TO BID

**STATE LIFE INSURANCE CORPORATION OF PAKISTAN
REAL ESTATE DEPARTMENT
TENDER NO. RE/03/ELECT./RYK/2026**

**CONTRACT OF OPERATION & MAINTENANCE OF ELECTRICAL
WORKS AND SOLAR SYSTEM INSTALLED AT STATE LIFE BUILDING
RAHIM YAR KHAN**

1. *State Life Insurance Corporation of Pakistan (SLICP), invites electronic bids from the E-pad registered & proven experienced firms in the related field, registered with Income Tax and Sales Tax Department for **Contract of Operation & Maintenance of Electrical Works And Solar System Installed at State Life Building, RAHIM YAR KHAN.***
2. E-bidding documents as per regulations, containing detailed terms and conditions, specifications and requirements etc. are available for the registered bidders on E-Pad at (www.eprocure.gov.pk)
3. The electronic bids must be submitted by using E-Pad on or before 19-10-2026 at 11:00 A.M. Manual bids, shall not be accepted. Electronic Bids will be opened on the same day at 11:30 A.M.

Note: Notification of the GRC constituted in terms of Rule-48 of PPRA rules, 2004 is provided on E-PADS at www.eprocure.gov.pk and on PAPRA's website.

**Incharge
Real Estate Department
4th floor
State Life Building,
Abu Dhabi Road,
Rahim Yar Khan.
Phone No. 068-9230026**



Dated : _____

M/s. _____

SUB: TENDER FOR CONTRACT OF OPERATION & MAINTENANCE OF
ELECTRICALWORKS AND SOLAR SYSTEM INSTALEED ATSTATE LIFE
BUILDING

RAHIM YAR KHAN.

Enclosed, please find herewith Tender Documents for the subject work as per single stage Two envelope procedure of PPRA Rules. Please submit the same duly filled and completed in all respects on EPADS latest by 19-10-2026 at 11:00 a.m.

You are requested to submit tender through e-procurement system of PPRA (EPADS) by the stipulated date. For further details, you may contact the undersigned before the opening of the Tender for any query.

The Corporation reserves the right to reject any or all Tenders as per provisions of PPRA Rules.

Incharge (RE),
Real Estate Department,
4th Floor
State Life Building,
Abu Dhabi Road,
Rahim Yar Khan.



(On Letter Head of Company/ Contracting Firm)

TENDERN0.RE/03/ELECT./RYK/2026

Please upload scan copy duly filled and completed bid document in all respects on EPADS latest by 19-10-2026 at 11:00 a.m.

Dated: _____

Incharge,
Real Estate Division,
State Life Building,
Abu Dhabi Road,
Rahim Yar Khan.

**SUB: TENDER FOR CONTRACT OF OPERATION & MAINTENANCE OF
ELECTRICALWORKS AND SOLAR SYSTEM ATSTATE LIFE BUILDING
RAHIM YAR KHAN.**

Dear Sir,

Duly filled Scan Copies of bidding documents i-e Technical Bid & Financial Bid paged & flagged as per evaluation criteria for the subject work under single stage Two envelope procedure of PPRA Rules along with original pay order on account of Bid Security amounting to **Rs.75000/-**-have been uploaded on e-pad through e-procurement system on dated.....

Original Pay order will be presented at given address before closing of Bid. For further details, please contact the undersigned for any query.

Thanking you,

Yours Sincerely,

Signature _____

Name _____

Designation _____

M/s. _____

Email. _____

Office contact & _____.

Whats app Cell no _____.

**STATELIFEINSURANCECORPORATIONOFPAKISTAN REAL
ESTATE DIVISION**

TENDERN.O.RE/03/ELECT./RYK/2026



POSTQUALIFICATIONDOCUMENTS

**REALESTATEDEPARTMENT,
4TH FLOOR,
STATELIFEBUILDING,
ABU DHABI ROAD,
RAHIM YAR KHAN.**



**STATE LIFE INSURANCE CORPORATION OF PAKISTAN REAL
ESTATE DIVISION**

**INVITATION OF TENDER FOR CONTRACT OF OPERATION & MAINTENANCE OF
ELECTRICAL WORKS AND SOLAR SYSTEM INSTALLED AT STATE LIFE BUILDING
RAHIM YAR KHAN.**

All Bidders desiring to qualify for this contract should complete and upload scanned copies of the post qualification Forms/documents duly signed, pagged & properly flagged in series at E-pad.

INSTRUCTION TO THE BIDDERS.

- a. Tender shall be submitted through e-procurement system of PPRA (EPADS). Scanned copy of Tender documents (all papers) must be signed and stamped to signify the acceptance of tender's conditions before submitting the tender on EPADS.
- b. Technical services and operating conditions for achieving the performance shall be the responsibility of the Tender.
- c. Bid submission without Bid Security will be rejected out rightly.
- d. Original pay order of Bid Security must be reached to above stated address, before the time of opening of tender. However, scanned copy of same should be uploaded on e-pad while submitting the tender.
- e. Information furnished by the Bidders through E-pad for post qualification statement must apply to the company named on the statement. The substitution of background information pertinent to post qualification will not be considered for another company related to the applicant company through a "Group Ownership".
- f. The SLIC will review the information furnished by the firms in post qualifications forms manner. The Financial Bid Documents of firms which pass the post qualification process /stage will be opened in the presence of Bidders representative who choose to attend at a time to be determined.
- g. The response to this notice must be sufficiently detailed to convince the SLIC that the firms applying for Post-Qualification have the experience as well as the technical administration and financial qualifications necessary for the execution of the subject works and they must prove that they have carried out similar works.



- h. All postqualification statement documentation including financial statement, auditor's report and bank references shall be signed, pagged, flagged in English language.
- i. Following are the mandatory requirements for participation in the Bid. Participating firms must have the following registration / documents: -
- ***EOBI & PESSI REGISTRATION***
 - ***NTN Certificate issued by Federal Board of Revenue.***
 - ***Punjab Sales Tax Registration by Punjab Revenue Board.***
 - ***Electrical Contractor License from Electric Inspector Govt. of Punjab***
 - ***E-PAD Registration***
 - ***Undertaking For Non Black Listing From Any Govt./Semi Govt./Private Organization***

**Incharge (RE),
Real Estate Department
4th Floor
State Life Building,
Abu Dhabi Road,
Rahim Yar Khan.**



complete the following)

1. **COMPANY INFORMATION:**

- a. FULL NAME OF THE COMPANY/FIRM.....
- b. REGISTERED OFFICE ADDRESS.....
- c. TELEPHONE NUMBER.....
- d. E-MAIL.....FAXNO.....
- e. CONTRACT'S NAME-TITLE.....
- f. NAME OF PRESENT OWNER AND THE IRPOSITION

PROVIDE COPY OF MEMORANDUM AND ARTICLE OF ASSOCIATION OR PARTNERSHIP DEED, WHICH EVER IS APPLICABLE

2. **ORGANIZATION AND FINANCIAL DATA:**

- a. TYPE OF BUSINESS ORGANIZATION (CORPORATION JOINT VENTURE PARTNERSHIP ETC).
.....
.....
- b. IF JOINT VENTURE, NAMES OF THE JOINT VENTURE PARTNERS WITH NAME OF THE LEADING PARTNER
.....
.....
- c. IF PARTNERSHIP, NAME OF THE PARTNERS WITH POSITION HELD BY EACH PARTNER
.....
- d. IF CORPORATION PROVIDE THE NAME AND THE TITLE OF PRINCIPALS (PRESIDENT, VICE PRESIDENT, ETC)
.....
.....

3. **PERFORMANCE RECORD**

- a. Please provide a brief resume of works completed by your firm in the last five years including all jobs involving similar nature of works (see attached Form - 1)
- b. List of projects currently in progress of similar nature of works (see attached Form - 2) (along with letter of award)



4. **LIST OF REFERENCES.**

- a. What is the size of your permanent fulltime work force?
- b. Provide organization chart of your firm indicate lines of communication and reporting responsibility.
- c. Detail of key technical staff with their qualification and experience including of these who would be deputed for the proposed project.
- d. Name of bankers to the organization with account number and address. Bankers report on the credit worthiness of the organization must accompany under a sealed cover.

5. **BLACKLISTING**

If you are currently blacklisted from any govt. semi Govt., autonomies body, Corporation or private organization, **need no to apply**. Please submit affidavit stating that you are not black listed by any govt. semi Govt., autonomies body, Corporation or private organization.

6. **CERTIFICATION-SIGNATURE**

I hereby certify to the best of my knowledge that the information hereby submitted in this brochure is correct.

NAME: _____

TITLE: _____

SIGNATURE: _____

DATE: _____



POST-QUALIFICATION FORM-1
LIST PREVIOUS EXPERIENCE OF SIMILAR NATURE OF WORKS

NAME OF PROJECT & LOCATION	FULL NAME & ADDRESS OF CLIENT	TYPE OF CONTRACT PERIOD OF CONTRACT	CONTRACT VALUE (INDICATE CURRENCY IN PAK RS. ONLY)	STATE ANY PENALTIES, CLAIMS, ARBITRATION	TYPE OF WORK	CARRIED OUT ALONE OR IN PARTNERSHIP (IF IN PARTNERSHIP STATE SHARE & NAME OF PARTNER)	START DATE	COMPLETION DATE

SEAL & SIGNATURE OF ELECTRICAL CONTRACT

POST-QUALIFICATION FORM-2 CURRENT PROJECTS



LIST ALL PROJECTS OF SIMILAR NATURE, WHICH YOUR FIRM HAS UNDERWAY AT THIS TIME

NAME OF PROJECT & LOCATION	FULL NAME & ADDRESS OF CLIENT	TYPE OF CONTRACT PERIOD OF CONTRACT	CONTRACT VALUE (INDICATE CURRENCY IN PAK RS. ONLY)	STATE ANY PENALTIES, CLAIMS, ARBITRATION	TYPE OF WORK	CARRIED OUT ALONG OR IN PARTNERSHIP (IF IN PARTNERSHIP STATE SHARE & NAME OF PARTNER)	START DATE	COMPLETION DATE

SEAL & SIGNATURE OF CONTRACTOR _____



CRITERIA EVALUATION/POST QUALIFICATION

CONTRACT OF OPERATION & MAINTENANCE OF ELECTRICAL WORKS AND SOLAR SYSTEM INSTALLED AT STATE LIFE BUILDING - RAHIM YAR KHAN.

Sr. #.	Name of Contractor	Company Profile	Financial Statement	Experience Work Completed	Experience Work in Hand	Technical Staff Strength	List of Reference P.Q/Enlistment	Marks Obtained	Remarks
		10	10	30	20	15	15	100	
01.									
02.									
03.									
04.									
05.									

Note: Criteria of Post-qualification = 60 Marks.

SEAL & SIGNATURE OF CONTRACTOR



EVALUATION CRITERIA/POST QUALIFICATION

CONTRACT OF OPERATION & MAINTENANCE OF ELECTRICAL WORKS AND SOLAR SYSTEM INSTALLED AT
STATE LIFE BUILDING-RAHIM YAR KHAN.

MANDATORY REQUIREMENTS

- *EOBI & PESSI REGISTRATION*
- *NTN Certificate issued by Federal Board of Revenue.*
- *Punjab Sales Tax Registration by Punjab Revenue Board.*
- *Electrical Contractor License from Electric Inspector Govt. of Punjab*
- *E-PAD Registration*
- *Undertaking For Non Black Listing From Any Govt./Semi Govt./Private Organization*

A.	COMPANYPROFILE.		
	<i>i.</i> The company established more than 10 Years ago Marks(Full) (Proportionate)		10Marks
	<i>ii.</i> Thecompanyestablishedwithin1to10Years(Proportionate)		
B.	SIMILARELECTRICALLMAINTENANCEPROJECTSHANDLED.		
	'05'Marks per Contract		30Marks
C.	SIMILARELECTRICALLMAINTENANCEPROJECTSINPROGRESS.		
	'05'MarkspersContract		20marks
D.	TECHNICALSTAFF.		
	<i>i.</i> Engineer 03Markseach		15Marks
	<i>ii.</i> D.A.E 02Markseach		
	<i>iii.</i> Electrician/Technician 01Markseach		
E.	ENLISTMENTWITHOTHERS FIRMS.		
	'03'Markseachcompany/letter		15Marks
F.	FINANCIALPOSITION.		
	<i>i.</i> Last Four years Bank statement'2.5'Marks for annual 3M turnover		10Marks
G.	DISQUALIFICATION.		
	<i>i.</i> Firms blacklisted by any Government department and private companies.		

Note: Qualifying/passing marks : (60).



**STATE LIFE INSURANCE CORPORATION OF PAKISTAN REAL
ESTATE DIVISION**

**INVITATION OF TENDER FOR CONTRACT OF OPERATION & MAINTENANCE OF
ELECTRICAL WORKS AND SOLAR SYSTEM INSTALLED
AT STATE LIFE BUILDINGS- RAHIM YAR KHAN.**

TENDER NO. RE/03/ELECT./RYK/2026

FINANCIAL BID DOCUMENTS

**REAL ESTATE DIVISION,
4TH FLOOR,
STATE LIFE BUILDING,
ABU DHABI ROAD,
RAHIM YAR KHAN.**



CONTRACT FOR OPERATION & MAINTENANCE OF ELECTRICAL WORKS AND SOLAR SYSTEM INSTALLED AT STATE LIFE BUILDING - RAHIM YAR KHAN.

BILL OF QUANTITY/ SCOPE OF WORK

1. The following staff will be permanently required at site for daily operation and maintenance works during the working hours for one year (Annexure D).

	SLB RYK	TOTAL
i. Electrical Supervisor (License) from the office of Electric Inspector with minimum 06 years' Experience.	01	01
ii. Electricians (Possessing wireman license with 03 to 05 years (experience) of 440V equipment/ power (one for DG set operation).	01	01
iii. Assistant Electrician having sufficient experience Of day to day Electrical Works at Site.	01	01
Total strength	03	03

NOTE: License must be issued from Electrical Inspector, Multan Region/ Interior Govt. of Punjab Pakistan.

2. **DAILY OPERATION & MAINTENANCE**

- i. Visual inspection, checking and record reading of measuring instruments, Volt Meter, Ammeter PFI Plant.
- ii. Attend day to day electrical complaints & visit of building on daily basis & resolve the problem if any.
- iii. Take extra care for preventive maintenance and repair work of their then entire Electrical Installations of the Building (List of Electrical equipment as per Annexure 'A&A1').
- iv. Operation of Generator on supply failure and maintain pre record.
- v. Demand form material, diesel and other consumables.
- vi. Coordination with MEPCO i.e Transformer fault HT Link down fall / shut down the breaker of trolley / Office of Electrical inspector & other concerned Govt. Agencies.

PFI Reading:

- i. Maintain register on daily basis in Three (03) Times a day & get check by respective Building Incharges (Real Estate). Reading should not less than from 0.9

SEAL & SIGNATURE OF ELECTRICAL CONTRACT

3. MONTHLY MAINTENANCE SERVICE

Complete check-up of all major electrical equipment's as per **Annexure A**. Detailed reports will be submitted to Building Incharge with monthly bill as per **Annexure 'B'**.

4. HALFYEARLY MAINTENANCE SERVICES

Servicing and complete check-up of all major electrical equipment's after shutdown from local source on Sunday as per **Annexure 'C'** (Detailed reports will be submitted). An experienced person/senior Engineer of Contractor will visit the Site for submitting his report about the Electrical Works and technical suggestions.

5. YEARLY MAINTENANCE SERVICE

- i.* Servicing, overhauling of main HT Panel, other HT & LT Panels and calibration of their instruments and relays (shutdown to be arranged from MEPCO).
- ii.* Oil testing of OCB's & 11KV transformers for viscosity/dielectric strength.
- iii.* Insulation resistance measurement by megger of entire L.T. electrical network and recording test readings.
- iv.* Annual servicing of the equipment's similar to half year service (as per Annexure 'A' & 'C') detailed reports will be submitted.
- v.* Coordination for arrangement of shutdown from MEPCO.
- vi.* To coordinate with the manufactures for the maintenance of Diesel Generator Set.

6. EMERGENCY SERVICE/VISIT

- 1. On receipt of any complaint (via phone call, letter or fax), the contractor will attend the complaints within 2 Hours. Reasons such as political strikes etc., for not attending the complaints shall not be accepted. All the collective and precautionary measures should undertake by contractor regarding maintenance / servicing shall be checked and supervised by electrical Incharge / Supervisor / Officer.
- II. To immediately attend all emergency breakdowns and replacement works. All such repairing works are to be supervised and controlled by an experienced person / qualified Engineer.
- III. For major breakdowns and replacement/repairing of H.T, L.T Panels, Transformers & PFI involving additional manpower & material, the payment shall be considered separately on actual cost + 20% overhead / profit subject to prior approval & verification of State Life Site Incharge / Engineer. Please note that in case of minor replacement work, the actual cost of the components will be paid only. In case, SLIC provides the material, then additional charges will be paid @ 15%.

- IV. Incaseofmaximum/moreadditionalmanpowerforanymajorrepairing/replacement work the payment shall be made as per numbers of Labour supervisor, Engineer/ involved.

7. **ENGINEERVISIT**

Qualified Engineer will visit on half yearly basis in State Life Building - Rahim Yar Khan& check thoroughly all Electrical System & suggest replacing the defective component, improving the condition of Electrical System.

NOTE:No repairing/replacement charges will be paid for routine works to be carried out during duty hours.

8. **VARIATIONINCURRENCY& TAXES**

During period of contract no currency variation, taxes escalation or labour escalations or any additional escalations like Govt. contribution (like EOBI/PESSI etc.) shall not be claimed or entertained by State Life.

SEAL&SIGNATUREOFELECTRICALCONTRACT

FINANCIAL BID/BILL OF QUANTITY

TENDER NO. RE/03/ELECT./RYK/2026

MONTHLY CONTRACT CHARGES.

(All pre veiling Govt. Taxes & overhead profit considered to be including Bid amount.)

SLB-Rahim Yar Khan (Rs)	Total (Rs)

- **Monthly Contract amount.** Rs. _____
(SLB-Rahim Yar Khan)
- **Annual contract amount.** Rs. _____
(SLB-Rahim Yar Khan)

FOR RATE ONLY

1. Centrifuging And Dehydration Of Transformer
(Rates per KVA basis). Rs. _____
2. Supply And Refilling Of Tested And Dehydrated
Transformer Oil (per Liter). Rs. _____
3. Transformer Oil test charges (per test) Rs. _____
4. Cost of Silica Gel imported (Per KG). Rs. _____
5. Overtime (Supervisor) Fixed Per Hour Rs. 250/-
(On the discretion of RE)
6. Overtime (electrician) Fixed. Per Hour Rs. 200/-
(On the discretion of RE)
7. Overtime (Assistant Electrician) Fixed Per Hour Rs. 200/-
(On the discretion of RE)

NOTE:

- a. *Minimum Wages should not be less than as per directive of honorable Supreme Court of Pakistan, this policy must be implemented/ wages increase as per announced Govt. policy time to time.*
- b. *Minimum wages and other terms & conditions of employment of personnel engaged for the job shall not be less than fixed by the Government / law of land.*
- c. *The quoted rates should be inclusive of wages/salaries, EOBI, PESSI Insurance, Sales Tax on services, Income tax profits, overheads, miscellaneous charges, levies etc.*

SEAL & SIGNATURE OF ELECTRICAL CONTRACTOR / FIRM

**FINANCIAL BID DETAILED BIFURCATION
CONTRACT FOR OPERATION & MAINTENANCE OF ELECTRICAL WORKS AND SOLAR
SYSTEM INSTALLED AT STATE LIFE BUILDING-RAHIM YAR KHAN.
BILL OF QUANTITY**

TENDER NO. RE/03/ELECT./RYK/2026

Description		SLB- RahimYarKhan		
Total Staff Required		Qty.	Salary(Each)	Total Salary
Electrical Supervisor	01	01		
Electrician	01	01		
Asst. Electrician	01	01		
Total Staff	03	03		
Total Wages of Staff per Month			(Rs)	
Profit			(Rs)	
All Govt. Taxes, PST ,Income Tax etc.			(Rs)	
Total Bid price per Month			(Rs)	
Total Bid price for One Year			(Rs)	
Total Per Annum price (In Words.)(Rs)			(Rs)	

Note:-

- i. The quoted rates should be inclusive of wages/ salaries, EOB I, PESSI Insurance, Sales Tax on services, Income tax profits, overheads, miscellaneous charges, levies etc.
- ii. The contractor shall adhere to minimum wages/salaries and insurance. The contractor shall submit the certificate with the bill that all the staff deputed by the firm has been paid minimum wages and also the payments for their EOB I, PESSI and insurance are paid.

SEAL & SIGNATURE OF ELECTRICAL CONTRACTOR/FIRM

Tender For Operation & Maintenance of Electrical Works And Solar System Installed at State Life Building Rahim Yar Khan.

TENDER NO: RE/03/ELECT/RYK/2026

S. #	Description	Suggested Minimum wages/Salary per Lift Operator per month (Rs.) (Not less than as suggested below)	Add all prevailing and applicable taxes EOBI, PESSI, etc	Profit, overheads,	PST	Income tax	Total	Quantity	Grand Total per month= AxB
		A	B	C	D	E	F=A+B+C+D+E	G	FxG
1	Charges for Elect. Supervisor	42,000						1	
2	Charges of Electricians	40,000						2	
							TOTAL=	3	
	Total per month		=						
	Total Per Annum		=						

AT STATE LIFE BUILDING - RAHIM YAR KHAN.**LIST OF MAJOR EQUIPMENTS FOR MAINTENANCE**

Sr. #.	DESCRIPTION	TOTAL	
1.	630KVA transformer.	01No.	
2.	L.T. switches boards.	07Nos.	
3.	Power factor improvement plant.	01Nos.	
4.	Distribution boards (DB).	53Nos.	
5.	Emergency distribution boards (EDB).	14Nos.	
6.	Distribution board (DB(S).	01No.	
7.	DG set 100KVA.	02No.	
8.	L.T. switch boards.	07Nos.	
9.	Power factor improvement plant.	01Nos.	
10.	Sub main distribution on boards (SMB).	08Nos.	
11.	Solar System.	Complete System	
12.	Sub Meters.	Complete	-
13.	Lightening protection system.	Complete System	-
14.	Fire fighting & water pump panels.	Complete System	-
15.	All types of lighting fixtures, power points, light points & bell points.	Complete System	-
16.	Building electrification and external lights etc., complete in all respect.	Complete System	-
17.	Telephone points and in house telephone wiring of the building.	Complete System	-
18.	Fire alarm system.	Complete System	Annexure-E
19.	Any other related works as per requirement of Electric Inspector, Multan Region.	Job	-
20.	Auto Transfer Switch	02Nos.	

 SEAL&SIGNATURE OF ELECTRICAL CONTRACTOR/FIRM

ANNEXURE 'B'**MONTHLY MAINTENANCE SERVICE FOR THE MONTH OF L.T SWITCH GEAR:**

- i. Visual inspection check and record of readings of voltmeter & ammeter etc, (specimen enclosed R₁).

L.T-1		L.T-2		L.T -3		L.T-4	
V	A	V	A	V	A	V	A

- ii. Visual inspection and record monthly readings of KWH/MDI & KVARH meters.
(MDI/KWH _____) (KWH _____).
- iii. General cleaning of L.T Panels(exposed are a only). All precautionary measures will be adopted).

TRANSFORMER:

Sr.#.	Description	YES/NO	Remarks
i.	Checked Oil Level	Yes /No	
ii.	Visual inspection of breather of transformer and Silica Gel	Yes /No	
iii.	General Cleaning of Transformer excluding top plate. Safety measures to be taken for life and property.	Yes /No	
iv.	Noted Temperature Reading	C ⁰ C ⁰ C ⁰ C ⁰	
v.	Standby Transformer (Normal Temp)	T - C ⁰	
vi.	Checked Buckles Relay	Yeas/No	

L.TSWITCH BOARD:

- i. Visual inspection and check of volt meter, voltmeter selector switch, ammeter, ammeter selector switch. Relay of PFI Plant contactor, fuses & Capacitors. Readings on load to be recorded.

L.T-1		PF	L.T-2		PF	L.T-3		PF	L.T-4		PF
V	A	Cos	V	A	Cos	V	A	Cos	V	A	Cos

- ii. General checking of the internal and external parts of the L.T panels, emergency Panels PFI Panel etc. (Cleaning to be arranged for external sides).

MONTHLY MAINTENANCE SERVICE**GENERATOR SETS (100KVA):**

S#	Description	Yes/No	Remarks
i.	Operate for Testing and Supply failure.		
ii.	Check for engine Oil level.		
iii.	Clean pre-cleaner dustpans.		
iv.	Check air-cleaner.		
v.	Check coolant level		
vi.	Check for water level in the battery.		
vii.	Check Battery charging System		
viii.	Check for leaks of Radiator		
ix.	Record Oil pressure etc. (_____)		
x.	General cleaning of DG Set		
xi.	Check unusual vibrations/sound during operation		

FIRE ALARM SYSTEM (ANNEXURE -E):

i.	Checks of smoke detectors	Yes / No.	Faulty= Nos.								
ii.	Inspection of fire alarm panel <table> <tr> <td>i.</td><td>(Make <u>Gent</u>)</td><td></td><td></td></tr> <tr> <td>ii.</td><td>Noti fire</td><td>Yes / No.</td><td>Defective/ Normal</td></tr> </table>	i.	(Make <u>Gent</u>)			ii.	Noti fire	Yes / No.	Defective/ Normal		
i.	(Make <u>Gent</u>)										
ii.	Noti fire	Yes / No.	Defective/ Normal								
iii.	Checks of control system										
iv.	Testing of Bells										
v.	To cooperate with State Life fire Staff if exists in The Building for normal functioning.										

 SEAL & SIGNATURE OF ELECTRICAL CONTRACTOR/FIRM

HALF YEARLY /YEARLY MAINTENANCE SERVICE

Transformer

- i. General cleaning of transformer including HV bushing& LV bushing etc.
- ii. Check mechanism of off load tapping switch handle for its proper operations.
- iii. Check silica gel and replace if required.

L.T. Switch Board

- i. Cleaning of terminal contacts of voltmeter ,ammeter and selector switch.
 - ii. Check the tightness of connections at bus bars/circuit breakers.
 - iii. Check insulation resistance on bus bars.
 - iv. Check tightness at primary & secondary connections of CTS and continuity.
 - v. Check for tight connection sat ACB/MCB/Fuse switches.
 - vi. Check for cleanness of all contacts surfaces (terminal).
 - vii. Check for proper grounding connection sat L.T. Panel.
- vii. *Check of capacitors of PFI Plant contractor, fuse and relays (list to be made for damaged/ defective component.*

SEAL&SIGNATUREOFELECTRICALCONTRACTOR/FIRM

Generating Set (coordination of manufacture preferable):

- i. To carry out every service as per recommendation of manufacturer.
- ii. Change by pass filter.
- iii. Clean fuel tank breather.
- iv. Clean/change crankcase breather.
- v. Check air piping.
- vi. Clean both oil & air cleaner tray.
- vii. Clean/change air compressor breather/clean out.
- viii. Change water filter.
- ix. Check of leak exhaust drain condensates trap.
- x. Check battery charging system, battery electrolytes level and specific gravity.
- xi. Check in let and outlet restrictions winding and electrical connections.
- xii. Change engine oil if working hours exceed 250 hours.
- xiii. Change engine oil filter if working hours exceed 250 hours.
- xiv. Change fuel filter if working hours exceed 250 hours.
- xv. Check as per manufacturer's recommendations.

Fire Alarm System

Remarks

- i. Cleaning and testing of bells.
- ii. Testing of call points.
- iii. Cleaning and checking of smoke detectors.
- iv. Testing of fire alarm system.
- v. Check the fire panel controls.

Lightning Protection System

Check & cleaning lightning system/items with continuity of the entire system. Checking & Cleaning Of All Lightning Facilities.
Removing all malfunctioning of Electrical lights & allied system.

Earthling System

Earth resistance test of all earth pits with earth tester and continuity testing of connection of earth conductor earthing leads of the entire earthing systems in the building including sub-station equipment's.

SEAL & SIGNATURE OF ELECTRICAL CONTRACTOR/FIRM

ELECTRICALSTAFFREQUIRED
ATSTATELIFEBUILDING -RAHIMYARKHAN.

Working Days : 06(six) working days in a week
Off Day : Sunday & Gazetted Holidays.

SLB-RAHIMYARKHAN

General Shift	9:00 Hrs. to 17:00Hrs	Electrical Supervisor =01No.
	8:30Hrs.to17:30Hrs	Electrician =01No.
	8:30Hrs. to 17:30Hrs	Asst.Electrician =01No.

NOTE:

- i. The above duty timings may be changed / altered, by State Life Building Incharge as and when required. No any electrical staff is allowed to carry out private works of tenant, unless it is necessary to protect SLIC installed system.
- ii. Maintenance Contractor should adhere that the replacement of electrical staff should not be changed frequently.
- iii. All replacement of electrical staff must be approved by State Life (Real Estate) Rahim Yar Khan, prior to posting at site & they must have valid wireman and Supervisor licenses accordingly.
- iv. It will be responsibility of the Maintenance Contractor to check and arrange renewal of the licenses of the staff posted at State Life Building, Rahim Yar Khan during contract period every year.

SEAL&SIGNATUREOFELECTRICALCONTRACTOR/FIRM

**SPECIFICATION OF FIRE ALARM SYSTEM AT
STATE LIFE BUILDING-RAHIM YAR KHAN**

1.	Smoke detector Made by gents	120Nos.
2.	Heat detector Made by Gents model	057Nos.
3.	Bells	080Nos.
4.	Manual call points	080Nos.
5.	Fire Panel	01Nos.

SEAL&SIGNATUREOFELECTRICALCONTRACTOR/FIRM

1. GENERAL TERMS & CONDITIONS

- i. Tender are invited for Operation & Maintenance Contract of Electrical Works & Solar System installed at State Life Building Rahim Yar Khan.
- ii. Tender shall be submitted on E-PADS.
- iii. Tender documents (all papers) must be initiated to signify the acceptance of tender's conditions.
- iv. M/s. State Life Insurance Corporation of Pakistan reserves the right to accept / reject any or all, the lowest or others partly or completely without assigning any reason.
- v. Any conditional tender will not be accepted and liable or ejection.
- vi. Tender without Bid Security will be rejected.
- vii. State Life will not be responsible for any loss to life and will not accept any claim, liabilities or compensation whatsoever.

2. SIGNING OF CONTRACT AGREEMENT

- i. Upon acceptance of the tender the contractor shall execute an agreement with the State Life Insurance Corporation of Pakistan with stamp duty of appropriate value as assessed by inspector stamps containing, certain terms and conditions in the form prescribed by the State Life within 15 days from the acceptance of work order.
- ii. The contract shall be governed and interpreted in all respects in accordance with the Law of Pakistan.
- iii. After signing the contract, the contractor would arrange to get license from Electric Inspector Govt. of Punjab and must carry out liaisons with their office if needed.
- iv. In case of any dispute, Divisional Head (Real Estate) P.O., State Life is the final arbitrary authority to settle the matter and it will be liable to accept the decision by both parties. Whereas contractor shall be implied in any action commenced and further to enforce of any decree or order.

3. MODE OF PAYMENT

- i. *All staff will work for Six (06) days in a week. Sunday will be observed at weekly off. Un-authorize late coming & absences from the duty may be punished in term of deduction of wages.*
- ii. *All payments of bills will be made at Real Estate Office - Rahim Yar Khan for approved Staff only (for State Life Building- Rahim Yar Khan.). Monthly attendance sheet & report will be submitted to Real Estate - Rahim Yar Khan Office duly verified by respective Building Incharge.*
- iii. *The contractor is bound to arrange payment to the deputed staff on the fifth of every calendar month for this purpose he will submit his bill along with monthly report & attendance sheet the last date of every month.*
- iv. *The Contractor may inform Real Estate (Principal Office) for receiving late payments from Rahim Yar Khan (Real Estate) Office.*
- v. *Failure to make the payment up to end of second week of current month, State Life may pay all such amount to contractor staff and same payments would be deducted from the monthly bill of the contractor. If the contractor is late in making payment to his workers for any two consecutive months, the employer's representative may terminate of this contract for remaining period by giving a notice of one month.*

4. TERMINATION

The employer shall have the right to terminate the contract wholly or partly by giving a notice of 30 days to the contractor.

OR

The contractor fail to fulfill his obligations regarding payment of salaries to his worker / staff as mentioned in clause 3 (iii, iv & v) above.

SEAL & SIGNATURE OF ELECTRICAL CONTRACTOR / FIRM

APPENDIX

SPECIAL CONDITIONS

OPERATION&MAINTENANCECONTRACTOFELECTRICALWORKS ANDSOLAR SYSTEM INSTALLED ATSTATE LIFEBUILDING-RAHIM YAR KHAN.

1.	Amount of Bid Security (pay order) to be submitted with tender.	<u>Rs. 75000/-</u> -(Rupees Seventy Five Thousands only) in shape of pay order in favor of <i>State Life Insurance Corporation of Pakistan.</i>
2.	Date and time of opening of Tender	a. Closing time for Submission of bid one-pads is <u>19-10-2026</u> at <u>11:00A.M.</u> b. Opening of bid on-Epads <u>19-10-2026</u> at <u>11:30 A.M.</u>
3.	Release of Bid Security.	I. Shall be released to unsuccessful bidders on acceptance of the lowest bid. ii. To the lowest bidder, on submission of performance Bond.
4.	Bid Security For feature	I. If the bid is withdrawn after opening. II. If the bidder does not accept letter of award or refuse to enter in contract.
5.	Bid Validity	One Hundred Twenty(120)days (Extend able as Per PPRA Rules).
6.	Method of Procurement	Single stage Two envelope as per PPRA Rules.
7.	Period of contract	One year
8.	Method of payment	On monthly basis on submission of bill, monthly report and attendance sheet duly verified by respective building In charges. Submit to Rahim Yar Khan Real Estate Office.
9.	Deduction of retention money.	05% of verified bill amount will be deducted From monthly bill.
10.	Release of retention money.	After the satisfactory completion of contract.
11.	Termination of contract	Non-fulfillment/compliance of any clause of tender.
12.	Performance Bond	02% of total contract amount from scheduled bank of Pakistan. Performance bond shall be released after successful completion of contract Period

SEAL&SIGNATUREOFELECTRICALCONTRACTOR/FIRM

