```
Modality 1 - Thermal
Non Falls - 48, Falls - 173

Modality 2 - IP
Non Falls - 48, Falls - 173

Train Dataloader - 48
Test Dataloader - 173

Device Used - cuda

Model Used - MultiModal_3DCAE
Key Frame Extraction - False
Feature Extraction - True
Background Subtraction - True
Background Subtraction Algorithm - GMG
Data Augmentation - False
Spatial Temporal Loss - False

Frame rate adjusted dataset - True
Synchronise Video - True
Video length adjustment method - Not Applicable

Window Length = 8
Stride = 1
Fair Comparison = True
Dropout = 0.25
Learning Rate = 0.0002
Num Epochs = 20
Chunk Size = 64
Forward Chunk Size = 8
Loss Fn = MSELoss()

Training has Begun
epoch [1/20], loss:0.0061
epoch [2/20], loss:0.0029
epoch [3/20], loss:0.0014
epoch [4/20], loss:0.0006
epoch [5/20], loss:0.0003
epoch [6/20], loss:0.0002
epoch [7/20], loss:0.0001
epoch [8/20], loss:0.0001
epoch [9/20], loss:0.0000
epoch [10/20], loss:0.0000
epoch [11/20], loss:0.0000
epoch [12/20], loss:0.0000
epoch [13/20], loss:0.0000
epoch [14/20], loss:0.0000
epoch [15/20], loss:0.0000
epoch [16/20], loss:0.0000
epoch [17/20], loss:0.0000
epoch [18/20], loss:0.0000
epoch [19/20], loss:0.0000
epoch [20/20], loss:0.0000
Training has Completed

Forward pass occuring
Forward pass completed
```

```
MultiModal_Thermal_T3_IP_T_2024-04-18-01-42-36

---------------------------------
STD Global Classification Results
TPR 0.881, FPR 0.216, Precision 0.045, Recall 0.881
tn 100030, fp 27497, fn 173, tp 1285
std_AUROC  0.908
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.922, FPR 0.230, Precision 0.044, Recall 0.922
tn 98239, fp 29288, fn 114, tp 1344
mean_AUROC 0.899
---------------------------------
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
---------------------------------
STD Global Classification Results
TPR 0.865, FPR 0.185, Precision 0.050, Recall 0.865
tn 103895, fp 23642, fn 195, tp 1253
std_AUROC  0.905
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.923, FPR 0.327, Precision 0.031, Recall 0.923
tn 85881, fp 41656, fn 111, tp 1337
mean_AUROC 0.853
---------------------------------
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:1132: UndefinedMetricWarning: No positive samples in y_true, true positive value should
be meaningless
  warnings.warn(
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:979: UserWarning: No positive class found in y_true, recall is set to one for all thres
holds.
  warnings.warn(
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:1132: UndefinedMetricWarning: No positive samples in y_true, true positive value should
be meaningless
  warnings.warn(
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:979: UserWarning: No positive class found in y_true, recall is set to one for all thres
holds.
  warnings.warn(
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```

```
---------------------------------
STD Global Classification Results
TPR 0.866, FPR 0.168, Precision 0.056, Recall 0.866
tn 106133, fp 21394, fn 196, tp 1262
std_AUROC  0.922
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.912, FPR 0.249, Precision 0.040, Recall 0.912
tn 95808, fp 31719, fn 128, tp 1330
mean_AUROC 0.891
---------------------------------
```

```
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```

()




Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0113)
AUPR curve (area = 0.0851)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.8990)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0113)
AUPR curve (area = 0.0617)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for STD of Reconstruction Error
ROC curve (area = 0.9049)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0112)
AUPR curve (area = 0.0840)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.8535)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0112)
AUPR curve (area = 0.0465)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for STD of Reconstruction Error
ROC curve (area = 0.9216)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0113)
AUPR curve (area = 0.1131)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.8911)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0113)
AUPR curve (area = 0.0590)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0