```
Test Dataloader - 173
Device Used - cuda
Model Used - Base_3DCAE_2
Feature Extraction - True
Background Subtraction - True
Background Subtraction Algorithm - GMG
Data Augmentation - False
Spatial Temporal Loss - True
w1 - 1, w2 - 1e-05
Window Length = 8
Stride = 1
Fair Comparison = True
Dropout = 0.25
Learning Rate = 0.0002
Num Epochs = 20
Chunk Size = 64
Forward Chunk = 8
Forward Chunk Size = 8
Loss Fn = L1Loss()
Training has Begun
epoch [1/20], loss:0.6054
epoch [2/20], loss:0.6044
epoch [3/20], loss:0.6032
epoch [4/20], loss:0.6029
epoch [5/20], loss:0.6028
epoch [6/20], loss:0.6026
epoch [7/20], loss:0.6025
epoch [8/20], loss:0.6023
epoch [9/20], loss:0.6022
epoch [10/20], loss:0.6021
epoch [11/20], loss:0.6020
epoch [12/20], loss:0.6020
epoch [13/20], loss:0.6019
epoch [14/20], loss:0.6020
epoch [15/20], loss:0.6020
epoch [16/20], loss:0.6019
epoch [17/20], loss:0.6019
epoch [18/20], loss:0.6019
epoch [19/20], loss:0.6018
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\npyio.py:528: V
isibleDeprecationWarning: Creating an ndarray from ragged nested sequences (which is a lis
t-or-tuple of lists-or-tuples-or ndarrays with different lengths or shapes) is deprecated.
If you meant to do this, you must specify 'dtype=object' when creating the ndarray.
```

Train Dataloader - 48

arr = np.asanyarray(arr)

epoch [20/20], loss:0.6018
Training has Completed

Forward pass occuring Forward pass completed

Thermal_T3_2024-03-20-17-50-57

STD Global Classification Results
TPR 0.812, FPR 0.172, Precision 0.071, Recall 0.812
tn 54955, fp 11434, fn 201, tp 871
std_AUROC 0.856

- ---

Mean Global Classification Results TPR 0.816, FPR 0.214, Precision 0.058, Recall 0.816 tn 52166, fp 14223, fn 197, tp 875 mean_AUROC 0.841

d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice

final_performance_mean = np.nanmean(video_metrics, axis=0) # get the mean performance a
cross all videos

c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.

var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,

Receiver Operating Characteristic for STD of Reconstruction Error









