```
Modality 1 - Thermal
Non Falls - 48, Falls - 173

Modality 2 - IP
Non Falls - 48, Falls - 173

Train Dataloader - 48
Test Dataloader - 173

Device Used - cuda

Model Used - MultiModal_3DCAE
Key Frame Extraction - False
Feature Extraction - False
Data Augmentation - False
Spatial Temporal Loss - False

Frame rate adjusted dataset - True
Synchronise Video - False
Video length adjustment method - Pad Minimum

Window Length = 8
Stride = 1
Fair Comparison = True
Dropout = 0.25
Learning Rate = 0.0002
Num Epochs = 20
Chunk Size = 64
Forward Chunk Size = 8
Loss Fn = MSELoss()

Training has Begun
epoch [1/20], loss:0.0053
epoch [2/20], loss:0.0036
epoch [3/20], loss:0.0029
epoch [4/20], loss:0.0026
epoch [5/20], loss:0.0025
epoch [6/20], loss:0.0024
epoch [7/20], loss:0.0023
epoch [8/20], loss:0.0022
epoch [9/20], loss:0.0022
epoch [10/20], loss:0.0021
epoch [11/20], loss:0.0021
epoch [12/20], loss:0.0021
epoch [13/20], loss:0.0020
epoch [14/20], loss:0.0021
epoch [15/20], loss:0.0020
epoch [16/20], loss:0.0020
epoch [17/20], loss:0.0019
epoch [18/20], loss:0.0020
epoch [19/20], loss:0.0019
epoch [20/20], loss:0.0019
Training has Completed

Forward pass occuring
Forward pass completed

MultiModal_Thermal_T3_IP_T_2024-04-18-12-52-05
```

```
---------------------------------
STD Global Classification Results
TPR 0.908, FPR 0.482, Precision 0.023, Recall 0.908
tn 96896, fp 90273, fn 219, tp 2155
std_AUROC  0.758
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.747, FPR 0.282, Precision 0.033, Recall 0.747
tn 134433, fp 52736, fn 601, tp 1773
mean_AUROC 0.796
---------------------------------
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
---------------------------------
STD Global Classification Results
TPR 0.868, FPR 0.262, Precision 0.027, Recall 0.868
tn 138698, fp 49242, fn 211, tp 1392
std_AUROC  0.885
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.904, FPR 0.227, Precision 0.033, Recall 0.904
tn 145291, fp 42649, fn 154, tp 1449
mean_AUROC 0.896
---------------------------------
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:1132: UndefinedMetricWarning: No positive samples in y_true, true positive value should
be meaningless
  warnings.warn(
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:979: UserWarning: No positive class found in y_true, recall is set to one for all thres
holds.
  warnings.warn(
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:1132: UndefinedMetricWarning: No positive samples in y_true, true positive value should
be meaningless
  warnings.warn(
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.
py:979: UserWarning: No positive class found in y_true, recall is set to one for all thres
holds.
  warnings.warn(
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```

```
---------------------------------
STD Global Classification Results
TPR 0.833, FPR 0.419, Precision 0.025, Recall 0.833
tn 108708, fp 78461, fn 396, tp 1978
std_AUROC  0.744
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.721, FPR 0.339, Precision 0.026, Recall 0.721
tn 123703, fp 63466, fn 663, tp 1711
mean_AUROC 0.753
---------------------------------
```

```
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```

()




Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0125)
AUPR curve (area = 0.0334)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.7964)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0125)
AUPR curve (area = 0.0492)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for STD of Reconstruction Error
ROC curve (area = 0.8852)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0085)
AUPR curve (area = 0.0593)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.8963)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0085)
AUPR curve (area = 0.0492)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for STD of Reconstruction Error
ROC curve (area = 0.7440)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0125)
AUPR curve (area = 0.0292)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.7528)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0125)
AUPR curve (area = 0.0377)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0