

Train Dataloader - 176

Test Dataloader - 45

Device Used - cuda

Model Used - CNN_3D

Key Frame Extraction - True

Key Frame Extraction Algorithm - BG_Subtraction

Feature Extraction - True

Background Subtraction - True

Background Subtraction Algorithm - GMG

Data Augmentation - False

Spatial Temporal Loss - False

Frame rate adjusted dataset - False

Window Length = 8

Stride = 1

Fair Comparison = True

Dropout = 0.25

Learning Rate = 0.0002

Num Epochs = 20

Chunk Size = 64

Forward Chunk Size = 8

Loss Fn = BCELoss()

Training has Begun

epoch [1/20], loss:0.1607

epoch [2/20], loss:0.1266

epoch [3/20], loss:0.1130

epoch [4/20], loss:0.1182

epoch [5/20], loss:0.1193

epoch [6/20], loss:0.1186

epoch [7/20], loss:0.1134

epoch [8/20], loss:0.1174

epoch [9/20], loss:0.1174

epoch [10/20], loss:0.1176

epoch [11/20], loss:0.1170

epoch [12/20], loss:0.1168

epoch [13/20], loss:0.1166

epoch [14/20], loss:0.1123

epoch [15/20], loss:0.1112

epoch [16/20], loss:0.1172

epoch [17/20], loss:0.1111

epoch [18/20], loss:0.1152

epoch [19/20], loss:0.1159

epoch [20/20], loss:0.1168

Training has Completed

Forward pass occurring

Forward pass completed

IP_T_2024-04-26-22-02-42

STD Global Classification Results

TPR 1.000, FPR 0.000, Precision 1.000, Recall 1.000

tn 5525, fp 0, fn 0, tp 796

std_AUROC 1.000

Mean Global Classification Results

TPR 0.915, FPR 0.000, Precision 1.000, Recall 0.915

tn 5525, fp 0, fn 68, tp 728

mean_AUROC 0.957

```
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metrics\_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless
```



```
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.
```

```
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.
```

```
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.
```



```
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No positive samples in y_true,  
true positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:979: UserWarning: No positive class found in y_true, recall i  
s set to one for all thresholds.  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless  
    warnings.warn(  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr  
ics_ranking.py:1123: UndefinedMetricWarning: No negative samples in y_true,  
false positive value should be meaningless
```

```
warnings.warn(  
d:\FYP-Human-Fall-Detection\Code\functions.py:302: RuntimeWarning: Mean of em  
pty slice  
final_performance_mean = np.nanmean(video_metrics, axis=0) # get the mean  
performance across all videos  
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\na  
nfunctions.py:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.  
var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```





