```
Train Dataloader - 48
Test Dataloader - 173

Device Used - cuda

Model Used - Base_3DCAE
Feature Extraction - True
Background Subtraction - True
Background Subtraction Algorithm - GMG
Data Augmentation - False
Spatial Temporal Loss - False

Frame rate adjusted dataset - True

Window Length = 8
Stride = 1
Fair Comparison = True
Dropout = 0.25
Learning Rate = 0.0002
Num Epochs = 20
Chunk Size = 64
Forward Chunk Size = 8
Loss Fn = L1Loss()

Training has Begun
epoch [1/20], loss:0.0001
epoch [2/20], loss:0.0001
epoch [3/20], loss:0.0001
epoch [4/20], loss:0.0001
epoch [5/20], loss:0.0000
epoch [6/20], loss:0.0000
epoch [7/20], loss:0.0001
epoch [8/20], loss:0.0001
epoch [9/20], loss:0.0001
epoch [10/20], loss:0.0001
epoch [11/20], loss:0.0001
epoch [12/20], loss:0.0001
epoch [13/20], loss:0.0001
epoch [14/20], loss:0.0001
epoch [15/20], loss:0.0001
epoch [16/20], loss:0.0001
epoch [17/20], loss:0.0001
epoch [18/20], loss:0.0001
epoch [19/20], loss:0.0001
epoch [20/20], loss:0.0001
Training has Completed

Forward pass occuring
Forward pass completed

ONI_IR_T_2024-04-04-01-54-54

---------------------------------
STD Global Classification Results
TPR 0.890, FPR 0.170, Precision 0.044, Recall 0.890
tn 219930, fp 44908, fn 257, tp 2083
std_AUROC  0.914
---------------------------------
---------------------------------
```

```
Mean Global Classification Results
TPR 0.900, FPR 0.180, Precision 0.042, Recall 0.900
tn 217156, fp 47682, fn 234, tp 2106
mean_AUROC 0.912
---------------------------------
```

```
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```




Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0088)
AUPR curve (area = 0.0617)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.9117)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0088)
AUPR curve (area = 0.0603)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0