```
Train Dataloader - 58
Test Dataloader - 182

Device Used - cuda

Model Used - Base_3DCAE_2
Feature Extraction - False
Data Augmentation - False
Spatial Temporal Loss - False

Window Length = 8
Stride = 1
Fair Comparison = True
Dropout = 0.25
Learning Rate = 0.0002
Num Epochs = 20
Chunk Size = 64
Forward Chunk Size = 8
Loss Fn = MSELoss()

Training has Begun
epoch [1/20], loss:0.0004
epoch [2/20], loss:0.0003
epoch [3/20], loss:0.0003
epoch [4/20], loss:0.0003
epoch [5/20], loss:0.0003
epoch [6/20], loss:0.0003
epoch [7/20], loss:0.0003
epoch [8/20], loss:0.0003
epoch [9/20], loss:0.0003
epoch [10/20], loss:0.0002
epoch [11/20], loss:0.0002
epoch [12/20], loss:0.0002
epoch [13/20], loss:0.0002
epoch [14/20], loss:0.0002
epoch [15/20], loss:0.0002
epoch [16/20], loss:0.0002
epoch [17/20], loss:0.0002
epoch [18/20], loss:0.0002
epoch [19/20], loss:0.0002
epoch [20/20], loss:0.0002
Training has Completed

Forward pass occuring
Forward pass completed

ONI_IR_T_2024-03-25-12-15-33

-----------------------------------
STD Global Classification Results
TPR 0.878, FPR 0.313, Precision 0.026, Recall 0.878
tn 476738, fp 216861, fn 803, tp 5798
std_AUROC  0.848
-----------------------------------
-----------------------------------
Mean Global Classification Results
TPR 0.893, FPR 0.252, Precision 0.033, Recall 0.893
tn 519059, fp 174540, fn 708, tp 5893
```

```
mean_AUROC 0.889
---------------------------------
```

```
d:\Abdul Rasheed NITT\Academics\Eigth Semester\FYP\Implementation\FallDetection\Code\funct
ions.py:250: RuntimeWarning: Mean of empty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean performance a
cross all videos
c:\Users\abdul\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\nanfunctions.p
y:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,
```




Precision Recall Curve for STD of Reconstruction Error
No Skill (area = 0.0094)
AUPR curve (area = 0.0481)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
ROC curve (area = 0.8892)
True Positive Rate
False Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
No Skill (area = 0.0094)
AUPR curve (area = 0.0732)
Precision
Recall
0.200
0.175
0.150
0.125
0.100
0.075
0.050
0.025
0.000
0.0
0.2
0.4
0.6
0.8
1.0