```
Modality 1 - Thermal
Non Falls - 48, Falls - 173

Modality 2 - IP
Non Falls - 48, Falls - 173

Train Dataloader - 48
Test Dataloader - 173

Device Used - cuda

Model Used - EarlySubtraction_3DCAE
Key Frame Extraction - False
Feature Extraction - True
Background Subtraction - True
Background Subtraction Algorithm - GMG
Data Augmentation - False
Spatial Temporal Loss - False

Frame rate adjusted dataset - True
Synchronise Video - True
Video length adjustment method - Not Applicable

Window Length = 8
Stride = 1
Fair Comparison = True
Dropout = 0.25
Learning Rate = 0.0002
Num Epochs = 20
Chunk Size = 64
Forward Chunk Size = 8
Loss Fn = SmoothL1Loss()

Training has Begun
epoch [1/20], loss:0.0000
epoch [2/20], loss:0.0000
epoch [3/20], loss:0.0000
epoch [4/20], loss:0.0000
epoch [5/20], loss:0.0000
epoch [6/20], loss:0.0000
epoch [7/20], loss:0.0000
epoch [8/20], loss:0.0000
epoch [9/20], loss:0.0000
epoch [10/20], loss:0.0000
epoch [11/20], loss:0.0000
epoch [12/20], loss:0.0000
epoch [13/20], loss:0.0000
epoch [14/20], loss:0.0000
epoch [15/20], loss:0.0000
epoch [16/20], loss:0.0000
epoch [17/20], loss:0.0000
epoch [18/20], loss:0.0000
epoch [19/20], loss:0.0000
epoch [20/20], loss:0.0000
Training has Completed
```

```
Forward pass occuring
Forward pass completed

MultiModal_Thermal_T3_IP_T_2024-04-23-18-34-55

---------------------------------
STD Global Classification Results
TPR 0.885, FPR 0.220, Precision 0.044, Recall 0.885
tn 99469, fp 28058, fn 167, tp 1291
std_AUROC  0.906
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.866, FPR 0.193, Precision 0.049, Recall 0.866
tn 102907, fp 24620, fn 196, tp 1262
mean_AUROC 0.915
---------------------------------

d:\FYP-Human-Fall-Detection\Code\functions.py:250: RuntimeWarning: Mean of em
pty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean
performance across all videos
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\na
nfunctions.py:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,

---------------------------------
STD Global Classification Results
TPR 0.867, FPR 0.187, Precision 0.050, Recall 0.867
tn 103652, fp 23885, fn 193, tp 1255
std_AUROC  0.905
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.886, FPR 0.213, Precision 0.045, Recall 0.886
tn 100349, fp 27188, fn 165, tp 1283
mean_AUROC 0.913
---------------------------------
```

```
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr
ics\_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,
true positive value should be meaningless
  warnings.warn(
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr
ics\_ranking.py:979: UserWarning: No positive class found in y_true, recall i
s set to one for all thresholds.
  warnings.warn(
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr
ics\_ranking.py:1132: UndefinedMetricWarning: No positive samples in y_true,
true positive value should be meaningless
  warnings.warn(
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\sklearn\metr
ics\_ranking.py:979: UserWarning: No positive class found in y_true, recall i
s set to one for all thresholds.
  warnings.warn(
d:\FYP-Human-Fall-Detection\Code\functions.py:250: RuntimeWarning: Mean of em
pty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean
performance across all videos
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\na
nfunctions.py:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,

---------------------------------
STD Global Classification Results
TPR 0.866, FPR 0.168, Precision 0.056, Recall 0.866
tn 106086, fp 21441, fn 196, tp 1262
std_AUROC  0.921
---------------------------------
---------------------------------
Mean Global Classification Results
TPR 0.852, FPR 0.158, Precision 0.058, Recall 0.852
tn 107338, fp 20189, fn 216, tp 1242
mean_AUROC 0.926
---------------------------------

d:\FYP-Human-Fall-Detection\Code\functions.py:250: RuntimeWarning: Mean of em
pty slice
  final_performance_mean = np.nanmean(video_metrics, axis=0)  # get the mean
performance across all videos
c:\Users\sindh\anaconda3\envs\fyp_base_paper_2\lib\site-packages\numpy\lib\na
nfunctions.py:1670: RuntimeWarning: Degrees of freedom <= 0 for slice.
  var = nanvar(a, axis=axis, dtype=dtype, out=out, ddof=ddof,

()
```


Receiver Operating Characteristic for STD of Reconstruction Error
True Positive Rate
False Positive Rate
ROC curve (area = 0.9058)
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
Precision
Recall
No Skill (area = 0.0113)
AUPR curve (area = 0.0848)
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
True Positive Rate
False Positive Rate
ROC curve (area = 0.9145)
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
Precision
Recall
No Skill (area = 0.0113)
AUPR curve (area = 0.1206)
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for STD of Reconstruction Error
True Positive Rate
False Positive Rate
ROC curve (area = 0.9051)
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
Precision
Recall
No Skill (area = 0.0112)
AUPR curve (area = 0.0840)
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
True Positive Rate
False Positive Rate
ROC curve (area = 0.9134)
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
Precision
Recall
No Skill (area = 0.0112)
AUPR curve (area = 0.1524)
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for STD of Reconstruction Error
True Positive Rate
False Positive Rate
ROC curve (area = 0.9213)
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for STD of Reconstruction Error
Precision
Recall
No Skill (area = 0.0113)
AUPR curve (area = 0.1131)
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
0.0
0.2
0.4
0.6
0.8
1.0


Receiver Operating Characteristic for Mean of Reconstruction Error
True Positive Rate
False Positive Rate
ROC curve (area = 0.9256)
0.0
0.2
0.4
0.6
0.8
1.0


Precision Recall Curve for Mean of Reconstruction Error
Precision
Recall
No Skill (area = 0.0113)
AUPR curve (area = 0.1538)
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
0.0
0.2
0.4
0.6
0.8
1.0