

Milestone 3 Documentation

Jun 16, 2025 at 8:08AM

Product Routes

GET /products/all

JSON Encoded Request Object

```
user_auth_token: String
```

Return (Standard JSON Return Response [SJRR])

```
// Success
status: "OK"
response: {
  products: [
    {
      ...<Full product object>...
    }
  ]
}
// Fail
status: "FAIL"
response: "Unable to return results <reason>"
```

Rate Limit: Yes

Auth Required: Yes/Super Admin only

Overview

Returns all Products currently available in the PERSEC database

GET /admin/products

Auth Required: Yes/Super Admin only

Overview

Render admin based view to manage products. Should be a simple table view with basic actions such

as editing, deletion, and creation

POST /admin/products/create

JSON Encoded Request Object

```
product_title: string
product_description: string
product_link: string, URL
```

Return (JSRR)

```
// Success
status: "OK"
response: "Product Created"
// Fail
status: "FAIL"
message: "Unable to create product due to <Reason>
```

Rate Limit: Yes

Auth Required: Yes/Super Admin only

Overview

Allows a super user to create a new product.

POST /admin/products/update

JSON Encoded Request Object

```
product_id: string, id of product being updated
product_title: string
product_description: string
product_link: string, URL
```

Return (JSRR)

```
// Success
status: "OK"
response: "Product Updated"
// Fail
status: "FAIL"
```

```
message: "Unable to update product due to <Reason>
```

Rate Limit: Yes

Auth Required: Yes/Super Admin only

Overview

Allows a super user to update a new product.

Services Routes

GET /services/{category}

JSON Encoded Request Object

```
user_lat: double
user_long: double
```

Return (Standard JSON Return Response [SJRR])

```
// Success
status: "OK"
response: {
  services: [
    {
      service_title: string
      service_review_rating: string
      service_link: string (optional)
    }
  ]
}
// Fail
status: "FAIL"
response: "Unable to return results <reason>"
```

Rate Limit: Yes

Auth Required: Yes

Overview

Returns all available services for a give category and current user location provided in the request body. Should use the [Google Places API](#) to request place information. Should attempt to cache responses from Google's API to help reduce API requests for multiple users

LMS Routes

GET /lms/classes/all

Return (Standard JSON Return Response [SJRR])

```
// Success
status: "OK"
response: {
  classes: [
    {
      ...<Full classes object>...
    }
  ]
}
// Fail
status: "FAIL"
response: "Unable to return results <reason>"
```

Rate Limit: Yes

Auth Required: Yes

Overview

Returns all LMS classes currently available in the PERSEC database

GET /admin/lms

Auth Required: Yes/Super Admin only

Overview

Render admin based view to manage LMS classes. Should be a simple table view with basic actions such as editing, deletion, and creation

POST /admin/lms/class/create

JSON Encoded Request Object

```
class_title: string
class_content_md: string, markdown version of the class
class_content_assets: array, all files needing to be uploaded for the class
```

Return (JSRR)

```
// Success
status: "OK"
response: "Class Created"
// Fail
status: "FAIL"
message: "Unable to create class due to <Reason>
```

Rate Limit: Yes

Auth Required: Yes/Super Admin only

Overview

Allows a super user to create a new class. Class content is provided via Markdown text, and images supplied should be uploaded to a publicly accessible folder for clients to render to the user.

POST /admin/lms/class/update

JSON Encoded Request Object

```
class_id: string, id of class being updated
class_title: string
class_content_md: string, markdown version of the class
class_content_assets: array, all files needing to be uploaded for the class
```

Return (JSRR)

```
// Success
status: "OK"
response: "Class Updated"
```

```
// Fail  
status: "FAIL"  
message: "Unable to create class due to <Reason>"
```

Rate Limit: Yes

Auth Required: Yes/Super Admin only

Overview

Allows a super user to update a new class.