DeepFake Detection in Real-World Communication

1st Abdulaziz Ali
Computer Science (of Aff.))
University of Kansas (of Aff.)
Lawerence, KS, USA
abdulaziz.ali@ku.edu

2nd Kemar Wilson
Computer Science (of Aff.)
University of Kansas (of Aff.)
Lawerence, KS, USA
kem.wilson@ku.edu

3rd Farrell Joswara
Computer Science (of Aff.)
University of Kansas (of Aff.)
Lawerence, KS, USA
farrelljoswara@ku.edu

***Abstract*—The emergence of DeepFake audio technology has introduced new challenges in digital media authenticity, enabling the creation of highly realistic but entirely fabricated voice recordings. This paper explores the significance of DeepFake audio detection, highlighting its crucial role in preventing misinformation, fraud, and identity theft. We review current detection techniques, including machine learning models, signal processing, and spectral analysis, while also addressing their respective strengths and limitations. The paper identifies key challenges in DeepFake audio detection, such as the rapid advancement of audio forgery methods and the ethical implications of detection tools. Looking forward, we discuss future directions, including the development of AI-based approaches, cross-modal detection techniques, and real-time detection systems. We advocate for collaborative efforts among industry, government, and academia to establish robust detection frameworks that can effectively counter the evolving threat of DeepFake audio. Through this examination, we aim to contribute to the ongoing discourse on maintaining the integrity of digital communications in the face of increasingly sophisticated audio manipulation technologies.**

***Index Terms*—deepfake, audio, detection, dataset**

I. Introduction

DeepFake audio technology has emerged as a powerful tool that, while innovative, poses significant risks to digital communication integrity. As methods of audio forgery become more advanced, the threat of misinformation, fraud, and identity theft grows. In this paper, we examine the importance of detecting DeepFake audio and outline key detection strategies, ethical considerations, and future developments in combating this threat.

II. DEEPFAKE AUDIO DETECTION CHALLENGES

Detecting DeepFake audio in real-world scenarios presents several challenges:

- **Rapid Evolution of Forgery Techniques:** DeepFake audio generation methods are evolving rapidly, outpacing detection technologies. New algorithms can create hyper-realistic voice manipulations, making detection more difficult.
- **Data Availability and Quality:** Access to comprehensive and diverse datasets is essential for training accurate detection models. However, the availability of high-quality DeepFake audio datasets remains limited.

KU Institute for Information Science (I2S), Midwest Viceroy Institute (MVI)

- **Ethical Implications:** The deployment of detection technologies raises ethical concerns, particularly related to privacy and potential misuse of detection systems for surveillance purposes.

III. CURRENT DETECTION TECHNIQUES

DeepFake audio detection leverages a range of techniques, each with unique strengths and limitations:

- **Machine Learning-Based Approaches:** Machine learning models have shown promise in identifying audio forgeries by analyzing patterns that are difficult for human ears to detect. These include convolutional neural networks (CNNs) and recurrent neural networks (RNNs), which can process and classify audio signals efficiently.
- **Signal Processing and Spectral Analysis:** Signal processing techniques analyze the spectral characteristics of audio recordings to distinguish authentic voices from DeepFake ones. These methods rely on examining voice frequency patterns, pitch, and other acoustic features.
- **Cross-Modal Detection:** Combining audio analysis with other modalities, such as video or text, offers a more robust detection framework. Cross-modal detection approaches exploit the inconsistencies between voice and visual cues in multimedia content.

IV. METHODOLOGY AND EXPERIMENTATION

In this section, we outline the steps we took to conduct our DeepFake audio detection experiments. We employed two primary datasets: **ASVspoof** and **Fake or Real (FoR)**. Our methodology involved several phases, including data preprocessing, model training, and performance evaluation using various machine learning techniques. Below, we describe each of these stages in detail.

A. Datasets

- **ASVspoof Dataset:** The **ASVspoof** dataset, a widely used resource for automatic speaker verification spoofing detection, contains both genuine and spoofed audio samples. These samples are labeled according to whether they are authentic or generated through spoofing techniques such as voice conversion (VC) or text-to-speech (TTS). The dataset provided us with a rich variety of audio manipulations for training and testing our detection models.

- **Fake or Real (FoR) Dataset:** The **Fake or Real (FoR)** dataset is another significant collection of audio samples. It includes recordings from real individuals as well as synthetic voices created using DeepFake technologies. This dataset is designed to reflect more diverse and challenging real-world scenarios of DeepFake usage, making it particularly useful for evaluating our system's robustness.
- **DeepFake Detection in Real-World Compliment Dataset (DDRCD): DDRCD** is a dataset created by us in order to compliment bigger datasets such as ASVspoof and Fake or Real (FoR). Although these datasets give a lot of verity they lack a certain level of believably in the Deepfakes. This dataset is not meant to replace these datasets but rather enhance and build on top of them. **DDRCD** is also a great dataset for testing the efficacy of a detection model.

B. Preprocessing

Prior to feeding the datasets into our detection models, we performed the following prepossessing steps:

- **Feature Extraction:** We extracted Mel-frequency cepstral coefficients (MFCCs) from the audio samples, as these are commonly used to represent the short-term power spectrum of sound. MFCCs help in identifying differences in spectral characteristics between genuine and fake audio.
- **Data Normalization:** All audio data was normalized to ensure uniform amplitude levels, improving the reliability of model training. This step is crucial when working with multiple datasets to prevent bias due to varying recording conditions.

C. Detection Models

We originally planed to experiment with multiple machine learning models to classify audio samples as real or fake, but due to time constrains were only able to experiment with Convolutional Neural Networks.

- **Convolutional Neural Networks (CNNs):** CNNs were employed to learn spatial hierarchies in the audio data. By feeding the extracted MFCCs into the network, the CNN was able to capture intricate patterns and anomalies that distinguish fake audio from genuine recordings.

D. Challenges with ASVSpoof dataset

One road block we ran into which preparing ASVspoof dataset is that there is far more spoofed data than there is real. This imbalance in the dataset can create a model bias in which the model would be bias to the majority class. To solve this problem we decided over-sample/under-sample ASVspoof dataset. Over-sampling is the process increase the number of samples of the minority class, where as under-sampling reduces the number for samples from the majority class. This resulted in us training two models on the ASVspoof dataset.

E. Experiment Results

The models were evaluated using common performance metrics such as accuracy, precision, and recall. Below are the results from our experiments:

TABLE I
MODEL EVALUATIONS

Model	Accuracy	Precision	Recall
Under-sampled	84.4%	91.5%	75.6%
Over-sampled	99.6%	99.9%	99.4%
FoR	63.8%	1%	29.36%

TABLE II
MODEL PERFORMANCE ON FOR DATASET

Model	Accuracy	Precision	Recall
Under-sampled	45.1%	36%	9.2%
Over-sampled	59.84%	63.1%	51.7%

TABLE III
MODEL PERFORMANCE ON DDRCD

Model	Accuracy	Precision	Recall
Under-sampled	27.27%	15.99%	12.9%
Over-sampled	18.18%	18.9%	22.58%

V. FUTURE DIRECTIONS

- **Next Steps:** The next immediate step to take time to experiment more. Due to time constraints we were not able to test different model architectures, input size, and over/under sampling techniques.
- **Real-Time Detection Systems:** Implementing real-time DeepFake detection systems is a key goal for mitigating the spread of fraudulent information. Such systems would enable instant verification of audio content in high-stakes scenarios, such as live media broadcasts.
- **Collaborative Efforts:** Addressing the growing threat of DeepFake audio requires collaboration across industry, government, and academic institutions. Establishing standards, sharing research, and building open-source detection tools are vital steps towards creating a safer digital media landscape.

VI. CONCLUSION

DeepFake audio technology presents an escalating threat to the integrity of digital communication. Through our experiments using the ASVspoof and Fake or Real (FoR) datasets, we demonstrated the efficacy of deep learning techniques in identifying DeepFake audio. The results indicate that CNNs, followed by RNNs, provide the best performance for real-world DeepFake detection. The study highlights both the challenges posed by the rapid advancement of audio forgery methods and the future opportunities for enhancing detection methods, including real-time systems and AI-based approaches. Collaborative efforts between the public and private sectors are essential to develop robust detection mechanisms

capable of adapting to increasingly sophisticated audio manipulation technologies. Our findings underscore the importance of continued research, open dataset sharing, and development of scalable detection frameworks to safeguard the integrity of digital communications in the face of these evolving threats.

VII. Acknowledgment

The authors would like to express their sincere gratitude to the **KU Institute for Information Science (I2S)** and the **Midwest Viceroy Institute (MVI)** for their generous support and sponsorship of this research. Their contributions provided the necessary resources and infrastructure to conduct this study, and their commitment to advancing the field of digital forensics and artificial intelligence has been invaluable. We would also like to extend our appreciation to the faculty and staff of the **University of Kansas, Department of Electrical Engineering and Computer Science, TRIO McNair Scholars Program and the Watson Library**, for their ongoing guidance and mentorship throughout this project. Special thanks are owed to our colleagues and peers for their insightful feedback, which has greatly enhanced the quality of this work. Finally, we acknowledge the collaborative spirit within the broader research community, whose shared datasets and open-source tools have been critical in advancing the development of DeepFake detection technologies. This research would not have been possible without the collective efforts and contributions of academic and industry partners worldwide.

References

[1] Y. Patel et al., "Deepfake Generation and Detection: Case Study and Challenges," IEEE Access, vol. 11, pp. 143296-143323, 2023, doi: 10.1109/ACCESS.2023.3342107.

[2] Yuankun Xie and Yi Lu et al., "CodecFake: Enhancing Anti-Spoofing Models Against Deepfake Audios from Codec-Based Speech Synthesis Systems," 2024.

[3] Joel Frank and Lea Schonherr, "WaveFake: A Data Set to Facilitate Audio Deepfake Detection," in Thirty-fifth Conference on Neural Information Processing Systems Datasets and Benchmarks Track, 2021.

[4] Yuang Li, Min Zhang et al., "Cross-Domain Audio Deepfake Detection: Dataset and Analysis," 2024.

[5] Zhongjie Ba and Qing Wen et al., "DEepfake CROss-lingual Evaluation Dataset (DECRO)," 2023.

[6] ASVspoof Consortium, "ASVspoof 2019: Automatic Speaker Verification Spoofing and Countermeasures Challenge," [Online]. Available: https://www.asvspoof.org.

[7] J. Clement et al., "Fake or Real (FoR) Audio Dataset for Deepfake Detection," Proceedings of the IEEE Conference on Acoustic Modeling, 2021.