Classy.

What we need from GUtech's systems

Classy gives GUtech students their real timetable. Today it reads the timetable from EduWave's student pages. This document asks GUtech IT for one small read-only endpoint for the timetable, and an optional second one for each student's courses, so Classy can get them straight from the source.

AT A GLANCE

01 Timetable endpoint
02 Student courses (optional)
03 Access and format
04 How often we call
05 If pushing is easier
06 Next steps

THE REQUEST

Two endpoints.

Only the timetable endpoint is needed; the student courses endpoint is optional. Both are read-only and return JSON. The names, paths and field names below are suggestions: if your system already has its own, keep them. We map any field names in our dashboard, without changing code.

01 · TIMETABLE

Every class of a term: course, section, instructor, date, time and room. Classy reads it every morning.

02 · STUDENT COURSES · OPTIONAL

The courses and sections one student is registered for, by student ID. Fills in their timetable in one press. Classy works without it.

01

Timetable.

GET `/timetable?term=Fall%202026` REQUIRED

Returns every class meeting of the term, one item per class on its own date. GUtech's timetable changes from week to week, so each class needs its own date, time and room, not one weekly pattern.

FIELD	NEEDED	EXAMPLE	NOTES
courseCode	Yes	CS 1 107	As in EduWave; any spacing works
courseName	Yes	Data Structures	
section	Yes	3	
instructor	Yes	Nabil Sahli	
date	Yes	2026-10-18	YYYY-MM-DD
start, end	Yes	09:45, 11:15	24-hour, Oman time
room	Yes	GU1 240	
programme, studyYear	Helpful	CS, 1	Which majors and year a core course belongs to
courseType, credits	Helpful	Core, 5	Core, Life Skills or Elective
lastChanged	Helpful	2026-10-17T08:12	Lets us show students what moved

Example reply. A flat list like this, or one nested by course and section, both work.

```
{
  "term": "Fall 2026",
  "classes": [
    {
      "courseCode": "CS 1 107", "courseName": "Data Structures",
      "section": "3", "instructor": "Nabil Sahli",
      "date": "2026-10-18", "start": "09:45", "end": "11:15",
      "room": "GU1 240", "programme": "CS", "studyYear": 1
    }
  ]
}
```

Nice to have: `?changedSince=2026-10-17T00:00` to return only what changed, so the morning check stays small.

02 · OPTIONAL

Student courses.

GET `/students/{studentId}/courses?term=Fall%202026` OPTIONAL

Optional: Classy works fully without it, and students pick their own courses. If you add it, it returns the courses and sections one student is registered for. Nothing else about the student is needed.

FIELD	NEEDED	EXAMPLE
courseCode	Yes	CS 1 107
section	Yes	3

```
GET /students/24-0161/courses?term=Fall%202026

{
  "studentId": "24-0161",
  "courses": [
    { "courseCode": "CS 1 107", "section": "3" },
    { "courseCode": "CS 1 102", "section": "1" }
  ]
}
```

An unknown student ID can answer `404`; a student with no courses yet, an empty list.

03

Access and format.

SIGN-IN

An API key sent in a header, for example `X-Api-Key`, or OAuth client credentials. Read-only access is enough. The key is stored encrypted on our server.

NETWORK

HTTPS only. If you allow callers by IP address, we will send you our server's address.

FORMAT

JSON in UTF-8. Dates as `YYYY-MM-DD`, times as 24-hour `HH:mm` in Oman time. Course codes as EduWave shows them.

ERRORS

Normal HTTP status codes: `401` for a bad key, `404` for an unknown student, `5xx` when the system is down. We retry later and keep the last timetable meanwhile.

04

How often we call.

ENDPOINT	WHEN	VOLUME
Timetable	Once each morning, and when staff press "Fetch now"	A few calls a day
Student courses (optional)	When a student presses "Get my courses from GUtech"	Once per student, mostly at the start of a semester; a few per second at the busiest

Nothing reaches students until our staff check the changes and apply them, so a bad reply never breaks anyone's timetable.

05

If pushing is easier.

If GUtech would rather send us the data than have us fetch it, Classy already accepts it. Your system calls our endpoints with a token we give you.

`POST` `/api/sync/timetable` — LIVE TODAY

`POST` `/api/sync/enrollments` — LIVE TODAY

Same fields as above. We will send the exact format and a token on request.

06

Next steps.

1. GUtech IT shares the endpoint addresses and a test key, ideally on a test system first.
2. We connect them in Classy's dashboard and check the data with its Test button. No code changes on our side.
3. We switch the morning timetable from EduWave to your endpoint, and, if you add the optional student courses endpoint, turn on "Get my courses from GUtech" for students.
4. Classy moves from schedule.tryzarqa.com to its own domain. We will tell you the new address.

CONTACT

Abdulaziz · Classy