

Predicting Chronic Disease Onset in Older Adults: A Machine Learning Study using The Irish Longitudinal Study on Ageing (TILDA)



Abderahman Haouit

CSIS Research Centre

Department of Computer Science and Information Systems

Faculty of Science and Engineering

University of Limerick

Submitted to the University of Limerick for the degree of

Artificial Intelligence (MSc) 2026

-
1. Supervisor: Dr. Alison O'Connor
Computer Science & Information Systems
University *of* Limerick
Ireland

Abstract

Background: Chronic disease and functional decline are major health challenges for older adults, yet how well self-reported health burden can predict disease onset across longitudinal waves remains underexplored.

Methods: Using five waves of data (2009–2019), a longitudinal machine learning framework evaluated two tasks: predicting any chronic disease onset across three designs (single wave, two pooled multi-wave), and 24 disease specific outcomes. Four model families were compared via cross-validation (CV) area under the curve (AUC), with predictor contributions assessed by bootstrapped add-on analysis.

Results: Pooled multi-wave modelling improved by 22% over the single wave baseline (0.718 ± 0.006 vs 0.589 ± 0.072), with cross-fold variance decreasing more than tenfold. Disease specific models achieved test performance up to 0.721 for functional outcomes. Reducing to the 20 most important predictors caused no measurable performance loss, while cognitive, psychosocial, nutritional, and behavioural add-on variables showed no statistically significant improvement.

Conclusions: Among community dwelling older adults, chronic disease risk prediction was primarily driven by self-reported burden indicators, particularly medication use, pain, and self-rated health rather than domain specific biomarker or lifestyle profiles. These findings suggest that publicly available survey data can support meaningful risk stratification with a limited feature set.

Keywords: ageing, Machine Learning (ML), predictive modelling, chronic disease, functional decline, health burden, The Irish Longitudinal Study on Ageing (TILDA), Extreme Gradient Boosting (XGB).

Acknowledgements

I would like to acknowledge my supervisor, Alison O'Connor, for her guidance, support, and for providing a well organised environment as well as the necessary resources throughout the journey of this project.

I would also like to acknowledge and thank the Regional Writing Centre at the University of Limerick for providing writing support throughout the preparation of this thesis and the University of Limerick (UL) Science and Engineering Research Ethics Committee for approving the ethical aspects of this research. Special thanks to the Irish Social Science Data Archive (ISSDA) team for facilitating access to the The Irish Longitudinal Study on Ageing (TILDA) dataset, collected by Trinity College Dublin.

AI Declaration

I acknowledge the use of GitHub Copilot Student to assist with code completion, debugging, and LaTeX formatting during the preparation of this thesis. I also acknowledge the use of Gemini, Microsoft Copilot, Grammarly, and ChatGPT to support general brainstorming, writing preparation, literature organisation, and LaTeX formatting support.

Prompt examples are included in the auxiliary supporting material submitted alongside the final dissertation submission.

Limerick, 2026

Contents

List of Tables	vii
List of Figures	ix
List of Abbreviations	xiii
1 Introduction	1
1.1 Research problem and motivation	2
1.2 Research aims and objectives	3
1.3 Contributions of the research	4
1.4 Thesis outline	4
2 Literature Review	6
2.1 Search strategy and study selection	6
2.1.1 Database search and query development	6
2.1.2 Quality and relevance evaluation	8
2.2 Physical function and frailty	10
2.2.1 Probabilistic interpretation of frailty	11
2.3 Mental health in older adults	12
2.4 Nutrition and biological ageing	13
2.4.1 Social context and nutritional risk	13
2.5 Machine learning for chronic disease prediction	14
2.5.1 Methodological approaches	14
2.5.2 Performance and validation	15
2.5.3 Explainability in machine learning for ageing	15
2.6 Gaps in the literature	16

CONTENTS

2.7	Chapter summary	17
3	Methodology	18
3.1	Study population and design	18
3.2	TILDA data collection	18
3.3	Thematic domains	20
3.4	Manual variable screening	20
3.5	Dataset characteristics after filtering	25
3.6	Variable coverage by thematic domain	26
4	Technical Implementation	28
4.1	Automated cleaning engine	28
4.1.1	Stage 1: Variable scenario mapping	28
4.1.2	Stage 2: Deterministic six step cleaning sequence	29
4.1.3	Embedded feature engineering	33
4.1.4	Cross wave semantic verification	33
4.2	Validation of the transformed features	35
4.2.1	Internal feature relationships	35
4.2.2	Model based validation	36
5	Empirical Evaluation	43
5.1	Modelling and evaluation framework	43
5.1.1	Outcome definitions	44
5.1.2	Modelling designs	46
5.1.3	Participant level data splitting and leakage prevention	50
5.1.4	Evaluation protocol and metrics	51
5.2	Main results	51
5.2.1	Track A: Any disease onset	51
5.2.1.1	Design 1 performance	51
5.2.1.2	Design 2 performance	52
5.2.1.3	Design 3 performance	52
5.2.2	Cross design comparison	53
5.2.3	Model comparison	54
5.2.4	Track B: Disease specific	55

CONTENTS

5.2.4.1	Outcome categories	56
5.2.4.2	Overall performance	56
5.2.4.3	Incidence and predictability	59
5.2.4.4	Overfitting and feature reduction	59
5.3	Model interpretability and feature importance	60
5.3.1	Clinical biomarkers dominate	61
5.3.2	Medication burden and self-rated health emerge	62
5.3.3	Cross model agreement and feature set	63
5.3.4	Predictor add-on analysis	64
5.4	Health burden correlations	66
5.4.1	Shared health burden signal	67
6	Conclusion	71
6.1	Summary	71
6.2	Conclusions	71
6.3	Data availability	73
6.4	Ethics statement	74
6.5	Contributions	74
6.6	Future work	75
A	Script for loading/exporting Pseudonymised Microdata File (PMF) metadata to Comma Separated Values (CSV)	76
B	Cleaning pipeline scenario tables	79
C	Variable scenario detection function	82
D	Step 6: Cleaning function for multi-class and mixed variables	87
E	Main cleaning pipeline execution script	99
F	Grouped variable audit script (Markdown output)	101
G	Sample Markdown audit output for variable transformations	104
H	Track B cohort sample sizes and incident rates	110

CONTENTS

I	Item index and scoring of individual features	112
J	Top 20 feature importance for Track A designs D1 and D2 models	114
K	SHAP value plots for Track A and Track B	117
	References	121

List of Tables

2.1	Database searches and number of studies per database [1].	7
2.2	Summary of selected studies on ageing using TILDA.	9
2.3	Quality evaluation of included systematic literature reviews [2]. . .	11
3.1	Dimensions of raw TILDA and harmonised datasets version 5.5 (prior to cleaning in Section 4.1).	19
3.2	PMF v5.5 derived variable prefixes [3].	21
3.3	Input shape for cleaning pipeline (post manual filtering workflow).	25
3.4	Thematic domain grouping of longitudinal features.	26
4.1	Inconsistent category ordering for comparative self-rated health ("How does your health compare to others your age?") across waves and its impact on positional label encoding.	34
4.2	Directional validation of the seven features accounting for 95% of gait speed reserve variance as identified by [4].	38
5.1	Sample sizes and incidence rates by design for Track A.	45
5.2	Predictive performance across model families for D1 (baseline de- sign).	52
5.3	Predictive performance across model families for D2 (multi-wave design).	52
5.4	Predictive performance across model families for D3 (tuned design).	53
5.5	Top-20 features from XGBoost gain in D2, applied in D3 and Track B.	64
B.1	Initial raw feature counts categorised by nine scenarios (pre cleaning)	79
B.2	Scenario count progression: post step 1 (empty / blank handling)	79

LIST OF TABLES

B.3	Scenario count progression: post step 2 (sentinel standardisation)	80
B.4	Scenario count progression: post step 3 (numeric cleaning)	80
B.5	Scenario count progression: post step 4 (censored / ordinal mapping)	80
B.6	Scenario count progression: post step 5 (binary classification) . . .	81
B.7	Final cleaned dataset: post step 6 (multi-class / mixed parsing) .	81
H.1	Cohort sizes and incident rates for the 24 disease specific outcomes in Track B.	111
I.1	Scoring scheme for the 40 individual feature items.	112

List of Figures

2.1	Publications per year.	8
2.2	PRISMA chart for systematic reviews showing the study selection process for the systematic mapping and integrative review [5]. . .	10
3.1	Manual workflow for variable screening and filtering. Placeholder (n) values indicate variable counts at each stage.	24
4.1	Six step deterministic cleaning pipeline applied uniformly across all TILDA waves. Transformation tables and implementation scripts are in Appendices B.7 and E.	30
4.2	Pairwise Pearson correlations for the seven predictors used in directional validation (wave 3).	37
4.3	Receiver Operating Characteristic (ROC) curves for mortality prediction using 16 cleaned frailty index items under the Principal Component Analysis (PCA) informed mortality proxy. Separate models are shown for men and women, with and without age. . .	41
4.4	ROC curves for mortality prediction using the 6/16 recoded frailty index items aligned with [6]. Performance is shown separately for men and women, with and without age.	41
5.1	Pipeline overview: shared preprocessing applied to all data before branching into Track A (any chronic disease, D1/D2/D3) and Track B (disease specific, following D2/D3 structure). D3 is built directly on D2's cohort and wave structure, adding feature reduction and hyperparameter optimisation.	49

LIST OF FIGURES

5.2	Train–Test generalisation gaps across models and designs. The 0.05 dashed line marks the conventional acceptable overfitting threshold.	55
5.3	Train vs Test Area Under the ROC Curve (AUC) for all Track B disease specific models, coloured by outcome category. Circle markers represent all feature models and cross markers represent top-20 feature models, with a line connecting the two feature strategies per disease. The diagonal dashed line marks perfect generalisation (Train $\approx$ Test). Dashed lines at 0.5 on both axes indicate chance level discrimination. Confidence ellipses illustrate within category spread.	58
5.4	Bootstrapped 95% confidence intervals for test AUC delta (BASE+ADDON minus BASE) across all candidate features ($B = 2,000$ resamples). Features are sorted in ascending order by the midpoint of the delta interval. All intervals cross zero, indicating no statistically significant incremental contribution from any candidate.	67
5.5	Pairwise Spearman correlations among six health burden variables at wave 5 ($n = 4,978$). Self-reported long term illness and chronic health problem form an identical construct ($r = 1.00$), while any ICD10 shows consistently weak associations with all self-reported measures.	68
J.1	Top 20 features by importance for D1.	115
J.2	Top 20 features by importance for D2.	116
K.1	Global Shapley Additive Explanations (SHAP) beeswarm plots for D1 across all four model families (top-20 features by mean $ \text{SHAP} $).	118
K.2	Global SHAP beeswarm plots for D2 across all four model families (top-20 features by mean $ \text{SHAP} $).	119
K.3	Global SHAP beeswarm plots for four Track B disease specific Extreme Gradient Boosting (XGB) models: functional decline, fear of falling, hearing loss, and circulatory disease.	120

List of Abbreviations

ADL	Activities of Daily Living
AI	Artificial Intelligence
AP	Average Precision
AUC	Area Under the ROC Curve
BMI	Body Mass Index
BP	Blood Pressure from Sphygmomanometer
brainPAD	Brain predicted age difference
CAPI	Computer Assisted Personal Interview
CES-D	Center for Epidemiologic Studies Depression Scale
CI	Confidence Interval
CRP	C-Reactive Protein
CSV	Comma Separated Values
CV	Cross Validation
DM	Diabetes Mellitus
DNN	Deep Neural Network
EU	European Union
FI	Frailty Index
FOF	Fear of Falling
FR	Frailty
G2G	Gateway to Global Ageing Data
GBM	Gradient Boosting Machine
GDPR	General Data Protection Regulation
GRIP	Grip Strength
GSR	Gait Speed Reserve

List of Abbreviations

HADS	Hospital Anxiety and Depression Scale
HGS	Hand Grip Strength
HPO	Hyperparameter Optimization
HRS	Health and Retirement Study, (a longitudinal study of ageing in the United States)
IADL	Instrumental Activities of Daily Living
ISSDA	Irish Social Science Data Archive
JSON	JavaScript Object Notation
LR	Logistic Regression
MGS	Maximum Gait Speed
MH	Scales and Questions on Mental Health and Wellbeing
ML	Machine Learning
MLP	Multi-Layer Perceptron
MMSE	Mini-Mental State Examination
MOCA	Montreal Cognitive Assessment
MRI	Magnetic Resonance Imaging
MVPA	Moderate-to-Vigorous Physical Activity
NOS	Newcastle-Ottawa Scale
OR	Odds Ratio
PA	Physical Activity
PC1	First Principal Component
PCA	Principal Component Analysis
PMF	Pseudonymised Microdata File
PR-AUC	Precision Recall Area Under the Curve
PRISMA	Preferred Reporting Items for Systematic reviews and Meta Analyses
RAND	Research and Development Corporation
RF	Random Forest
ROC	Receiver Operating Characteristic
SCQ	Self Completion Questionnaire
SHAP	Shapley Additive Explanations
SHARE	Survey of Health, Aging and Retirement in Europe

List of Abbreviations

SOC	Social Variables
SPSS	Statistical Package for the Social Sciences
TILDA	The Irish Longitudinal Study on Ageing
TUG	Timed Up and Go (mobility test)
UCLA	University of California Los Angeles
UGS	Usual Gait Speed
UL	University of Limerick
WHO	World Health Organization
XGB	Extreme Gradient Boosting

List of Abbreviations

Chapter 1

Introduction

Ageing populations experience substantial changes across physical, nutritional, cognitive, and psychosocial domains, each shaping vulnerability to chronic disease and functional decline [7–9]. Understanding how these multidomain factors interact over time is essential for early risk identification.

Lifestyle risk factors are estimated to contribute over \$514 billion in direct and indirect healthcare costs annually across Europe [10], and in Ireland, malnutrition alone is estimated to cost over €1.4 billion per year in hospital and community care costs [11]. Frameworks such as the World Health Organization (WHO) *Global Action Plan* and Ireland’s *Healthy Ireland* strategy identify modifiable health behaviours as central to disease prevention. European regulatory frameworks, including the General Data Protection Regulation (GDPR) and the proposed European Union (EU) Artificial Intelligence (AI) Act, further emphasise the need for transparent and interpretable Machine Learning (ML) models in healthcare.

Traditional risk prediction models have largely relied on clinical biomarkers such as Blood Pressure from Sphygmomanometer (BP) and lipid profiles. Yet, growing evidence shows that broader predictors, including nutrition [12], Physical Activity (PA) [13], Scales and Questions on Mental Health and Wellbeing (MH) [14], and Social Variables (SOC) [15] improve predictive performance.

The Irish Longitudinal Study on Ageing (TILDA)¹ provides a nationally rep-

¹TILDA’s data are pseudonymised and accessed under license via Irish Social Science Data Archive (ISSDA). Use adheres to University of Limerick (UL) Science & Engineering ethics approval and data retention requirements.

1. INTRODUCTION

representative cohort of adults aged 50 and over in Ireland, surveyed repeatedly across physical, clinical, functional, psychological, and social domains. An externally produced Research and Development Corporation (RAND) harmonised TILDA dataset (waves 1–2, the only waves currently harmonised), aligned to international standards, was inspected and preprocessed alongside the five core waves.

Despite these advantages, existing ML research on chronic disease prediction faces persistent limitations. Models over rely on clinical predictors, rarely incorporate lifestyle and SOC variables, predominantly use cross sectional designs that fail to capture risk trajectories, and give insufficient attention to the preprocessing and representation of heterogeneous longitudinal health data.

This thesis addresses these gaps by applying ML to pooled and cross-wave TILDA data, evaluating whether richer predictor sets, longitudinal designs, and reproducible preprocessing improve chronic disease onset prediction in older adults.

1.1 Research problem and motivation

Despite increasing research and clinical interest in lifestyle, nutritional factors, and advances in ML methods, approaches to chronic disease prediction in older adults remain limited in several ways.

- **Limited integration of multidomain predictors:** Existing models focus primarily on clinical measurements and often neglect modifiable behavioural, dietary, and psychosocial factors [12, 16].
- **Underuse of longitudinal dynamics:** Few studies use repeated measures to track how risk changes over time, such as the progression of Frailty (FR) [6]. Probabilistic reasoning can help estimate the likelihood of developing a condition at a future time given earlier measurements, for example, calculating the probability $P(\text{FR at wave 5} \mid \text{UGS at wave 1, Nutrition at wave 2})$.
- **Healthcare data preprocessing:** Longitudinal health survey data present significant representation challenges. Variables encoding the same concept may differ in format, value ordering, and coding scheme across waves, while

health specific constructs such as frailty index items require careful ordinal handling to preserve clinical meaning during numerical conversion [17]. These challenges are rarely reported in the ML literature, yet the quality of downstream predictions depends directly on how accurately the data are prepared.

These gaps motivate the multi-wave, multidomain approach taken in this thesis, which uses TILDA’s five longitudinal waves to test whether richer predictor sets and pooled designs improve chronic disease onset prediction.

1.2 Research aims and objectives

The goal of this thesis is to develop and evaluate longitudinal ML approaches that combine multidomain predictors from TILDA to predict chronic disease onset in older adults, while identifying the features and modelling designs that best support this task. This goal will be achieved through the following objectives:

- Review existing applications in ML with TILDA for chronic disease prediction in ageing populations, with emphasis on gaps in lifestyle and nutrition integration.
- Develop a reproducible pipeline to preprocess and align TILDA waves 1–5, deriving multidomain features across physical, functional, clinical, lifestyle, and psychosocial domains.
- Develop and compare a linear baseline (Logistic Regression (LR)) against tree ensemble and neural network families (Extreme Gradient Boosting (XGB), Random Forest (RF), Multi-Layer Perceptron (MLP)) across single wave and pooled longitudinal designs.
- Evaluate models using Area Under the ROC Curve (AUC), calibration, and classification metrics across all designs.
- Identify the most informative predictors of chronic disease onset and, through a predictor add-on analysis, assess whether domain specific features contribute independent predictive value beyond the core health burden set.

1. INTRODUCTION

- Document ethical, governance, data access, and reproducibility practices for the pseudonymised longitudinal data used in this study.

1.3 Contributions of the research

This research makes contributions at three levels:

- **Empirical:** Demonstrates that longitudinal pooling substantially improves predictive performance and stability for chronic disease onset prediction in this cohort, and identifies the compact set of health burden indicators that drive this signal. Nutritional, psychosocial, and behavioural domain features added no independent predictive value beyond this core set, a finding discussed in Chapter 5.
- **Methodological:** Provides a reproducible pipeline for aligning longitudinal TILDA data across domains and integrating features into ML workflows. Full pipeline implementation, including the cleaning engine, scenario detection scripts, and modelling notebooks, is available at <https://gitlab.com/abderahman-msc-project/milestones/-/blob/main/README.md> (private repository, access granted on request).
- **Clinical:** Identifies the most informative predictors of chronic disease onset and evaluates the marginal contribution of domain specific features, providing a data driven basis for risk stratification.

1.4 Thesis outline

Chapter 2 reviews ML approaches to chronic disease prediction in ageing populations, with emphasis on lifestyle, nutrition, and methodological considerations. *Chapter 3* describes the data preparation process, including the TILDA study design, data collection, thematic domain structure, and the manual variable screening workflow. In *Chapter 4*, the automated cleaning pipeline is presented, including the variable scenario detection system, the deterministic six step cleaning sequence, and validation of the pipeline against published benchmarks. *Chapter*

5 presents the empirical evaluation, covering performance across three modelling designs, disease specific prediction, predictor add-on analysis, Shapley Additive Explanations (SHAP) based interpretability analysis, and an interpretation of the health burden correlation structure underlying the results. *Chapter 6* discusses the implications and future directions of the research.

Chapter 2

Literature Review

This chapter reviews literature on ageing, chronic disease, and predictive modelling using TILDA (introduced in Chapter 1). It covers four interrelated domains: physical function and FR, MH, nutrition and biological ageing, and ML applications for chronic disease prediction.

2.1 Search strategy and study selection

This review applied systematic mapping principles [1]: research questions were defined, relevant databases searched, inclusion and exclusion criteria applied, and findings synthesised through an integrative approach [2, 18]. The primary focus was chronic disease prediction in older adults using TILDA. Where ML applications specific to TILDA were limited, the scope was extended to include comparable ageing cohort studies.

2.1.1 Database search and query development

The main topic of interest was chronic disease onset prediction in older adults using ML, with TILDA as the primary data source. Relevant databases (e.g., ScienceDirect and IEEE Xplore) were searched using combinations of keywords such as “Irish Longitudinal Study on Ageing”, “machine learning”, “chronic disease”, “nutrition”, “diet”, and “physical activity”, as shown in Table 2.1.

2.1 Search strategy and study selection

The search covered studies published from 2011 to 2025. Figure 2.1 summarises the number of studies identified per year, highlighting trends and gaps over time.

Table 2.1: Database searches and number of studies per database [1].

Database	Search	Results
Oxford Academic	(TILDA OR Irish Longitudinal Study on Ageing) AND (chronic disease OR diabetes OR cardiovascular) AND (nutrition OR diet OR “physical activity”)	1081
	(TILDA OR “Irish Longitudinal Study on Ageing”) AND (“machine learning” OR “predictive model” OR “risk prediction”)	71
IEEE Xplore	TILDA OR “Irish Longitudinal Study on Ageing”	56
	(TILDA OR “Irish Longitudinal Study on Ageing”) AND (“machine learning” OR “predictive model” OR “risk prediction”)	7
ScienceDirect	(TILDA OR “Irish Longitudinal Study on Ageing”) AND (“chronic disease” OR cardiovascular OR diabetes) AND (nutrition OR diet OR lifestyle OR “physical activity”)	257
	(TILDA OR “Irish Longitudinal Study on Ageing”) AND (“machine learning” OR “predictive model”) AND (“chronic disease” OR diabetes) AND (nutrition OR “physical activity”)	20
PubMed	(TILDA OR “Irish Longitudinal Study on Ageing”) AND (“chronic disease” OR cardiovascular OR diabetes) AND (nutrition OR diet OR lifestyle OR “physical activity”)	27
	(TILDA OR “Irish Longitudinal Study on Ageing”) AND (“machine learning” OR “predictive model” OR “risk prediction”)	9

Some search strings returned few or irrelevant entries, particularly for ML applications in TILDA, highlighting a key research gap. Iterations continued until suitable combinations consistently retrieved relevant studies. Duplicates were removed and the remaining studies screened individually for relevance to ageing, chronic disease, and ML. Key elements for each study, including model type, features used, and main findings, were recorded in Table 2.2. The full

2. LITERATURE REVIEW

selection process is illustrated in the Preferred Reporting Items for Systematic reviews and Meta Analyses (PRISMA) diagram (Figure 2.2).




Figure 2.1: Publications per year.

2.1.2 Quality and relevance evaluation

To systematically assess the quality of the included studies, a customised version of the Newcastle-Ottawa Scale (NOS) was applied (Table 2.3). The NOS evaluates studies across three domains: *selection* (S1–S4), *comparability* (C1–C2), and *outcome* (O1–O3). Selection criteria assess the representativeness of the sample, clarity of exposure measurement, and temporal alignment of outcomes. Comparability examines the control of key confounders (variables that may influence both the predictor and outcome), while outcome evaluates measurement validity, follow up adequacy, and completeness. Each domain is scored binary (0 = criterion not met, 1 = criterion met), and the total reflects overall study quality.

This initial table guided refinement into two subsets: studies critically related to TILDA, and studies applying ML within TILDA for predictive modelling. The

2.1 Search strategy and study selection

Table 2.2: Summary of selected studies on ageing using TILDA.

Theme	Author/year	Dataset	Variables/features	Methods/model type	Key Findings/outcome	Limitations
Frailty (FR)	Romero-Ortuno (2021) [19]	Wave 1–5	FR state, FR phenotype (FP) components (Exhaustion (EX), Unexplained weight loss (WL), Weakness (WK), Slowness (SL), Low physical activity (LA))	Multi state Markov model, longitudinal 8 year follow up	32% of pre frail to non frail; FR strongly predicted 31% mortality	Self report bias; observational design
Falls + Machine Learning (ML)	Donoghue (2023) [20]	Wave 1–3	Gait, mobility, medications, history of falls	Conditional inference forest; 5-fold Cross Validation (CV); under-sampling for imbalance	Accuracy up to 69.7%; for adults aged 50–64.	AUC values were ≤ 0.69 and Precision Recall Area Under the Curve (PR-AUC) ≤ 0.39 indicating low predictive accuracy; no external validation; cross sectional; Class imbalance
Fear of Falling (FOF)	Zarudsky (2014) [21]	Wave 1	Age, sex, fall history	Cross sectional prevalence analysis	23.3% prevalence; higher in women; 70% with Fear of Falling (FOF) had no recent falls in the last 12 months	Self-reported; cross sectional
Functional Mobility	Huang (2019) [22]	Wave 1–2	Measured by Timed Up and Go (mobility test) (TUG), Hand Grip Strength (HGS), physical activity, vision, Body Mass Index (BMI), age	Linear regression, stratified analyses	Age modifies effects; PA and grip protect mobility; vision benefit only in middle aged (Beta = -0.032, P = 0.002)	Observational; 2 year follow up
Depression	Jacob (2023) [23]	Wave 1–2	Falls, FOF, HADS-A, Center for Epidemiologic Studies Depression Scale (CES-D)	Prospective LR	Falls predicted incident anxiety Odds Ratio (OR)=1.58 and depression OR=1.43	Self-reported falls; short follow up; mediation effect partially explored
	Laird (2023) [16]	Wave 1–5	Moderate-to-Vigorous Physical Activity (MVPA), walking, sociodemographics	Longitudinal regression; mixed model	Higher physical activity reduced depressive symptoms; dose response effect	Self-reported PA; observational; limited causal inference
Nutrition	Murphy (2023) [12]	Wave 1–5	Plasma lutein, zeaxanthin	Linear/ordinal LR	Higher carotenoids linked to slower FR progression Lower odds of becoming frail (ORs = 0.57–0.89)	Observational; not predictive of longitudinal muscle changes
	Bardon (2020) [24]	Wave 1–2	Hospitalisation, functional status, SOC support, sex, falls	LR; sex stratified analyses	Functional decline, hospitalisation, poor support increased malnutrition risk; sex differences	Observational (short follow up (2 years)); limited generalisability >65 years, self-reported
ML	Xu (2023) [25]	Wave 1–3	105 predictors from 40,000+ variables (SOC, clinical, mental, family)	Stacked ensemble: RF, Extreme randomised trees (XRT), General linear model (GLM), Gradient Boosting Machine (GBM), Deep Neural Network (DNN); SHAP explainability	AUC=0.854 for 2 year Diabetes Mellitus (DM) prediction; top predictors LDL, cirrhosis, sex	No external validation; short follow up; ensemble complexity limits deployment
	Davis (2021) [7]	Wave 3	Age, HGS, chair stands, BMI, cognitive tests	Histogram gradient boosting regression; SHAP	r^2 test: UGS $\approx$ 0.41, Maximum Gait Speed (MGS) $\approx$ 0.46, GSR $\approx$ 0.21	Modest predictive power; cross sectional; no external validation
	Zhang (2025) [26]	Longitudinal IMAGEN cohort	Psychopathology, personality, cognition, substance use, environment	Regularised LR; diagnostic	Longitudinal AUC: ED=0.71, MDD=0.64, AUD=0.67; shared transdiagnostic predictors	Limited age range; no external replication
	Boyle (2021) [27]	Wave 3	Brain predicted age difference (brainPAD); processing speed; attention; cognitive flexibility; verbal fluency	Linear regression, correlation analyses	Higher brainPAD associated with lower cognitive performance across multiple domains	Cross sectional; no causal inference; limited sample

2. LITERATURE REVIEW




Figure 2.2: PRISMA chart for systematic reviews showing the study selection process for the systematic mapping and integrative review [5].

second subset revealed minimal integration between ML methods and TILDA data.

Data were extracted and synthesised to identify methodological trends, including Markov models, regression baselines, and CV protocols [2]. Given the limited number of ML studies using TILDA directly, the review was broadened to include chronic disease prediction research in comparable older adult populations.

2.2 Physical function and frailty

FR reflects declining physiological reserve, providing a framework for understanding physical vulnerability in ageing. In TILDA, it is captured through both the FR phenotype and the FR index, with UGS, HGS, and mobility decline serving as practical predictors. These measures strongly predict hospitalisation and mortality [19].

At the same time, FR indicators are highly correlated with one another. When grip strength declines, gait speed and functional capacity typically follow, meaning each additional predictor captures diminishing independent information. This

2.2 Physical function and frailty

Table 2.3: Quality evaluation of included systematic literature reviews [2].

Reference	S1	S2	S3	S4	C1	C2	O1	O2	O3	Total
(Xu, 2023 [25])	1	1	1	1	1	1	1	1	1	9
(Donoghue, 2023 [20])	1	1	1	1	1	1	1	0	1	8
(Moguilner, 2021 [6])	1	1	1	1	1	0	1	1	1	8
(Davis, 2021 [7])	1	1	1	1	1	0	1	1	0	7
(Boyle, 2021 [27])	1	1	1	1	1	0	1	0	1	7
(Tzemah-Shahar, 2022 [28])	1	1	1	0	1	0	1	1	1	7
(A. Shirsath, 2024 [29])	1	1	1	1	1	1	1	0	1	8
(Romero-Ortuno, 2021 [19])	1	1	1	1	1	1	1	1	1	9
(Bardon, 2020 [24])	1	1	1	0	1	0	1	1	1	7
(Zhang, 2025 [26])	1	1	1	1	1	1	1	0	1	8
(Sutin, 2023 [30])	1	1	1	1	0	0	1	1	1	7

correlation structure has direct implications for ML models, which must decide how many such indicators to include before returns become negligible, a question revisited empirically in Chapter 5.

2.2.1 Probabilistic interpretation of frailty

From a probabilistic perspective, the likelihood of an adverse outcome Y (such as mortality) given observed FR features X is expressed as a conditional probability $P(Y | X)$, and identifying which features carry the strongest predictive signal requires understanding how much unique information each contributes.

When features X_i and X_j are statistically independent,

$$P(X_i, X_j) = P(X_i) P(X_j),$$

and each adds fully independent information to the model. In practice, however, FR related predictors such as UGS, grip strength, and mobility limitation are often highly correlated, so the features share information and the additional gain from including a second correlated predictor is reduced.

Evidence suggests that FR is dynamic, not irreversible. For example, multi state modelling showed that many prefrail adults transition back to non frail, although established FR strongly predicts mortality [19]. Metabolic syndrome

2. LITERATURE REVIEW

accelerates the development of FR, suggesting a metabolic pathway of vulnerability [31]. The presence of metabolic syndrome raises $P(\text{FR} \mid \text{Metabolic Syndrome})$ and is associated with greater risk of adverse outcomes over time [31]. Age also plays an important role: obesity predicts mobility decline earlier in life, whereas later in life, traits that protect against this, including HGS, become more significant [22].

These findings partly conflict: FR appears both reversible and progressive, depending on risk context. This complexity motivates probabilistic models that can update beliefs about risk as new observations arrive, as formalised by Bayes theorem:

$$P(Y \mid X) = \frac{P(X \mid Y)P(Y)}{P(X)}$$

where $P(Y \mid X)$ is the posterior probability of outcome Y given features X . In practice, causal inference remains limited by observational designs. This probabilistic framing motivates the use of well calibrated ML models evaluated via AUC and the Brier score, as described in Chapter 5.

2.3 Mental health in older adults

MH, including depression, anxiety, loneliness, and SOC isolation, strongly shapes quality of life. Evidence from TILDA shows strong links to both physical and SOC factors. Participation in physical, SOC, and cognitive activities, summarised by the Act-Belong-Commit (ABC) indicator, was associated with lower depression and anxiety, suggesting that SOC integration and lifestyle protect mental well-being [32]. However, self-reported measures may overestimate such associations, raising concerns about response bias. These two findings conflict. The effect of SOC engagement is strong when self-reported and weaker when objectively assessed.

Objective data strengthen the case for activity. Accelerometer based measures show a dose response link between moderate to vigorous activity and lower depressive symptoms [13]. Yet reverse pathways are also evident, incident falls and functional decline predict later depression, mediated by FOF [23]. Together,

these results reveal a bidirectional relationship, MH both influences and is influenced by physical decline. Most studies rely on broad self report scales, such as CES-D or Hospital Anxiety and Depression Scale (HADS), with little biomarker or clinical validation.

This literature suggests MH in ageing requires longitudinal, multidimensional approaches capable of capturing bidirectional pathways. Formally, the conditional probability

$$P(\text{Depression} \mid \text{Activity, Falls, SOC Engagement})$$

quantifies how these interacting features jointly influence MH outcomes, indicating which predictors carry the strongest signal and which may be redundant.

2.4 Nutrition and biological ageing

Nutrition interacts with both biological and psychosocial systems, shaping ageing trajectories and FR. Biomarkers such as vitamin D, lutein, and zeaxanthin have been linked to physical and cognitive outcomes in TILDA. Higher plasma lutein and zeaxanthin, dietary carotenoids found in leafy vegetables, were associated with slower FR progression [12], while vitamin D deficiency predicted DM and musculoskeletal decline, particularly among adults with low sunlight exposure [33]. These studies point to two distinct nutritional mechanisms, antioxidant protection and metabolic regulation. Whether plasma biomarkers improve prediction beyond self-reported health indicators is tested directly in Chapter 5.

2.4.1 Social context and nutritional risk

Malnutrition also reflects SOC and functional risks. Hospitalisation, functional loss, and poor SOC support were found to increase malnutrition risk, with notable sex differences [24], highlighting that biological markers are often studied without integrating SOC context.

The difference between biological and chronological age is a major point of debate. Biomarker based metrics that better capture these cumulative exposures,

2. LITERATURE REVIEW

like FR indices or epigenetic clocks, frequently vary from chronological age. McCarthy links metabolic syndrome and nutritional deficits to accelerated biological ageing, as indexed by epigenetic clocks [34]. Although most of this evidence is cross sectional and cannot capture change over time, these indicators offer a more precise measure of vulnerability. Reliability is also reduced in biomarker studies with small sample sizes, limiting confidence in the estimated effect magnitudes.

Nutrition interacts with biological, metabolic, and SOC systems simultaneously. Studying one nutrient at a time risks missing this bigger picture. Integrative modelling that combines biomarkers, clinical factors, and SOC determinants supported by ML pipelines offers a more promising route. Models that estimate the joint distribution of features and outcomes can better capture the complex dependencies relevant to biological ageing.

2.5 Machine learning for chronic disease prediction

ML is increasingly applied in ageing research because it can capture nonlinear and multidimensional relationships that traditional regression models, such as LR, often miss [25, 27]. Studies using ML in ageing research include many types of predictors: clinical measures, sociodemographic factors, lifestyle habits, cognitive tests, and psychosocial variables.

Models consistently favour ready measured clinical data such as comorbidity counts, mobility scores, and vital signs, while nutrition, SOC, and lifestyle predictors remain underrepresented [6, 25]. This imbalance may limit the ability of models to capture the full complexity of chronic disease risk with ageing, especially given that MH and nutrition exert independent and interacting effects on later life outcomes.

2.5.1 Methodological approaches

The methodological approaches used in ageing research span both traditional and advanced models. LR and Markov models remain common baselines due to their

interpretability and simplicity, yet they are often unable to capture nonlinearities or higher order interactions. More recent work has shifted towards ensemble methods such as RF, GBM, as well as DNNs, which generally achieve higher predictive accuracy. For instance, LR for mortality prediction in TILDA achieved an AUC of 0.78 [35], whereas ensemble methods for DM incidence reached 0.854 [25].

2.5.2 Performance and validation

Predictive performance across studies spans a wide range, with AUC values between 0.64 and 0.85 for outcomes including MH, diabetes, falls, and mortality. This spread raises a question worth asking. Why does performance vary so much between what appear to be similar tasks? One underappreciated reason is how health data are preprocessed before modelling. Longitudinal survey variables often contain mixed formats, inconsistent coding, and wave specific encodings that, if handled incorrectly, can silently distort model inputs. Studies rarely report pre-processing decisions in enough detail to assess whether performance differences reflect genuine signal or encoding artefacts. This reproducibility gap is a methodological limitation that this thesis directly addresses through the deterministic cleaning pipeline described in Chapter 4.

Most studies are cross-sectional, limiting any causal or temporal assessment. Narrow predictor sets and observational designs together constrain the generalisability of existing models [25].

2.5.3 Explainability in machine learning for ageing

As ML models become more complex, interpretability emerges as a critical challenge. Explainability tools like SHAP can highlight feature importance, but their use is inconsistent across studies, particularly in deep learning models [4, 7, 25]. These methods improve transparency by revealing which features drive predictions, yet black box concerns persist, particularly in deep learning, where feature interactions are difficult to track. For ageing research, where clinical adoption requires both accuracy and trust, explainability is not optional but essential. Current efforts show promise but remain fragmented, with no consensus on best practice.

2. LITERATURE REVIEW

2.6 Gaps in the literature

Five gaps emerge from the reviewed literature that this thesis directly addresses. First, existing studies applying ML to TILDA have largely used single waves or short follow-up windows, limiting the ability to capture how risk changes across time [6, 20]. This thesis uses all five available waves, enabling pooled longitudinal designs that test whether temporal structure improves prediction. Cross study replication using the RAND harmonised TILDA dataset, which maps variables to international standards compatible with cohorts such as Health and Retirement Study, (a longitudinal study of ageing in the United States) (HRS) and Survey of Health, Aging and Retirement in Europe (SHARE), is identified as a direction for future work. Second, predictive models in ageing research overwhelmingly rely on physical health indicators such as comorbidity counts and mobility measures, while nutrition, SOC, and behavioural variables are rarely integrated. Nutritional and social factors independently influence health trajectories [12, 24]. Yet it remains an open empirical question whether these domains add predictive value beyond established clinical indicators in a general community sample. This thesis assesses that question directly through a predictor add-on analysis in Chapter 5.

Third, the preprocessing and numerical representation of longitudinal health survey data is a genuinely difficult problem that receives little attention in the ML literature. Variables encoding the same concept may differ in format, value ordering, and coding scheme across waves. Health specific constructs such as Frailty Index (FI) items require ordinal aware handling to preserve clinical meaning, and incorrect encoding can silently distort downstream predictions. Few published studies describe their preprocessing workflow in sufficient detail to enable reproducibility or cross study comparison. This challenge is addressed through a transparent deterministic six step cleaning pipeline applied consistently across all TILDA waves, with full audit documentation described in Chapter 4.

Fourth, many outcomes relevant to older adults, including chronic pain and subjective wellbeing, remain underexplored as prediction targets. Standard focus on clinical diagnoses omits outcomes that are often more meaningful for intervention planning and quality of life. This thesis includes pain, functional decline, and

hearing loss alongside incident cases (clinical) coded disease outcomes described in Section 5.1.1.

Finally, where longitudinal designs have been used, cross wave validation is almost always internal. Weak validation and narrow feature sets limit the generalisability of existing models and increase the risk of overfitting. This thesis applies participant level train/test splitting with stratified group CV to prevent data leakage across all designs.

2.7 Chapter summary

The evidence reviewed in this chapter shows that FR, mental health, and nutrition do not operate in isolation. FR is partly reversible but remains strongly associated with mortality. MH both influences and is shaped by physical decline and nutrition interacts with biological, metabolic, and social systems in ways that single variable studies frequently underestimate.

While ML has improved prediction accuracy in ageing research, challenges remain in integrating diverse predictors and achieving robust longitudinal validation. An often overlooked challenge is the preprocessing of health survey data itself, where inconsistent formats and wave specific encodings can compromise model inputs if not handled carefully. These gaps motivated the integrative, longitudinal approach developed in Chapters 3, 4, and 5.

Chapter 3

Methodology

3.1 Study population and design

TILDA provides longitudinal data across waves for community dwelling adults in Ireland. The RAND harmonised TILDA dataset (waves 1–2), aligned to cross study standards via the Gateway to Global Ageing Data (G2G) framework, was also cleaned using the same pipeline.

All participants who provided data in at least one TILDA wave were considered eligible. To maximise the available sample for ML, no exclusions were applied on the basis of age, medical conditions, mobility, cognitive status, or health centre attendance.

Participants were removed only in the rare case that, following manual variable filtering, no analytically usable variables remained for that individual. Filtering occurred primarily at the *variable level* during the manual screening stage, which excluded features with extreme missingness, lack of variation, or non informative structure. This approach preserves the largest possible sample while ensuring all retained inputs are analytically meaningful.

3.2 TILDA data collection

TILDA data collection occurred over five longitudinal waves (Table 3.1). Each wave included three primary components:

1. **Computer Assisted Personal Interview (CAPI):** Computer assisted personal interviews conducted in participants homes, covering health status, sociodemographics, economic circumstances, and family networks. This assisted format ensures automatic routing between questions, eliminates data entry errors, and allows real time consistency checks, improving data integrity compared with paper based methods.
2. **Self Completion Questionnaire (SCQ):** Paper based questionnaires completed privately by participants, capturing sensitive information including mental health, alcohol use, sexual activity, and subjective wellbeing. The self completion format reduces social desirability bias for topics participants may be reluctant to discuss with an interviewer.
3. **Health Assessment:** Objective clinical and biomarker measurements, including blood pressure, grip strength, gait speed, cognitive tests, and blood samples, conducted in dedicated health assessment centres (waves 1 and 3) or adapted for home measurement in subsequent waves.

All TILDA data were pseudonymised prior to release, meaning that personal identifiers such as names and addresses were removed or replaced with unique codes to protect participant confidentiality. Each participant received a unique identifier ('id'), along with household and cluster identifiers, allowing longitudinal linkage across waves without revealing individual identities.

Table 3.1: Dimensions of raw TILDA and harmonised datasets version 5.5 (prior to cleaning in Section 4.1).

Dataset	Collection Period	Participants (N)	Raw Variables (N)
Wave 1 [36]	2009–2011	8501	1619
Wave 2 [37]	2012–2013	7206	724
Wave 3 [38]	2014–2015	6397	1029
Wave 4 [39]	2016	5713	990
Wave 5 [40]	2018–2019	4978	983
Harmonised [41]	2016 (release)	8501	572

3. METHODOLOGY

3.3 Thematic domains

Variables were organised into seven thematic domains based on ageing literature and study objectives. Each variable’s prefix, as defined in the Pseudonymised Microdata File (PMF) metadata (Table 3.2), indicates its source or research domain. This systematic assignment ensures that each thematic group contains conceptually related features and provides a clear structure for downstream automated preprocessing and ML.

Home based CAPI variables use a two letter module code followed by a three digit question code. Variables with multiple responses or loops include an underscore and number to specify the response or iteration.

Variables from the self completion questionnaire are prefixed with SCQ, while derived variables constructed from either CAPI or SCQ data use uppercase codes corresponding to their research area. These prefixes provide a consistent framework for categorising features and guiding the research into thematic domains for downstream analysis. Additional derived variables, constructed from CAPI or SCQ responses, are documented in a separate codebook that specifies their source items and scoring logic. These derived variables were assigned thematic domains based on the research area of their component items.

Categorising the raw variables into seven thematic domains provides a structured foundation for the dimensionality reduction and cleaning pipeline described in Section 3.4 and Chapter 4.

3.4 Manual variable screening

Prior to any data cleaning or modelling, a structured multi-stage workflow was implemented to screen and reduce the dimensionality of the raw TILDA datasets. As shown in Table 3.3 (for example, 1619 $\rightarrow$ 809 variables in wave 1), the raw PMF files were reduced to a subset of variables of interest. This procedure also separated automated diagnostic profiling from manual variable exclusion, ensuring transparency in all selection decisions.

The process consisted of the following steps:

Table 3.2: PMF v5.5 derived variable prefixes [3].

Variable Prefix	Research Area
1: Socio Demographic & Context	
INC	Income variables
SES	Social class
SOC	Social
2: Physical Health & Clinical Baseline	
BP	Blood pressure from sphygmomanometer
MD	Medication data
SCR	Screening tests
3: Functional Status & Frailty	
ADL	Activities of daily living
DIS	Disability, functional impairment, helpers
FR	Frailty, gait, exercise, falls and fractures
GRIP	Grip strength
IADL	Instrumental activities of daily living
4: Lifestyle & Behavioural	
BEH	Health behaviours
5: Nutrition & Metabolic Biomarkers	
BLOODS	Results of blood sample analysis
6: Psychological & Cognitive	
COG	Scales and questions on cognition
CRT	Choice reaction time (cognitive test)
MH	Scales and questions on mental health and wellbeing
Other / Administrative	
G2G	Gateway to Global Aging Data

3. METHODOLOGY

1. **Raw data loading:** Raw TILDA PMF files were loaded without cleaning or recoding. Due to compatibility issues, the harmonised dataset was loaded from a (Stata) (.dta) file, while waves 1–5 were loaded from Statistical Package for the Social Sciences (SPSS) (.sav) files.
2. **Automated variable profiling (Python):** For every variable, summary statistics were computed programmatically, including data type, proportion of missing values, number of unique values, most frequent value, and frequency of the most frequent value. These summaries were exported to spreadsheet format for inspection.
3. **Manual variable screening (spreadsheet based):** Using predefined rule based thresholds described below. Variables were manually reviewed and flagged for exclusion based on missingness, lack of variation, dominance of a single category, or administrative function.
4. **Creation of retained variable lists:** Variables not flagged for exclusion were programmatically concatenated in .xlsx and manually transferred into wave specific JavaScript Object Notation (JSON) files representing the retained *variables of interest*.
5. **Reloading filtered datasets:** The JSON files were then used to subset the original raw datasets, producing reduced datasets with identical rows but fewer variables. No scripts were used to clean, recode, or impute data at this stage.

Manual filtering was applied according to the following criteria (Figure 3.1):

- **Missingness:** Variables with $> 80\%$ missing values were dropped. This threshold retains sufficient feature coverage while avoiding the imputation uncertainty that arises when the majority of values are absent.
- **Unique values:** Drop variables with a single observed value, as they contain no discriminative information and cannot contribute to modelling or inference. Variables with low cardinality (2–4 unique values) were retained for review, as they frequently represent meaningful categorical responses (e.g., binary indicators or ordinal scales) relevant to ageing outcomes.

- **Dominant category (top value/frequency):** Variables where a single category (sample value) marked as the `topValue` occurs over $\approx > 90\%$ (`topFrequency`) of observations were flagged. Such dominance indicates limited variability, reducing analytical utility and predictive value. Variables exceeding this threshold were marked for review or exclusion.
- **Identifiers / administrative fields:** IDs, version tags, and sampling weights were identified using the PMF metadata. Variable names and descriptions were exported from each wave’s PMF file into Comma Separated Values (CSV) files (Appendix A) to systematically document and review features prior to filtering. These exports enabled structured manual inspection and traceability between raw PMF metadata and downstream feature selection decisions.

During this process, variables exceeding these exclusion thresholds were visually flagged (e.g., marked in red). Non-flagged variables were concatenated using a spreadsheet formula that wrapped each variable name in double quotes and separated them with commas,¹ producing the correctly formatted input for the wave specific JSON files. These files represent the *variables of interest* retained after manual screening and filtering and serve as inputs for the upcoming automated data preprocessing and cleaning.

This process yielded a significantly reduced dataset for each wave, see Table 3.3. For instance, in wave 1, manual filtering reduced the feature space by 50.03%. When considering all five waves collectively, the total number of variables was reduced from 5,345 $\rightarrow$ 3,113 representing 2,232 dropped features with an overall reduction average of $\approx 42.0\%$. All variable exclusion decisions were completed at this stage. Subsequent steps focus on numerical standardisation and model preparation.

¹The formula used was `=TEXTJOIN(" ", TRUE, CHAR(34) & J2:Jn & CHAR(34))`, applied in Microsoft Excel to each wave’s variable list.

3. METHODOLOGY




Figure 3.1: Manual workflow for variable screening and filtering. Placeholder (*n*) values indicate variable counts at each stage.

3.5 Dataset characteristics after filtering

To further understand the characteristics of these retained variables, the datasets were profiled using an exploratory visualiser (.ipynb) file implemented with `pandas`, `numpy`, `matplotlib`, and `seaborn`. This step examined data types, missingness patterns, unique value distributions, and representative sample values across all waves. The purpose of this profiling stage was not transformation but to expose structural inconsistencies and latent formatting issues that would undermine direct numerical conversion.

Table 3.3: Input shape for cleaning pipeline (post manual filtering workflow).

Dataset	Row (N participants)	Column (N features)	% Reduction
Wave 1	8501	809	50.0%
Wave 2	7206	482	33.4%
Wave 3	6397	639	37.9%
Wave 4	5713	592	40.2%
Wave 5	4978	591	39.9%
Harmonised	8501	453	20.8%

For example, in wave 1, the visualiser detected 650 categorical columns, 150 (`float64`) columns, and 9 object columns, while the harmonised dataset contained 304 categorical columns, 148 `float32` columns, and several integer columns. Age distributions confirmed that the study population was restricted to older adults across waves, however, ages were bottom coded for participants younger than 50 years and top coded for those aged 65–85 years and above. Missing value summaries indicated substantial variation (e.g., mean missing values ranging from 4.7% in wave 4 to 35% in the harmonised dataset, with some variables exceeding 77% missing).

These insights exposed structural inconsistencies: for instance, variables that appeared numeric in fact encoded labels such as “1.Rarely or none of the time”, and many columns contained sentinel codes (e.g., `-98`, `_99`). These patterns directly informed the design of the deterministic cleaning pipeline described in the next chapter.

3. METHODOLOGY

3.6 Variable coverage by thematic domain

Using the PMF prefixes described in Table 3.2 as a guide, variables were assigned to seven thematic groups in Table 3.4, each capturing a conceptually coherent domain spanning physical, clinical, cognitive, social, and behavioural aspects of ageing. The heatmap at the base of Table 3.4 shows domain coverage across waves, darker shading indicates a higher variable count highlighting which domains contribute most features to the dataset.

Table 3.4: Thematic domain grouping of longitudinal features.

ID	Thematic Group	Description	Representative Variable Examples	Total Variables
1	Socio-Demographic & Context	Baseline demographic and socioeconomic indicators	Age/Sex	844
			Education	
			Income	
			Marital status	
2	Physical Health & Clinical	Clinical and self reported health measures	Blood pressure	853
			BMI	
			Chronic disease status	
			Self-rated health	
3	Functional Status & Frailty	Physical functioning and frailty markers	Activities of Daily Living (ADL)/Instrumental Activities of Daily Living (IADL)	174
			Grip strength	
			Gait speed	
4	Lifestyle & Behavioural	Health behaviours and activity patterns	Physical activity	120
			Smoking	
			Alcohol use	
5	Nutrition & Metabolic	Metabolic and biomarker indicators	C-Reactive Protein (CRP)	22
			Creatinine	
			Lipid markers	
6	Psychological & Cognitive	Cognitive performance and mental health	Mini-Mental State Examination (MMSE)	291
			Depressive symptoms	
			Stress scale	

3.6 Variable coverage by thematic domain

ID	Thematic Group	Description	Representative Variable Examples					Total Variables
7	Other / Administrative	Survey metadata and structural variables	Sampling weight					809
			Completion status					
			Identifiers (ID)					

	SocioDemographic_Context	PhysicalHealth_Clinical	FunctionalStatus_Frailty	Lifestyle_Behavioural	Nutrition_Metabolic	Psychological_Cognitive	Other_Administrative	Total_Variables
wave1	272	149	48	58	10	97	175	809
wave2	119	148	18	21	0	38	138	482
wave3	164	184	44	14	8	93	132	639
wave4	161	186	30	13	4	36	162	592
wave5	128	186	34	14	0	27	202	591
Total_Per_Domain	844	853	174	120	22	291	809	3113

Thematic domain dominance across waves (higher n features per domain).

Chapter 4

Technical Implementation

4.1 Automated cleaning engine

The core challenge in converting heterogeneous variable types across the six datasets was achieving a single numerical standard suitable for downstream analysis. This required enforcing *numerical homogeneity*, defined here as representing all retained features using a single numerical representation (`float64`) with a unified missing or non response sentinel (`-1.0`).

Categorical variables were dominant (2,916 columns) while numeric types were fragmented, with `float64` (462 columns) adopted as the common standard to support decimal values from midpoints, ordinal scaling, and frequency normalisation. The solution was implemented as two stages: automated *variable scenario detection* function (Appendix C) and a deterministic *six step numerical cleaning engine* (Appendix E). Nine scenario categories were defined initially and three served only as validation fallbacks and were eliminated as coverage improved, leaving six active transformation steps applied uniformly across all waves (Appendix B).

4.1.1 Stage 1: Variable scenario mapping

All variables passed sequentially through the six step pipeline, most were resolved in steps 1–5, with step 6 (Appendix D) handling only residual variables that could not be resolved by earlier transformations.

To ensure robustness, the classification output was immediately processed by a validation routine that generated a comprehensive dictionary of variable states before transformation and feature representations after, including all representative sample values for each variable. This allowed direct inspection of how the same variable was represented across waves prior to cleaning, particularly in cases where identical semantic categories appeared in different orders or formats. By comparing these grouped samples before and after each cleaning step, classification errors and inconsistent mappings were identified and corrected prior to execution of subsequent transformations.

The dictionary generated inside the `show_grouped_vars_for_scenarios` function (Appendix F) was formatted to create an automatic friendly Markdown file for rapid, surface level verification, which honed the final mapping dictionary (an example can be found in Appendix G) for all features across all waves. Automated detection followed by manual validation identified and corrected classification errors before transformations were executed.

4.1.2 Stage 2: Deterministic six step cleaning sequence

The nine input scenarios were processed sequentially by the *six step cleaning engine*, resolving simple and unambiguous cases first to maximise the proportion of successfully transformed variables before tackling more complex structures, particularly censored and multi-class scenarios (Figure 4.1). With later steps progressively shifting from cleaning into semantic feature engineering, this deterministic sequence applied identical transformation and feature encoding logic to each wave, with later steps (particularly steps 4–6) performing rule based feature engineering by deriving semantically meaningful numerical representations directly from observed category tokens at runtime. The rationale for this embedded feature engineering approach is detailed in Section 4.1.3, implementation is provided in Appendix D. This design reflects the empirical diversity of survey encodings. A small subset of variables only reveals its structure once simpler transformations have been applied.

The final cleaning pipeline consisted of six deterministic steps applied uniformly across all TILDA waves, with increasingly complex transformations han-

4. TECHNICAL IMPLEMENTATION




Figure 4.1: Six step deterministic cleaning pipeline applied uniformly across all TILDA waves. Transformation tables and implementation scripts are in Appendices B.7 and E.

dled in later stages. Steps 4–6 required particular attention due to hybrid, ordinal, or multi-class formats. A summary of each step and examples is provided below.

1. **Empty / Blank Values:** All missing entries, empty strings, and whitespace were converted to the standard non-response sentinel (-1.0).
2. **Sentinel Values:** Wave specific non-response codes (e.g., -98, -99) and textual sentinels (e.g., “dk”, “not applicable”) were mapped to the unified (-1.0) placeholder.
3. **Numeric Transformation:** Numeric like columns containing embedded units, symbols, or hybrid strings (e.g., 50+, <10, 1-2.5) were parsed using regex and converted to `float64`. For ranges, midpoints &/or boundary values were used. For censored or annotated values, appropriate upper/lower bounds were applied.

4. **Censored / Ordinal Variables:** This step addressed variables representing ordinal scales, bracketed numeric ranges, or frequency expressions (e.g., “2–3 days a week”, “daily”). Transformations included:
 - Converting textual ordinal labels and Likert scale responses to numeric equivalents.
 - Mapping calendar based frequency descriptors to numeric weekly equivalents.
 - Manual verification was conducted for low count or unusual variables using the Markdown audit outputs to confirm semantic meaning was preserved.
5. **Binary Categorical Variables:** Two level features (e.g., Yes/No, Male/Female) were dynamically encoded using mappings derived from the observed value set of each variable:
 - Semantic rules were applied e.g., (“no”, “not”, “female” $\rightarrow$ 0.0) and (“yes”, “male” $\rightarrow$ 1.0).
 - Count based detection verified that variables had exactly two non-missing unique values.
 - Features with more than two sample values were also analysed for sentinel presence:
 - If a variable had three observed values and one was a sentinel, it was treated as binary.
 - If a variable had four observed values and two were sentinels, it was treated as binary.
 - Sentinels were preserved as -1.0.
 - This approach ensured order invariant encoding across waves, even when original labels or numeric prefixes differed.
 - *Example (sentinel case):* Feature X with pre-transformed values [‘NOT Getting in or out of bed’, -1.0, ‘Getting in or out of bed’] was encoded as [0.0, -1.0, 1.0], demonstrating how a sentinel preserves binary semantics.

4. TECHNICAL IMPLEMENTATION

6. Multi-class / Mixed Variables (rule based feature engineering):

Variables with remaining multi-class structure, mixed types, or unresolved string numeric hybrids after earlier transformations were processed in the final step. Technical implementation for this step are provided in Appendix D:

- Text based parsing extracted numbers, ranges, units, percentages, and frequency descriptors into numeric values, yielding interpretable numerical feature representations.
- Sentinel handling ensured all known non-response codes mapped to (-1.0).
- Original values were grouped and assigned numeric identifiers in first seen order, non numeric categorical labels were assigned integer codes above the highest observed numeric value to prevent collisions.
- Manual inspection using the Markdown audit file verified that semantic equivalence was maintained across waves.
- Step 6 was designed to be *order invariant*, dynamically interpreting category values within each wave rather than relying on predefined lookup tables shared across waves. This preserved consistent numeric representation regardless of variable ordering or wave specific encodings.
 - *Example:* Step 5 handled simple binary variables, e.g., (any pain reported) with pre transformed values ['pain', 'No pain'] and numeric mapping [1.0, 0.0]. In contrast, step 6 dynamically processed multi-class variables, e.g., (pre tax wage/salary) many of which contained over 20 distinct pre transformed categories (e.g., -1.0, '200-299', 'Less than 100', ..., '6,000-6,999') into consistent numeric representations (e.g., -1.0, 249.5, 99, ..., 6499.5). This illustrates why step 6 required wave specific, dynamic parsing to maintain semantic equivalence across diverse observed values.

4.1.3 Embedded feature engineering

Although the six step pipeline is framed primarily as a numerical cleaning procedure, steps 4–6 also perform explicit rule based feature engineering by interpreting heterogeneous categorical survey responses and converting them into semantically meaningful numerical representations. Rather than acting as a separate post processing stage, feature engineering is embedded directly within the cleaning logic, formalising ordinal structure, frequency, and magnitude encoded in text into directly modelable `float64` values suitable for downstream analysis.

Crucially, this process engineers the representation of each feature rather than expanding the feature space. Free text frequency responses such as “once or twice a week”, “a couple of times per month”, or “almost every day” are not treated as nominal categories. Instead, lexical cues (e.g., `once`, `twice`, `couple`) are resolved to numeric quantities and normalised onto a common temporal scale, yielding a continuous rate representation. Implicit semantic information such as ordering, intensity, and frequency is therefore preserved through deterministic parsing and normalisation without introducing additional variables. This design maintains the original dimensionality of the dataset while ensuring numerical homogeneity and semantic integrity, producing a compact and model ready representation of complex real world survey data.

4.1.4 Cross wave semantic verification

Given the absence of guaranteed category ordering across waves, preserving *semantic equivalence* during numerical encoding and feature representation was essential to avoid introducing distortions into downstream ML modelling. Pre and post transformation values for each group were exported to a readable Markdown (`.md`) file. This representation confirmed that features of known importance for downstream predictive models were preserved and correctly encoded. Self-rated general health, comparative self-rated health, and smoking frequency are among the most influential predictors in FI based mortality models [6]. Retaining these features from the manual filtering thresholds applied in Section 3.4 and encoding them consistently across waves ensured that the cleaned dataset maintains cov-

4. TECHNICAL IMPLEMENTATION

erage and semantic integrity, preventing distortions that could potentially compromise model performance.

A key challenge in cleaning the five TILDA waves was the lack of guaranteed ordering for categorical values of the same variable across different waves. Table 4.1 illustrates this for waves 4 and 5.

Gender (`sex`) variables appeared under different value encodings, with varied category orderings and numeric prefixes across waves. Values such as [`Male`, `Female`], [`Female`, `Male`], and prefixed forms like [`1.male`, `2.female`] were all mapped to a consistent numeric representation (1.0 for male, 0.0 for female). This ensured that semantic equivalence, rather than positional ordering or wave specific encoding, determined numerical assignment.

The Markdown audit confirmed that semantically identical categories were correctly grouped across waves regardless of variable name or encoding order, and that complex value spaces (e.g., income bands, frequency descriptors) were being collapsed to stable numeric representations consistently across waves. Full audit examples are provided in Appendix G.

Table 4.1: Inconsistent category ordering for comparative self-rated health (“How does your health compare to others your age?”) across waves and its impact on positional label encoding.

Pos	Wave 4		Wave 5	
	Category	Code	Category	Code
1	Good	3.0	Very Good	4.0
2	Fair	2.0	Fair	2.0
3	Poor	1.0	Excellent	5.0
4	Excellent	5.0	Good	3.0
5	DK	-1.0	Poor	1.0
6	Very Good	4.0	DK	-1.0
7	RF	-1.0	RF	-1.0

4.2 Validation of the transformed features

Validation checked whether known biological relationships reported in the literature were preserved after cleaning.

Due to restricted access to certain outcome variables within TILDA, full end-to-end replication of all published models was not always feasible. In particular, access through the hotdesk facility for the official mortality outcomes is subject to additional governance requirements, including institutional GDPR training certification and approval by the TILDA data access committee [42]. As a result, validation focused on two complementary strategies:

- (i) Internal consistency checks against established biological and clinical relationships, and
- (ii) Constrained replication of published modelling frameworks using available predictors and the derived 8 year mortality proxy outcome.

These validation steps confirm that the cleaning pipeline retains expected relational patterns and produces datasets suitable for the modelling tasks in Chapter 5.

4.2.1 Internal feature relationships

The first validation stage assessed whether cleaned predictors preserved biologically and clinically plausible relationships reported in prior TILDA studies. This analysis focused on predictors identified by [4] as accounting for approximately 95% of the explained variance in Gait Speed Reserve (GSR), defined as the difference between maximum and UGS.

As GSR is not directly available in the public wave 3 dataset, validation was performed by examining the directional relationships between the 7 primary predictors themselves. This approach evaluates whether the encoding process, including sentinel handling, missing value treatment, and ordinal mapping, preserved the expected structure of the data rather than simply fitting to a particular outcome.

4. TECHNICAL IMPLEMENTATION

Figure 4.2 presents the pairwise Pearson correlation matrix for the selected predictors after the deterministic six step cleaning pipeline. Grip strength exhibited a negative association with both age and chair stand time, reflecting the inverse relationship between muscular strength and physical performance decline. Cognitive performance (Montreal Cognitive Assessment (MOCA)) demonstrated a moderate negative correlation with age and a positive association with educational level, consistent with known patterns of cognitive reserve in older adults. Education correlated positively with cognitive performance, and BMI showed the expected weak negative association with age, reflecting reduced physiological reserve in older cohorts.

Table 4.2 summarises the expected and observed directional relationships between key predictor pairs. Notably, grip strength showed moderate negative correlations with both age ($r = -0.265$) and chair stand time ($r = -0.170$), reflecting the expected inverse relationship between muscular strength and physical performance decline. Cognitive performance (MOCA) displayed a moderate negative association with age ($r = -0.381$) and a positive association with education ($r = 0.367$), consistent with known patterns of cognitive reserve in older adults. BMI demonstrated the anticipated weak negative correlation with age ($r = -0.073$). These results confirm that the cleaning pipeline retained the expected numerical structure and relational patterns of the predictors, rather than introducing artificial associations.

4.2.2 Model based validation

To evaluate whether the cleaned dataset preserves predictive utility, a constrained replication of [6] was conducted using available wave 1 predictors. The study predicted 8 year mortality using 32 FI items. In the cleaned wave 1 dataset following the deterministic six step cleaning pipeline described in Section 4.1.2, only 16 of these 32 FI items remained following the manual variable filtering described in Section 3.4, which prioritised global numeric consistency across waves.

An *8 year mortality proxy* outcome was constructed to approximate the sex specific 8 year mortality rates reported in [6] (men: 14.9%, women: 11.1%), derived from linkage to Ireland’s Central Register Office records [43]. Due to access

4.2 Validation of the transformed features




Figure 4.2: Pairwise Pearson correlations for the seven predictors used in directional validation (wave 3).

4. TECHNICAL IMPLEMENTATION

Table 4.2: Directional validation of the seven features accounting for 95% of gait speed reserve variance as identified by [4].

Predictor 1	Predictor 2	Expected Direction / Justification	Observed r
Grip Strength (GRIP)	Age	Negative (-): GRIP is a positive predictor of GSR, while age is a negative predictor.	-0.265
GRIP	Chair Stand Time	Negative (-): Higher strength (grip) is expected to correlate with faster (lower) performance time in physical tests.	-0.170
Montreal Cognitive Assessment (MOCA) Score	Age	Negative (-): Cognitive performance (MOCA) contributes positively to GSR, whereas increasing age is associated with reduced reserve.	-0.381
Education	MOCA Score	Positive (+): Third level education and cognitive scores are both cited as positive contributors to cognitive reserve and GSR.	0.367
Body Mass Index (BMI)	Age	Weak / Mixed: BMI and age both negatively impact GSR, though their internal correlation in older cohorts is typically weak.	-0.073

4.2 Validation of the transformed features

restrictions, the official mortality data were unavailable. Therefore, mortality status was first assigned by randomly selecting deceased participants from the wave 1 cohort aged 50 years or older to match the published sex specific mortality proportions observed at wave 5 follow up. An equal number of surviving participants were then randomly sampled within each sex to construct balanced datasets for model training. The resulting random proxy datasets included 1,114 men (557 deceased) and 982 women (491 deceased), reflecting the baseline wave 1 population aged ≥ 50 years ($n = 8,172$: 3,743 men and 4,429 women). Two variants of this proxy were implemented:

- (i) the purely random assignment described above, used as a structural baseline, and
- (ii) biologically informed probabilistic assignment based on latent FR structure extracted via Principal Component Analysis (PCA). This dual construction allowed separation of statistical artefact from biologically meaningful signal.

The random proxy serves as an initial diagnostic benchmark. Mortality labels were assigned by randomly selecting deceased participants within each sex to match the published 8 year mortality proportions. While this preserves overall class balance, it does not encode any biological or FR related information and therefore serves only as a structural validation baseline.

For the biologically informed proxy, the 16 available FI items were standardised to zero mean and unit variance using z-score transformation. PCA was then performed separately within each sex on complete case observations to extract the principal component representing the dominant latent FR structure. The First Principal Component (PC1) was retained as a latent FR score, and its direction was aligned such that higher PC1 scores correspond to higher FR by enforcing a positive correlation with the calculated FI. This latent FR score was subsequently combined with age to construct a probabilistic mortality assignment reflecting both biological vulnerability and time dependent risk. Two model variants were tested for each sex:

1. **FI only model:** using the 16 available FI items, without age.

4. TECHNICAL IMPLEMENTATION

2. **FI + Age model:** including age as an additional predictor.

Model training and evaluation followed the procedure reported in [6] as closely as permitted by the available data. Features were min-max normalised prior to modelling. For each sex, data were split into training (80%) and testing (20%) sets. To mitigate overfitting and obtain robust estimates of model performance, 5-fold stratified cross-validation was applied on the training data. AUC was selected as the primary evaluation metric due to its widespread use in prior TILDA and ML based studies (Figure 2.2) and its robustness to class imbalance.

For six of the sixteen FI items, the cleaned dataset transformations differed from the scoring rules published in [6]. To align precisely with the original 16/32-item FI methodology, these items were recoded following the published ordinal and dichotomous mappings. This step was necessary to ensure that the six remapped FI items reflects the same interpretation of health deficits used in the literature and is consistent with standard FI construction principles [17]. Models were then re-evaluated using this partial remapping FI to assess sensitivity to feature encoding.

The resulting AUC values are reported separately for (i) originally cleaned (Figure 4.3) vs 6/16 recoded FI items (Figure 4.4), (ii) random vs PCA informed mortality assignment, (iii) FI only vs FI + Age models, and (iv) men and women. These results highlight several key points:

1. **Random proxy baseline (cleaned vs recoded FI):** Under purely random mortality assignment, discrimination remained at chance level regardless of FI version. The cleaned 16 FI items achieved $AUC = 0.507$ (men) and 0.512 (women). Recoding six items per the published scoring rules [6] improved this to 0.567 (men) and 0.537 (women), but discrimination remained close to chance. This confirms that without a biological structure in the outcome labels, predictive performance reflects noise.
2. **PCA informed mortality proxy (cleaned vs recoded FI):** When mortality assignment incorporated the PCA derived FR representation PC1, discrimination improved relative to the random baseline for both FI constructions. For the 16 cleaned FI items, the FI only model achieved AUC

4.2 Validation of the transformed features




Figure 4.3: Receiver Operating Characteristic (ROC) curves for mortality prediction using 16 cleaned frailty index items under the PCA informed mortality proxy. Separate models are shown for men and women, with and without age.




Figure 4.4: ROC curves for mortality prediction using the 6/16 recoded frailty index items aligned with [6]. Performance is shown separately for men and women, with and without age.

4. TECHNICAL IMPLEMENTATION

= 0.591 (men) and 0.667 (women), increasing to 0.602 (men) and 0.660 (women) when age was included. When six of the sixteen deficits were recoded in accordance with the published scoring framework, the FI-only model achieved $AUC = 0.636$ (men) and 0.633 (women), while the FI + age model achieved 0.643 (men) and 0.652 (women).

This indicates that closer alignment with published ordinal deficit scoring improves discrimination relative to the simplified numeric encoding applied during initial cleaning.

3. **Comparison with published performance:** Absolute AUC values remain below those in [6] (approximately 0.70 for FI only, up to 0.80–0.90 with age), as expected given the created proxy outcome and only 16 of the original 32 FI items. The methodological sequence is preserved. Random assignment gives chance performance, PCA latent FR structure improves discrimination, and adding age further improves prediction.

- (i) Random assignment yields chance level performance,
- (ii) Extracting latent FR structure via PCA improves discrimination,
- (iii) Inclusion of age generally improved mortality prediction.

The cleaned dataset maintains realistic sex distributions (45.8% men, 54.2% women) and mortality proportions consistent with published estimates, confirming that preprocessing preserved demographic and structural integrity required for downstream modelling.

Chapter 5

Empirical Evaluation

5.1 Modelling and evaluation framework

Building on the cleaned and validated datasets from Chapters 3 and 4, this chapter presents the empirical evaluation of ML models for predicting chronic disease onset in the TILDA cohort. The evaluation is based on participants aged between 50 – 84 years with a mean age of 66. To ensure that the prediction task reflects (new onset) disease, individuals with the target condition already present at the start of a transition were excluded, leaving only at risk observations for training and testing. This rule was applied consistently across all designs and for both Track A (*any disease outcome*) and Track B (*disease specific outcomes*).

Final analysis samples differed by design and tracks due to data structure. The baseline design (D1) uses a single transition (Wave 1→Wave 5), with a follow-up period of approximately 8 years. The pooled multi-wave designs (D2 and D3) aggregate all eligible consecutive transitions (W1→W2, W2→W3, W3→W4, W4→W5), each spanning approximately 2 years, thereby capturing shorter term dynamics.

Sample sizes and incident rates for Track A are summarised in Table 5.1. Track B, cohort sizes and incident rates vary by condition. Appendix H provides these details for each disease specific model.

5. EMPIRICAL EVALUATION

5.1.1 Outcome definitions

Two complementary prediction tasks were defined.

Track A—Predicting any chronic disease onset: Track A uses a binary outcome indicating the first occurrence of any chronic disease during follow-up.

- In D1, disease free status at wave one was established using a composite of self-reported conditions (e.g., eye conditions, cardiovascular conditions, diabetes related conditions, general chronic conditions, limiting long term illness, and self-reported chronic/health problems). Incident cases were then defined using any positive ICD-10 disease codes from the WHO (*International Statistical Classification of Diseases and Related Health Problems 10th Revision*) at wave five (e.g., mental and behavioural disorders & musculoskeletal diseases).
 - No composite ICD-10 indicator exists in wave 1 to establish a clinical baseline. These clinical codes were recorded unevenly across the middle waves, with only three indicators available in wave 2, two in wave 3, and one in wave 4, before a comprehensive set of 16 variables appeared at wave 5, partially a consequence of the manual low heterogeneity filtering flow described in Section 3.4.
 - Physical & Cognitive Health (PH) variables reflect prior doctor diagnoses (“has a doctor ever told you”), whereas the “self-reported long term chronic/health problem” variable captures general perceived health burden without requiring clinical confirmation.
 - All feature scoring schemes and labels are provided in Appendix I.
- In D2 and D3, the “self-reported long term chronic/health problem” variable (where $y = 0$ denotes no chronic illness and $y = 1$ denotes presence of chronic illness) was used to both define the outcome and identify the at risk cohort (those with $y = 0$ at transition start) for inclusion in each wave. This variable is available across all waves, enabling consistent application

5.1 Modelling and evaluation framework

across all four consecutive transitions.

$$\text{Coverage}_y = \frac{\sum_{i=1}^N \mathbb{1}(y_i \neq \text{missing}(-1.0))}{N} \times 100 = 99.91\%$$

where N denotes the number of person wave observations and y_i the binary outcome for observation i , hence Coverage_y reports the percentage of observations for which y is recorded (i.e. not coded as the missing value -1.0).

- An analysis of wave 5 data compared self-reported long term chronic/health problem against incident case clinical records (ICD-10). While raw agreement reached 59.5%, (*Cohen’s Kappa for agreement beyond chance*) ($\kappa = 0.167$) indicates poor agreement, showing that these variables capture different aspects of health status. Among participants with a confirmed clinical diagnosis, 45% reported themselves as healthy, whereas 38% of those without a clinical diagnosis reported a long term chronic/health problem. This low agreement suggests that “self-reported long term chronic/health problem” and clinically coded disease are distinct but complementary constructs, one capturing perceived illness burden and the other capturing objectively documented diagnoses.

Table 5.1: Sample sizes and incidence rates by design for Track A.

Design	Observations (n)	Incident cases (n)	Incidence rate (%)
D1: Baseline (W1→W5)	916	248	27.07
D2: Multi-wave pooled	14,296	3,212	22.5
D3: Top-20 (reduced)	14,296	3,212	22.5

Track B—Disease specific prediction: Track B targets individual chronic disease outcomes, e.g., circulatory disease, diabetes, and functional decline. For each prediction task, the outcome was defined as the first recorded diagnosis of the specific condition, and participants were excluded if the condition was present at the baseline of the corresponding transition. Scoring details for each disease specific outcome are also provided in the same Appendix I. Additionally, a

5. EMPIRICAL EVALUATION

predictor add-on analysis was conducted to evaluate whether individual candidate features from domains beyond the top-20 feature set (Appendix J) contribute independent predictive value.

5.1.2 Modelling designs

1. **LR** — An interpretable linear baseline consistent with its established use in TILDA mortality and disease prediction [35], providing coefficients and odds ratios directly. In D1 and D2, a fixed configuration was used: `solver='liblinear'`, `C=0.001`, `class_weight='balanced'`, `max_iter=2000`. In D3, hyperparameters were tuned via `RandomizedSearchCV` over `C` (log-uniform $[10^{-4}, 10]$), `solver=['saga']`, `l1_ratio` (uniform $[0, 1]$), and `max_iter` $\in \{1000, 2000, 5000\}$.
2. **XGB** — A gradient boosted tree ensemble selected for its demonstrated performance in TILDA diabetes prediction using multidomain predictors [25], capturing nonlinear interactions in heterogeneous tabular health data. In D1 and D2, fixed parameters were used: `n_estimators=1500`, `max_depth=3`, `learning_rate=0.03`, `min_child_weight=5`, `gamma=0.1`, `subsample=0.8`, `colsample_bytree=0.7`, with class imbalance handled via `scale_pos_weight` (negative to positive ratio). Early stopping (`early_stopping_rounds=50`) on an internal 20% validation split determined the optimal number of boosting rounds. The model was then refit on the full training set at that iteration. In D3, all tree and regularisation parameters were additionally tuned via `RandomizedSearchCV`.
3. **RF** — A bagging based ensemble with established use in falls, frailty, and functional decline prediction within TILDA [6, 20], providing robustness through random feature subsampling (`max_features='sqrt'`). Fixed parameters in D1/D2: `n_estimators=500`, `max_depth=5`, `min_samples_leaf=10`, with class imbalance handled via `class_weight={0:1, 1:neg/pos_ratio}`. In D3, `n_estimators` (100 – 800), `max_depth` (3 – 10), `min_samples_leaf` (5 – 30), and `max_features` $\in \{'sqrt', 'log2'\}$ were tuned via random search.

5.1 Modelling and evaluation framework

4. **MLP** — A feedforward neural network with two hidden layers, included to represent the neural family in the four model comparison. Neural networks have been proposed as a promising tool for clinical risk prediction due to their ability to capture hierarchical nonlinear patterns [44]. Their inclusion here tests directly whether this advantage holds in survey based longitudinal ageing data against the tree-based baselines. Fixed parameters in D1/D2: `hidden_layer_sizes=(32,16)`, `activation="relu"`, `solver="adam"`, `alpha=0.01`, `learning_rate_init=0.001`, `max_iter=500`, with early stopping (`n_iter_no_change=20`, `validation_fraction=0.1`). Class imbalance was handled via `compute_sample_weight(class_weight="balanced")` passed at fit time, as MLP does not natively support `class_weight`. In D3, `hidden_layer_sizes` $\in \{(32,), (64,), (32,16), (64,32), (128,64)\}$, `activation` $\in \{"relu", "tanh"\}$, `alpha` (log-uniform $[10^{-4}, 1]$), and `learning_rate_init` (log-uniform $[10^{-4}, 10^{-1}]$) were tuned via random search.

The preprocessing backbone median imputation (`SimpleImputer`), variance filtering (threshold = 0.01), and missingness filter (> 50% on training only) was shared across all models, with scaling (`StandardScaler`) applied only to LR and MLP (sensitive to feature magnitude). Tree-based models were trained on the raw imputed features without scaling. All steps were fit exclusively on training data (prior to internal train/validation splitting) before being applied to validation and test sets, preventing information leakage.

Track B models used XGB exclusively, as it achieved the strongest and most consistent performance across D2 and D3 in Track A (see Section 5.2). The same model configuration and hyperparameter search space used in D3 was applied in Track B. The three primary modelling designs were implemented to address and assess the effect of baseline prediction, longitudinal pooling, and feature reduction with optimisation, respectively. The full pipeline structure across all three designs and both tracks is illustrated in Figure 5.1.

- **D1 (Baseline):** A single W1→W5 transition. Only participants disease free at wave 1 (using self-reported and derived disease variables) were included, with incident disease defined by any positive ICD-10 coded diagnosis

5. EMPIRICAL EVALUATION

at wave 5 ($n = 916$, incidence 27.1%). Feature selection used `SelectKBest` ($k = 20$) and CV used `StratifiedKFold` (one observation per participant).

- **D2 (Multi-wave pooled):** All four eligible consecutive transitions ($W1 \rightarrow W2$, $W2 \rightarrow W3$, $W3 \rightarrow W4$, $W4 \rightarrow W5$) were stacked into a single pooled dataset. Disease free status and incident outcome were both defined using the self-reported long term chronic/health problem variable at each transition. A numeric wave transition indicator was added as a feature to capture temporal context. The pooled cohort comprised of $n = 14,296$ person wave observations (incidence 22.5%). Feature selection used `SelectKBest` ($k = 100$), and CV used `StratifiedGroupKFold` to ensure no participant appeared in more than one fold.
- **D3 (Top-20 + Hyperparameter Optimization (HPO)):** Built directly on the D2 cohort and wave structure. The feature set was restricted to the 20 highest ranked predictors by XGB gain importance from D2, plus the wave transition indicator. No additional feature selection step was applied. HPO was performed for all four model families using `RandomizedSearchCV` (200 iterations) within a `StratifiedGroupKFold` framework.

The choice of k was driven by sample size. D1 ($n = 916$) is a small cohort, restricting to $k = 20$ avoids overfitting and gave the most stable cross-validated performance. The D2 pooled cohort is approximately 15 times larger and can support a proportionally larger feature set, $k = 100$ produced the strongest results at that scale without signs of overfitting. D3 then applied the same 20 features of that full D2 cohort and matched D2 level performance within ($\Delta\text{AUC} = 0.002$), confirming that the cross-design gain is driven by longitudinal structure rather than by the number of predictors.

All three designs shared the same participant level train/test split (80%/20%, stratified by outcome), the same missingness filter and variance threshold applied on training data only, and the same five fold CV evaluation protocol. Track B models were evaluated under both the D2 (all X) and D3 (top-20 X) structures for each disease specific outcome. Full details are provided in Subsection 5.2.4.

5.1 Modelling and evaluation framework




Figure 5.1: Pipeline overview: shared preprocessing applied to all data before branching into Track A (any chronic disease, D1/D2/D3) and Track B (disease specific, following D2/D3 structure). D3 is built directly on D2’s cohort and wave structure, adding feature reduction and hyperparameter optimisation.

5. EMPIRICAL EVALUATION

Figure 5.1 note: Feature counts after the missingness filter: D1 retains ≈ 570 features, further reduced to $k = 20$ by `SelectKBest` before model training. D2 retains ≈ 261 features, reduced to $k = 100$. D3 uses exactly 21 features (top-20 + wave indicator) with no further selection.

5.1.3 Participant level data splitting and leakage prevention

All splitting was performed at the **participant level**. Individuals were assigned exclusively to either the training, validation, or test set, ensuring no participant contributed data to more than one split. The overall dataset was first split into 80% for model development and 20% as a held-out test set. The 80% development partition was then further divided 80%/20% internally, yielding a final three way allocation of 64% training, 16% validation, and 20% test. Splitting was performed using participant identifiers to ensure group wise separation, with stratification by outcome to preserve class balance across splits. As demonstrated in longitudinal brain Magnetic Resonance Imaging (MRI) analysis [45], participant level splitting prevents identity confounding, where models learn individual health signatures rather than generalisable risk patterns.

D1 used `StratifiedKFold` ($k = 5$). D2 and D3 used `StratifiedGroupKFold` ($k = 5$), ensuring all observations from a given participant are assigned to a single fold and no participant appears in both training and validation sets simultaneously. Three additional leakage controls were applied across all designs:

- **Pipeline isolation:** Imputation medians, variance masks, and feature selection scores were computed on the training partition only. The resulting transformations were then applied unchanged to validation and test data.
- **Temporal ordering:** Predictors were drawn from the baseline wave of each transition (wave n) to predict the next wave outcome (wave $n + 1$), preventing look ahead bias.
- **Exclusion of direct proxies:** Variables that directly encode the outcome being predicted (e.g., self-reported disease source indicators that feed into the ICD-10 codes used as outcome, such as (“has a doctor ever told you

that you have”) a Ministroke or TIA and Parkinson’s disease for nervous system diseases), were removed from the predictor set prior to modelling.

5.1.4 Evaluation protocol and metrics

Model performance was assessed using discrimination, calibration, and classification metrics. The primary metric was AUC. Models requiring HPO (D3) used `RandomizedSearchCV` within the same CV framework.

Calibration was evaluated using the Brier score, which measures the accuracy of predicted probabilities, while classification performance was summarised using the F1 score, capturing the balance between precision and recall in the presence of class imbalance (e.g., 22 – 27% incidence). Additional metrics, including sensitivity, specificity, and confusion matrices, were used to support interpretation.

For Track B predictor add-on analysis, 95% Confidence Interval (CI)s for performance deltas were estimated via bootstrap resampling to ensure statistical significance.

5.2 Main results

Performance is evaluated first across the three Track A designs (D1, D2, and D3), followed by cross design and model comparisons. Results conclude with Track B disease specific outcomes.

5.2.1 Track A: Any disease onset

Results are presented across the three modelling designs, with tables summarising discrimination (AUC), calibration (Brier score), and classification performance (F1), alongside training, validation, and test metrics to assess generalisation.

5.2.1.1 Design 1 performance

Table 5.2 summarises the performance of the four models on the single transition (Wave 1 → Wave 5). Discrimination is weak with test AUC values ranging from

5. EMPIRICAL EVALUATION

0.53–0.58, and the larger train-test gaps for tree-based models indicate stronger overfitting in the baseline design.

Table 5.2: Predictive performance across model families for D1 (baseline design).

Model	CV AUC	Train AUC	Val AUC	Test AUC	Brier Score	F1 Optimal
Logistic Regression	0.589	0.677	0.582	0.571	0.245	0.411
XGBoost	0.569	0.825	0.563	0.544	0.240	0.398
Random Forest	0.579	0.871	0.565	0.534	0.231	0.440
MLP	0.536	0.664	0.552	0.582	0.241	0.419

5.2.1.2 Design 2 performance

Table 5.3 shows the results when using all consecutive transitions (pooled multi-wave design). All models improve substantially compared to D1 5.2.1.1, with test AUC values ranging from 0.69 to 0.72.

Table 5.3: Predictive performance across model families for D2 (multi-wave design).

Model	CV AUC	Train AUC	Val AUC	Test AUC	Brier Score	F1 Optimal
Logistic Regression	0.715	0.728	0.715	0.709	0.217	0.460
XGBoost	0.716	0.736	0.719	0.715	0.214	0.468
Random Forest	0.711	0.740	0.717	0.711	0.212	0.452
MLP	0.698	0.749	0.706	0.699	0.208	0.455

5.2.1.3 Design 3 performance

Table 5.4 presents performance using only the 20 most informative predictors (derived from XGB model trained on D2) with HPO applied across all models. Discrimination remains effectively unchanged compared to D2, with test AUC values tightly clustered around 0.71.

Table 5.4: Predictive performance across model families for D3 (tuned design).

Model	CV AUC	Train AUC	Val AUC	Test AUC	Brier Score	F1 Optimal
Logistic Regression	0.716	0.718	0.717	0.712	0.212	0.459
XGBoost	0.718	0.736	0.719	0.713	0.209	0.462
Random Forest	0.717	0.766	0.718	0.713	0.205	0.462
MLP	0.713	0.743	0.710	0.712	0.207	0.467

5.2.2 Cross design comparison

The best test AUC increased from 0.582 in D1 (achieved by MLP) to 0.715 in D2 by XGB, representing an improvement of 0.133, demonstrating the benefit of incorporating pooled longitudinal transitions.

Reducing the feature set to the top-20 predictors in D3 maintained this gain, with XGB achieving a test AUC of 0.713, only 0.002 lower than D2, confirming that most of the predictive signal is concentrated in a small subset of variables, and that performance is robust to feature reduction.

Across designs, best CV performance also improves and stabilises:

- D1: 0.589 ± 0.072 (LR)
- D2: 0.716 ± 0.007 (XGB)
- D3: 0.718 ± 0.006 (XGB)

The drop in CV standard deviation from 0.072 (D1) to 0.007 (D2) reflects a structural shift in the learning problem, not just a larger sample. D1 predicts a clinically coded outcome eight years ahead from a single wave snapshot. Signal is sparse, the outcome is heterogeneous, and fold-to-fold variance dominates. D2 pools 14,296 person wave observations across four two year transitions in which self-reported health burden is the direct outcome. Matching predictor horizon to outcome window is what drives the gain. For short-term incident prediction in survey cohorts, self-reported health state is a stronger signal source than objective biomarkers measured years earlier.

5. EMPIRICAL EVALUATION

5.2.3 Model comparison

Once temporal structure is introduced (D2 and D3), model differences narrow: test AUC ranges shrink from 0.048 (D1) to 0.016 (D2) to 0.001 (D3), with all models clustering in the range 0.69–0.72 and no single model class dominating. XGB achieved the highest test AUC in both D2 (0.715) and D3 (0.713), though the margin over LR was narrow (≤ 0.006). The fact that the linear LR remained consistently competitive (0.709 in D2 and 0.712 in D3) suggests that risk signals in the ageing population are primarily linear. MLP slightly underperforms in D2 (0.699) but matched other models in D3 (0.712), indicating improved performance when the feature space is reduced to the most informative predictors. This indicates that individual burden indicators, particularly medication count and pain, dominate the risk score with largely linear effects, leaving limited room for nonlinear algorithms to outperform a well regularised linear baseline. The convergence of model families in D3, where the AUC range narrows to just 0.006, is a further sign that the available signal has been largely captured by the top-20 features. Improving performance from here would require richer data rather than more complex algorithms.

Figure 5.2 compares generalisation gaps (Train–Test) AUC across all three designs. The average train–test AUC gap (across all four models) drops from 0.202 in D1 to 0.030 in D2 and 0.028 in D3, a reduction of over 85%. This demonstrates that the pooled multi-wave design effectively reduces overfitting. D1 exhibits the largest gaps, consistent with weaker signal and higher variance in estimates. In contrast, D2 and D3 show much smaller gaps, indicating improved stability. Tree-based models (XGB and RF) exhibit the largest gaps in D1, consistent with the small sample size. In D2 and D3, XGB achieves the smallest gaps (0.021 and 0.023 respectively), while RF shows comparatively larger gaps (0.029 and 0.053). The strong performance of XGB in D3 is expected, as the top-20 feature set was selected using XGB gain importance from D2. Nevertheless, XGB also generalises well in D2, suggesting that its boosting mechanism is effective at learning stable patterns from pooled longitudinal data.

In contrast, RF may be more prone to overfitting even with the pooled design, possibly due to its reliance on bagging and random feature selection, which may

capture informative predictors less efficiently than boosting.




Figure 5.2: Train–Test generalisation gaps across models and designs. The 0.05 dashed line marks the conventional acceptable overfitting threshold.

The figure also highlights that model level differences in generalisation gap are more pronounced in D1, whereas D2 and D3 exhibit convergence across model families, suggesting that data structure plays a larger role than algorithmic choice in controlling overfitting.

5.2.4 Track B: Disease specific

Track B targets individual chronic disease outcomes using the same pooled cohort structure and participant level splitting as D2 and D3, with XGB as the sole classifier given its consistently strong performance in Track A. Twenty-four disease specific outcomes were evaluated using two feature strategies: all eligible predictors retained after the 50% missingness filter (for example, 261 features for functional decline and 351 for circulatory disease), and a restricted top-20 set derived from XGB gain importance. Outcomes span key domains of ageing related health in TILDA, covering cardiovascular conditions, functional decline, mental health, and metabolic disease.

5. EMPIRICAL EVALUATION

5.2.4.1 Outcome categories

- **Clinical (Incident case diseases (ICD-10)):** Circulatory, endocrine/metabolic, eye, and musculoskeletal diseases (comprehensive from wave 5 only, source predictors excluded to prevent leakage).
- **Functional:** Functional decline, falls (Inc. balance), pain, hearing loss, and urinary incontinence (self-reported, available across multiple waves e.g., $W2 \rightarrow W4$, $W3 \rightarrow W4 \rightarrow W5$ and $W2 \rightarrow W4$).
- **Family history:** Reports of family member diagnoses across eight conditions. These are not incident diagnoses of the participant and represent a distinct prediction target, estimating the likelihood of a participant newly reporting a family history item at follow-up. These variables were retained through the manual filtering process described in Section 3.4.
- **Medication/procedure proxies:** Antidepressant, antihypertensive, cholesterol medications, doctor confirmed hypertension, and cardiac procedure. These are downstream markers of clinical decision making used as prediction targets. They capture risk signals linked to eventual treatment rather than raw disease onset. As noted in Appendix H, incidence rates for medication proxies vary widely, 1.4% for cardiac procedure to 41.6% for doctor confirmed hypertension diagnosis (though this is based on a very small cohort of $n \approx 250$).

5.2.4.2 Overall performance

Figure 5.3 plots (train against test) AUC for all disease specific models, coloured by outcome category. The diagonal line represents perfect generalisation (train equals test), while lines at 0.5 on both axes mark chance level performance. Points close to the diagonal indicate stable learned signal, whereas points far above it, with much higher train than test AUC, indicate overfitting. Overall, test AUC values range from approximately 0.45 to 0.72, reflecting substantial variation driven mainly by outcome type and incidence rate rather than model choice.

Functional and symptom outcomes were the most reliable across both feature strategies. Functional decline ($n = 14,296$, incidence 22.5%) achieved a test

AUC of 0.713 with a small gap between train and test. This outcome uses a similar self-reported chronic health problem variable as D2 and D3 in Track A derived from the variable codebook (not CAPI), and the consistent performance across both tracks confirms the stability of this predictor outcome relationship and persistent FR signal identified in the literature. FOF ($n = 18,114$, incidence 14.0%) achieved 0.721, the highest test AUC, closely followed by antihypertensive prescription, reflecting the well documented link between functional limitation and falls risk in TILDA. Hearing loss ($n = 10,780$, incidence 15.1%) reached 0.678, and urinary incontinence ($n = 16,208$, incidence 8.4%) achieved 0.682, both with gaps below 0.10. These outcomes benefit from consistent measurement across waves, sufficient event counts, and clear physiological pathways, which support more stable longitudinal prediction.

Medication proxies achieved competitive test AUC values. Antihypertensive prescription ($n = 19,845$, incidence 4.5%) reached 0.718, and antidepressant prescription ($n = 4,378$, incidence 3.2%) reached 0.702, despite low incidence. Both models showed train AUC above 0.99, indicating overfitting to training specific patterns rather than fully generalisable risk patterns. The test results show that the models can discriminate between cases and non cases, although part of this performance likely comes from established treatment profiles. For example, a participant already receiving antihypertensives at baseline has a clinical profile strongly associated with future prescription continuation. These models are therefore informative for risk stratification but should not be interpreted as predicting new disease onset.

Clinical coded ICD-10 outcomes showed moderate performance. Circulatory disease ($n = 14,539$, incidence 12.2%) and eye diseases ($n = 4,396$, incidence 10.1%) were the strongest, reaching test AUC values of 0.626 and 0.653, respectively. This aligns with findings that cardiovascular outcomes in TILDA are supported by well established clinical predictors. Musculoskeletal diseases ($n = 4,269$, incidence 6.5%) and endocrine / metabolic diseases ($n = 4,117$, incidence 8.8%) performed near chance, with test AUC values of 0.507 and 0.515 under the all features strategy, alongside train AUC values of 1.000 and 0.967. This pattern indicates that the models memorised training labels without learning signal that transfers to new data. This issue is discussed further in Section 5.2.4.4.

5. EMPIRICAL EVALUATION

Family history models were the least reliable. Test AUC ranged from 0.513 (cancer $n = 3,971$, incidence 13.4%) to 0.665 (high cholesterol $n = 4,312$, incidence 12.0%), while training AUC reached 1.000 for several outcomes such as Alzheimer’s disease, indicating severe memorisation. Switching to the top-20 feature set consistently degraded performance, with several models dropping below 0.50. The root cause is structural. Family history variables capture a participant’s reported knowledge of a relative’s diagnosis, not an outcome the participant has experienced. There is no direct causal pathway linking participant-level predictors to these targets, so what the model learns from training does not transfer to unseen data.




Figure 5.3: Train vs Test AUC for all Track B disease specific models, coloured by outcome category. Circle markers represent all feature models and cross markers represent top-20 feature models, with a line connecting the two feature strategies per disease. The diagonal dashed line marks perfect generalisation (Train $\approx$ Test). Dashed lines at 0.5 on both axes indicate chance level discrimination. Confidence ellipses illustrate within category spread.

5.2.4.3 Incidence and predictability

Cohort sizes and incidence rates for each outcome are provided in Appendix H. Incidence rate appears to be the most consistent driver of model stability in Track B. Outcomes with incidence above approximately 12%, particularly when measured consistently across waves, tended to achieve test AUC values above 0.65. In contrast, outcomes with incidence below approximately 7% generally produced near chance test AUC and large gaps between train and test regardless of feature strategy.

A model trained on few positive examples cannot learn stable decision boundaries. Class imbalance weighting via `scale_pos_weight` partially compensates, but when positive cases are very sparse, the model can achieve high training scores by memorising those few cases without generalising. This is why Train = 1.000 appears for musculoskeletal diseases, Alzheimer’s disease, and cancer in the all features models, none of which exceed test AUC of 0.54 despite high training performance.

Doctor confirmed hypertension is an outlier worth noting. Its incidence rate of 41.6% is the highest in Track B, and it achieved test AUC of 0.718. However, the cohort is very small at $n = 250$, making this estimate less reliable. This result should be interpreted with caution, as a cohort of this size can produce highly variable test scores depending on the specific participants allocated to the test split.

5.2.4.4 Overfitting and feature reduction

For outcomes where the all features strategy produced train AUC substantially above 0.90 alongside near chance test AUC, the top-20 strategy provides a more reliable estimate of generalisable performance, even when absolute performance remains modest. Musculoskeletal diseases moved from train 1.000 / test 0.507 to train 0.761 / test 0.548 under feature reduction. Endocrine and metabolic diseases similarly improved from 0.515 to 0.561. These are not large gains, but they indicate a more calibrated model that has learned from signal rather than noise. In contrast, for outcomes where both strategies produced similar test AUC

5. EMPIRICAL EVALUATION

with small gaps, such as functional decline, FOF, and hearing loss, the feature reduction confirms stable learning rather than addressing overfitting.

For family history targets, feature reduction worsened rather than helped. With only 20 features, the model is further constrained in its ability to identify even proxy signal for family reported diagnoses. This is consistent with the broader point that the target type, rather than the feature count, drives instability in these models.

The overall pattern across Track B is consistent with the preprocessing decisions made in Section 3.4. Variables were excluded during the manual filtering stage if they exceeded the missingness threshold, exhibited constant values, or had a single response category dominating more than approximately 90% of observations. This process improved overall signal quality, but it also reduced the number of available predictors for outcomes that are inherently sparse or indirectly measured. Outcomes with rich, well distributed predictor signals, such as functional decline and FOF, benefited most. Outcomes dependent on rare or indirect signals, such as Alzheimer’s family history or cardiac procedure, remained constrained by both the target definition and the reduced predictor space. The results in Figure 5.3 should therefore be interpreted not only as a function of modelling choices, but as a reflection of data availability and the structural properties of each outcome category in TILDA.

5.3 Model interpretability and feature importance

Feature importance is reported for all four model families in Appendix J, with predictor add-on results in Figure 5.4. Three findings are consistent across designs. Signal concentrates in a compact health burden cluster, the dominant predictors shift with the prediction window, and no domain-specific add-on contributed statistically significant independent value.

Global SHAP beeswarm plots for D1, D2, and D3 across all four model families, together with four disease specific XGB models from Track B, are provided in Appendix K. In D1, blood pressure, anthropometric markers, and attendance at community classes or lectures carry the highest mean $|\text{SHAP}|$ values, consistent with the 8 year ICD-10 prediction task. The binary hypertension flag ranks

5.3 Model interpretability and feature importance

fourth in LR and MLP ($|\text{SHAP}| \approx 0.025$) but contributes zero under XGB. As a tree model, XGB captures the same cardiovascular information directly from continuous blood pressure readings rather than from a derived indicator. Attendance at community classes or lectures appears in the D1 top 5 across all models but drops out entirely in D2. This pattern aligns with Section 2.3. Community participation carries predictive signal over an 8 year window but not over 2 year transitions in self-reported health. In D2, medication count produces the strongest shift under XGB ($|\text{SHAP}| = 0.194$), while self-rated health leads in LR (0.118), showing that linear and tree-based models weight the same predictors differently. University of California Los Angeles (UCLA) loneliness appears at rank 16 in the LR beeswarm ($|\text{SHAP}| = 0.034$) but is absent from the tree and neural models, consistent with the near zero add-on delta for loneliness reported in Section 5.3.4. A weak linear association is absorbed by correlated pain and healthcare utilisation predictors once ensemble models are used.

The Track B SHAP beeswarm plots (also in Appendix K.3) show predictor structures that diverge considerably from the Track A pattern, reflecting the measurement gap between self-reported and clinically coded disease. Functional decline mirrors the Track A burden hierarchy (self-rated health 0.172, medication count 0.166, chronic pain proxy 0.137). FOF is instead driven by age (0.232), physical impairment count (0.207), and two anxiety measures (0.110, 0.071), none of which appear among the top-20 gain features from D2, consistent with the cognitive and emotional dimension of falls fear reviewed in Chapter 2 [23]. For hearing loss, the pre-existing hearing difficulty item alone accounts for $|\text{SHAP}| = 0.367$, more than twice the next feature, confirming the model captures progression of an existing condition rather than new onset. Circulatory disease is age dominated (0.150), with retirement status (0.031) in the top five. Each outcome draws on different signal sources, which explains why no single compact predictor set generalises across all Track B disease targets.

5.3.1 Clinical biomarkers dominate

In D1, the top-20 features selected by `SelectKBest` were dominated by cardiovascular and anthropometric measurements from the wave 1 health centre assessment

5. EMPIRICAL EVALUATION

(see Appendix J.1). Blood pressure variables, covering seated and standing systolic and diastolic readings and their means, appeared prominently across all four model families. Anthropometric FR markers, specifically hip circumference (0.084 for RF, 0.037 for MLP), waist circumference, and BMI, were consistently ranked alongside trail making test time as a marker of cognitive processing speed. Social engagement through attendance at classes or lectures, health insurance coverage, mother’s age at death as a familial longevity signal, socioeconomic group, and physical impairment count contributed additional signal across models.

Blood pressure is a well established cardiovascular risk marker [35], anthropometric measures reflect the FR and obesity pathway identified in TILDA [22], and trail making test time captures cognitive processing speed [27]. These objectively measured variables dominated D1 because wave 1 included a full health centre assessment, providing clinical measurements unavailable or inconsistently recorded in later waves.

Across model families, the ranking order varied modestly. Seated systolic blood pressure ranked first for both XGB (gain 0.072) and RF, consistent with its known role as a cardiovascular risk marker [35] and its consistent identification across tree-based approaches. By contrast, LR placed attendance at community classes or lectures at rank one (0.039), and MLP placed hip circumference first (0.037). The prominence of community class attendance in LR is consistent with the literature on social engagement as a long horizon health indicator. Socially active adults at baseline are less likely to develop chronic disease over an 8 year window [32]. The cross model consistency in which features appear, rather than their specific scores, is the more meaningful observation.

5.3.2 Medication burden and self-rated health emerge

Shifting to D2 produced a major change in the importance landscape (Appendix J.2). Blood pressure variables, which dominated D1, do not appear in the top-20 for any model in D2. Medication burden and self-rated health became the primary drivers instead. Medication count excluding supplements ranks first in three of four model families and polypharmacy indicators collectively occupy much of the top 10 across all model families. Self-rated general health ranks first for LR and

5.3 Model interpretability and feature importance

appears in the top six for all models. Pain variables, including limiting pain, pain severity, and any chronic pain, contribute across model families. Healthcare utilisation (GP and outpatient visits) rounds out the top-20. The shift is explained by the change in prediction target. Over 8 years, clinical measurements reflect long-term biological risk. Over 2 years, medication burden and self-rated health are more direct markers of near term change (a participant already taking multiple medications at baseline is substantially more likely to report chronic illness at the next wave). The best predictors depend on the prediction window.

Self-rated general health ranked first in LR ($|\text{SHAP}| = 0.150$) and appeared in the top six across all model families, consistent with its established role as a predictor of subsequent morbidity [6]. Comparative self-rated health also featured across LR, XGB, and RF. Pain variables, including limiting pain, severity, and any chronic pain, ranked consistently across models. Functional disability items (chair rising difficulty, mobility limitation counts, and steadiness) and healthcare utilisation (GP and outpatient visits) round out the top-20, reflecting that patients already engaging heavily with healthcare carry elevated near-term risk.

5.3.3 Cross model agreement and feature set

The four model families agree substantially on the top predictors in D2. The same health burden features appear across LR, XGB, RF, and MLP with only minor ordering differences. This convergence across methods strengthens confidence in the identified cluster. Table 5.5 lists the D2 XGB gain features applied in D3 and Track B.

The feature set spans two primary thematic domains. Physical/Clinical (medication counts, self-rated health, healthcare utilisation) and Functional (mobility difficulty, pain, physical limitation), with one Lifestyle item (flu vaccination). Nutritional and metabolic biomarkers, psychological and cognitive measures, and sociodemographic variables are absent from the top-20. Cholesterol, the nutritional biomarker that did enter the add-on analysis, showed no statistically significant independent contribution (ΔAUC : $[-0.011, 0.023]$), consistent with the broader null finding across domains.

5. EMPIRICAL EVALUATION

Table 5.5: Top-20 features from XGBoost gain in D2, applied in D3 and Track B.

Feature label	Description	Thematic domain
Reported medications (excl. supps)	Total reported medications excluding supplements	Physical/Clinical
Chronic pain (proxy)	Frequency of pain experienced	Functional/Symptom
Polypharmacy (excl. supps)	Taking five or more medications excluding supplements	Physical/Clinical
Regular medications	Number of regular medications including supplements	Physical/Clinical
Reported medications	Number of reported medications including supplements	Physical/Clinical
Self-rated health	General self-rated health (excellent to poor)	Physical/Clinical
Number of physical limitations	Count of activity limitations from mobility items	Functional
Health limits activities	Health problem limits kind or amount of activities	Functional
Pain limits activities	Chronic pain restricts daily activities	Functional/Symptom
GP visits (12 months)	Number of GP visits in past 12 months	Physical/Clinical
Large muscle ADL/IADL index	Composite of large muscle daily activity items	Functional
Pain severity	Level of pain reported	Functional/Symptom
Flu vaccination	Had a flu vaccination in past 12 months	Lifestyle
Walking/standing steadiness	Steadiness when walking or standing	Functional
Chronic pain	Any chronic pain present	Functional/Symptom
Chair rising steadiness	Steadiness when getting up from a chair	Functional
Hospital visits (12 months)	Number of outpatient visits in past 12 months	Physical/Clinical
Getting up from chair difficulty	Difficulty getting up from a chair after sitting	Functional
Functional difficulty	Difficulty stooping, kneeling, or crouching	Functional
Health vs peers	Self-rated health compared with others of same age	Physical/Clinical

^aChronic pain (proxy) includes proxy respondents and is derived from CAPI. 'Chronic pain' is a separate binary indicator from the derived variable codebook.

5.3.4 Predictor add-on analysis

The add-on analysis evaluated the incremental contribution of individual candidate features to the prediction of functional decline using a *BASE* versus *BASE+ADDON* framework. For each candidate, a model was trained on all available predictors except that candidate (*BASE*), then retrained with it included. The baseline cohort and feature set are determined dynamically for each candidate. Only waves in which both the outcome target and the candidate feature were present were used, meaning cohort size and feature count varied across candidates. For example, when a history of blackout or fainting served as the candidate feature, the analysis included waves 1 to 3, yielding 929 held-out test participants and approximately 570 features entering the model after the missingness filter. When education level served as the candidate, waves 3 to 5 were used, yielding 660 test participants and approximately 464 features. The delta in AUC and (Average Precision (AP)) was estimated with bootstrapped 95% CIs ($B = 2,000$ resamples on the held out test set). Full delta results are shown in Figure 5.4. The candidates span lifestyle, socioeconomic, cognitive, nutritional, and social domains, including features from thematic domains listed in Table 3.2 that are not represented in the top-20 feature set.

5.3 Model interpretability and feature importance

This analysis tests whether any domain contributes independent predictive information beyond the established baseline. Given the large baseline feature sets, marginal gains from a single candidate are expected to be small. No candidate produced a statistically significant improvement across any metric. Formally, for each candidate the null hypothesis $H_0: \Delta\text{AUC} = 0$ was tested via bootstrapped 95% confidence intervals ($B = 2,000$ resamples), rejection requires the interval to exclude zero. Every interval crossed zero, providing a consistent null result across all domains. Selected results, organised by domain cluster, are as follows.

- (i) **Functional predictors** (chair rising difficulty, physical limitations, chair rising steadiness, FOF). Among the functional candidates, the highest BASE AUC occurred when getting up from a chair difficulty served as the candidate feature (0.707). Adding it to the BASE produced a near zero marginal gain (CI: $[-0.012, 0.002]$). Physical limitation count (CI: $[-0.008, 0.007]$) and chair rising steadiness (CI: $[-0.006, 0.010]$) showed similarly null deltas. As reviewed in Table 2.2, UGS, chair stand performance, and physical limitation are consistently identified as primary FR indicators in TILDA [7]. The small incremental contributions are consistent with strong correlation across functional predictors: pain, steadiness, and mobility difficulty items share their predictive variance, and none appears to contribute substantial independent information beyond the others.
- (ii) **Socioeconomic predictors** (education level, household income). Education level produced the largest observed positive delta, with Test AUC moving from 0.711 to 0.719 (CI: $[-0.002, 0.018]$). The direction is consistent with the examined literature on social disadvantage [15], although the interval crosses zero and the effect cannot be confirmed statistically. Total household income produced a smaller positive trend ($[-0.004, 0.010]$). The smaller effect likely reflects alignment with healthcare utilisation and employment status predictors already in the BASE.
- (iii) **Psychosocial and mental health predictors** (UCLA loneliness, depressive symptoms, social connectedness). UCLA loneliness produced no detectable effect (CI: $[-0.009, 0.006]$). Depressive symptoms produced a small

5. EMPIRICAL EVALUATION

positive delta of +0.001 (CI: $[-0.008, 0.010]$). Social connectedness showed similarly minimal movement (CI: $[-0.008, 0.007]$). Section 2.3 documents bidirectional links between SOC (social isolation, depression, and functional health) in TILDA [23, 32]. The null deltas do not contradict these associations, they indicate that the relevant pathways are already captured within the functional and pain predictors present in the BASE.

- (iv) **Physical and behavioural predictors** (grip strength, BMI, cigarettes per day, CAGE alcohol scale, history of blackout or fainting). Grip strength produced a positive delta of +0.004 (CI: $[-0.004, 0.012]$). Chapter 2 identifies grip strength as a primary FR marker in TILDA [19]. The near zero increment confirms that the functional limitation variables in the BASE already capture this FR related signal. BMI produced +0.002 (CI: $[-0.007, 0.012]$). Cigarettes per day trended slightly negative ($[-0.012, 0.002]$), and the CAGE alcohol scale contributed minimally ($[-0.004, 0.008]$). A history of blackout or fainting produced the highest BASE AUC in the study (0.714, CV 0.726 ± 0.009), indicating a BASE model that is already performing strongly when this variable is withheld. Adding it back yielded no further gain (CI: $[-0.007, 0.007]$), suggesting its signal is captured through correlated cardiovascular and health burden predictors already present in the BASE.

Predictive signal in this cohort is concentrated in a compact, internally correlated set of health burden indicators. Restricting D3 to 20 features caused no performance loss, and no add-on candidate improved discrimination significantly. Domain specific features, whether socioeconomic, cognitive, nutritional, or behavioural, add no independent value beyond the core burden set for two year transitions in this population.

5.4 Health burden correlations

The performance patterns in this chapter are partly explained by the structure of the underlying data. Pairwise correlations among key health burden variables explain three recurring findings: why pooled designs outperformed the single wave

5.4 Health burden correlations




Figure 5.4: Bootstrapped 95% confidence intervals for test AUC delta (BASE+ADDON minus BASE) across all candidate features ($B = 2,000$ resamples). Features are sorted in ascending order by the midpoint of the delta interval. All intervals cross zero, indicating no statistically significant incremental contribution from any candidate.

baseline, why feature reduction caused negligible performance loss, and why no add-on candidate improved discrimination significantly.

5.4.1 Shared health burden signal

When pairwise correlations among predictors approach $|r| = 1$, the effective rank of the feature matrix decreases and the marginal information gained from adding further correlated variables approaches zero, a property that directly explains why the feature reduction in D3 (Section 5.2.1.3) produced negligible performance loss, and why no add-on candidate in Subsection 5.3.4 improved discrimination significantly. Figure 5.5 presents pairwise Spearman correlations at wave 5 ($n = 4,978$) for six health burden variables used across Track A and Track B: self-reported long term health problem, long term illness, any clinically coded incident

5. EMPIRICAL EVALUATION

cases of chronic disease, chronic pain, self-rated health, and medication use.




Figure 5.5: Pairwise Spearman correlations among six health burden variables at wave 5 ($n = 4,978$). Self-reported long term illness and chronic health problem form an identical construct ($r = 1.00$), while any ICD10 shows consistently weak associations with all self-reported measures.

The most striking feature of the matrix is the perfect correlation ($r = 1.00$) between self-reported long term health problem and long term illness. Both share identical prevalence (44.2%, $n = 2,201$ out of 4,977 valid responses) and are effectively the same variable within this wave of TILDA. They encode a single construct, and predictive performance for either target reflects the same signal rather than two independent outcomes.

A more consequential pattern concerns the alignment between the composite ICD-10 disease indicator and the self-reported measures. Correlations range from $r = 0.094$ with chronic pain to $r = 0.245$ with medication use, with long term illness at $r = 0.168$ and self-rated health at $r = -0.174$. These weak associ-

ations are not driven by imbalance, the ICD-10 composite indicator prevalence was 37.6%, comparable to the self-reported long-term health problem prevalence of 44.2% reported above. They reflect a genuine measurement gap, and as confirmed by the Cohen’s Kappa analysis in Section 5.1.1 ($\kappa = 0.167$), the agreement between them is poor.

All top-20 variables identified in D2 and D3, including medication burden, self-rated health, chronic pain, mobility limitation, and healthcare utilisation, are survey derived and naturally aligned with the self-reported layer rather than with clinically coded records. The issue is not that these predictors are uninformative, but that they are aligned more closely with subjective and functional health states than with clinically coded disease definitions. This additionally explains why D1, which used ICD-10 composite outcome, produced substantially weaker and less stable discrimination than D2 and D3.

A third pattern concerns the internal structure of the self-reported measures. Medication use, self-rated health, chronic pain, and long term illness are moderately correlated with pairwise values ranging from $|r| = 0.25$ to $|r| = 0.43$. Self-rated health is inversely associated with all other burden indicators, medication use ($r = -0.423$), chronic pain ($r = -0.335$), and long term illness ($r = -0.418$). These moderate correlations indicate a shared burden signal, while still leaving each measure with some independent predictive value.

This internal structure directly explains why the add-on analysis in Section 5.3 produced no statistically significant results. Add-on candidates from outside this set, including education level, grip strength, UCLA loneliness, and cognitive function (MMSE, the survey based cognitive screener available across all waves), were each tested against a BASE model already containing the core burden indicators. None produced a measurable increment, because the principal signal had already been absorbed by these variables.

Prediction of chronic disease risk in this cohort is therefore governed by a compact and internally correlated set of perceived and functional health measures. Further gains from adding variables of the same type are unlikely. Richer data that could distinguish perceived health burden from objective physiological decline, including linked mortality records, primary care records, and repeated biomarker panels, are held under elevated access and were not available for this

5. EMPIRICAL EVALUATION

study. The inclusion of family history indicators in Track B partly reflects this constraint, participant level onset data for specific conditions were often sparse or absent in the public release, and family reported diagnoses served as an indirect proxy where direct measures were unavailable.

In this cohort, predicting chronic disease onset is largely a function of existing health burden. Medications, pain, and self-rated health carry the dominant signal, not specific biomarker or lifestyle profiles. Extending beyond this requires richer linked data, as outlined in Chapter 6.

Chapter 6

Conclusion

6.1 Summary

This thesis developed and evaluated a longitudinal ML pipeline for predicting chronic disease onset in older adults across all five waves of TILDA data. Manual variable screening reduced over 5,000 raw variables to a structured, domain organised dataset. A deterministic six step cleaning pipeline was applied and validated against published benchmarks. Four model families were evaluated across three modelling designs and 24 disease-specific outcomes. Pooled multi-wave designs substantially outperformed the single wave baseline, predictive signal concentrated in a compact cluster of health burden indicators, and no domain specific add-on feature contributed statistically significant independent predictive value. Code and pipeline scripts are available via the repository referenced in Section 1.3.

6.2 Conclusions

Longitudinal pooling works. Expanding beyond the core health burden predictor set adds no statistically significant independent gain. The performance and stability gains documented in Chapter 5 reflect a structural alignment between predictor horizon and outcome definition rather than simply sample size. Predicting clinically coded disease eight years out is a fundamentally harder task than predicting self-reported health burden over two-year transitions, and matching these

6. CONCLUSION

two layers drives the gain. Restricting the feature set to 20 predictors caused no further loss. The domain specific add-on analysis confirmed that psychosocial, nutritional, lifestyle, and sociodemographic features showed no statistically significant independent contribution beyond the core health burden cluster, consistent across all four model families and all three design configurations.

Chapter 2 framed prediction as estimating $P(\text{disease} \mid X)$, where the marginal gain from any added feature depends on how much independent information it carries. The domain counts make this concrete. Of the 3,113 retained variables (Table 3.4), sociodemographic context contributed 844 variables, psychological and cognitive measures 291, and nutritional biomarkers 22, none of which produced a single top-20 predictor. Lifestyle behaviours (120 variables) contributed one item: flu vaccination, which functions in this context as a proxy for primary care engagement and health system contact rather than a modifiable behaviour. Across all four of these domains combined, predictive signal was effectively absent. The features that drove nearly all discriminative signal came from physical health (853 variables) and functional status (174 variables). Even then, just 20 of those 1,027 variables sufficed. Self-rated health, medication burden, and pain appear to act as integrative markers that already absorb the signal from the other domains. Adding 1,277 variables across four domains that are genuinely important in ageing does not move the posterior.

The validation in Chapter 4 adds a dimension often missing from published work. Encoding decisions can materially affect model performance in health survey data. Recoding six frailty index items to respect published ordinal deficit scoring (where each item must remain bounded between 0 and 1 to preserve clinical meaning) [17] improved AUC from 0.591 to 0.636 under the biologically informed proxy. This 7.6% gain is attributable entirely to encoding, with no change in the feature set or model.

The three design structure forms a natural test of what matters. Adding temporal structure (D1 to D2) improved performance substantially. Reducing the feature set from 261 to 20 (D2 to D3) produced negligible further change, with a test AUC difference of only 0.002 for XGB, confirming that the signal is compact and concentrated. Feature selection parameters were calibrated to each design’s sample size and feature pool, and D3 confirmed that reducing the feature

set to 20 left performance essentially unchanged. Applying the top-20 feature set to the full D2 cohort recovered D2 level performance within $\Delta\text{AUC} = 0.002$, confirming that the cross-design performance gap reflects longitudinal structure rather than the number of features retained. Hyperparameter optimisation in D3 produced similarly negligible gains, consistent with a dataset where the available signal is already well captured by the core health burden features.

Track B reinforces the pattern. Outcomes with sufficient incidence and consistent wave measurement generalised well, while outcomes depending on sparse events or indirect proxy targets did not, regardless of algorithm or feature strategy. The implication for ML on community health survey data is direct. Prediction is bounded by the depth of the data, not the complexity of the model. Substantive gains beyond the current ceiling require the linked records held under elevated access (mortality registers, primary care histories, and biomarker panels), as outlined in Section 6.6.

6.3 Data availability

This analysis was conducted using the publicly accessible TILDA release (waves 1–5), a pseudonymised dataset covering self-reported health, physical, cognitive, nutritional, and behavioural variables, together with clinical coded disease indicators from wave 2 onwards. The datasets are accessible through the ISSDA at <https://tilda.tcd.ie/data/accessing-data/>.

Several data sources relevant to chronic disease prediction are not included in the public release. These require on-site access at TILDA’s Trinity College Dublin facility or remote access through the TILDA VISTA trusted research environment, and include a dedicated biomarkers dataset, the wave 3 MRI dataset, an epigenetics dataset, linked primary care records, and linked mortality records. Access is subject to formal application to the TILDA data access committee and operates on a cost recovery basis where institutional funding is available. Future work drawing on these sources would require updated ethics approval, GDPR training certification and a signed data use agreement with TILDA.

6. CONCLUSION

6.4 Ethics statement

The TILDA study was reviewed and approved by the Faculty of Health Sciences Research Ethics Committee at Trinity College Dublin, and all participants provided written informed consent to their data being used for research purposes. The secondary analysis conducted in this thesis was approved by the University of Limerick Science and Engineering Research Ethics Committee. All data used were publicly released, pseudonymised datasets accessed through ISSDA. No direct participant contact or identifiable personal data were involved in this analysis.

6.5 Contributions

This research makes contributions at three levels. **Empirically**, it demonstrates that pooled longitudinal modelling substantially improves predictive performance and stability for chronic disease onset in the TILDA cohort, and identifies a compact cluster of self-reported health burden indicators as the primary driver of that signal. Domain features outside this core set showed no statistically significant independent predictive value, a result consistent across all model families and designs. **Methodologically**, a transparent, reproducible preprocessing pipeline for aligning heterogeneous longitudinal health survey data is documented in full, addressing a gap rarely covered in published ML literature. **Clinically**, the results provide a data driven basis for risk stratification using publicly available survey data, and identify the conditions under which more complex predictor sets or model families are unlikely to improve performance without access to richer linked data.

The results in Table 2.2 provide a concrete benchmark. Test AUC values in D2 and D3 (0.71–0.72) sit at the upper end of the 0.64–0.71 range reported in comparable longitudinal prediction studies, including $\text{AUC} \leq 0.69$ for falls prediction in TILDA [20] and 0.64–0.71 for longitudinal mental health disorder prediction [26]. The present results are comparable with, and in some cases above, these benchmarks while targeting a broader outcome using only publicly accessible data. The single wave baseline (D1: 0.53–0.58) confirms that the gain

is driven by the pooled longitudinal design, not algorithm choice. All four model families cluster within 0.001 AUC in D3, which reinforces this. The reported benchmark of 0.854 [25] reflects a different task. Predicting diabetes from 105 curated predictors drawn from over 40,000 variables via a stacked ensemble is not comparable to predicting general chronic disease onset from public survey features.

6.6 Future work

The recently released sixth wave of TILDA data (December 2025), together with the Intellectual Disability Supplement and the COVID-19 sub study, would extend the longitudinal coverage and introduce health trajectory data spanning a pandemic period, likely altering self-reported burden profiles in meaningful ways. Cross cohort validation using the RAND harmonised TILDA dataset, which maps variables to international standards compatible with cohorts such as HRS and SHARE, would test how well the identified health burden cluster generalises beyond the Irish context. Finally, access to the restricted biomarker panels, primary care records, and linked mortality data held within TILDA’s secure research environment would allow future work to test whether the signal limits identified here reflect the nature of chronic disease risk itself or the constraints of the publicly available dataset.

The encoding challenges encountered in preparing the TILDA datasets point to a wider gap in the ML literature. Standardised preprocessing protocols and auditable encoding indices for longitudinal health survey data do not yet exist as a shared resource. Establishing reproducible, domain aware transformation workflows would reduce the risk that performance differences across studies reflect encoding choices rather than genuine signal, supporting more reliable cross study comparisons in health data science.

Appendix A

Script for loading/exporting PMF metadata to CSV

```
1 import pandas as pd
2 import pyreadstat
3 from pathlib import Path
4 import json
5
6 data_files = {
7     "wave1.json": "data/0053-01_TILDA_Wave1_2009-2011/0053-01
8         _TILDA_Wave1_Data/SPSS/0053-01_TILDA_Wave1_PMF_v1.12.sav",
9     "wave2.json": "data/0053-01_TILDA_Wave2_2012-2013/Data
10         /0053-02_TILDA_Wave2_PMF_v2.7.sav",
11     "wave3.json": "data/0053-01_TILDA_Wave3_2014-2015/Data
12         /0053-04_TILDA_Wave3_PMF_v3.6.sav",
13     "wave4.json": "data/0053-01_TILDA_Wave4_2016/Data/0053-05
14         _TILDA_Wave4_PMF_v4.4.sav",
15     "wave5.json": "data/0053-01_TILDA_Wave5_2018/Data/0053-06
16         _TILDA_Wave5_PMF_v5.5.sav",
17     "harmonized.json": "data/0053-06_TILDA_Harmonized_2016/Data
18         /0053-03_TILDA_Harmonized_v1.2.dta",
19 }
20
21 def load_df_with_var_of_interest(
22     var_dir="var_of_interest", data_files=data_files, verbose=
23     False
```

```

18 ):
19     dfs = {}
20     var_dir = Path(var_dir)
21
22     for json_name, data_path in data_files.items():
23         file = var_dir / json_name
24         with open(file, "r") as f:
25             vars_list = json.load(f).get("variables_of_interest")
26             if verbose:
27                 print(f"Variables_of_interest_from_{file.name}:_{vars_list[:10]}_...")
28
29             if data_path.endswith(".sav"):
30                 df_full, meta = pyreadstat.read_sav(
31                     data_path, encoding="latin1", apply_value_formats
32                     =True
33                 )
34                 df, _ = pyreadstat.read_sav(
35                     data_path,
36                     usecols=vars_list,
37                     encoding="latin1",
38                     apply_value_formats=True,
39                 )
40             else:
41                 df_full = pd.read_stata(data_path,
42                                         convert_categoricals=True)
43                 df = pd.read_stata(data_path, convert_categoricals=
44                                     True)[vars_list]
45
46             if verbose:
47                 print(
48                     f>Data_shape_(Original):_{df_full.shape[0]}_rows_
49                     x_{df_full.shape[1]}_columns"
50                 )
51                 print(f>Data_shape_(Cleaned):_{df.shape[0]}_rows_x_{
52                     df.shape[1]}_columns")
53                 print("
54                     -----")
55
56     dfs[file.stem] = df

```

Appendix

```
52     return dfs
53
54
55 if __name__ == "__main__":
56     for json_name, path_str in data_files.items():
57         path = Path(path_str)
58         wave_name = json_name.replace(".json", "")
59         if path_str.endswith(".sav"):
60             # SPSS
61             df, meta = pyreadstat.read_sav(
62                 path, encoding="latin1", apply_value_formats=True
63             )
64
65         else: # Stata .dta file
66             df, meta = pyreadstat.read_dta(path, encoding="latin1")
67
68         pd.DataFrame(
69             {"variable": meta.column_names, "label": meta.
70              column_labels}
71         ).to_csv(Path("output") / f"{wave_name}
72                  _variable_descriptions.csv", index=False)
73
74         print(f"-----wave_{path}-----")
75         print(df.shape)
76         print(df.columns[:20])
77         print(
78             "Variable/Feature_descriptions, csv file saved
79             successfully->dir=output/"
80         )
81         df.to_csv((Path("output") / f"{wave_name}.csv"), index=
82                   False)
83
84     dfs = load_df_with_var_of_interest(verbose=True)
```


Appendix B

Cleaning pipeline scenario tables

Table B.1: Initial raw feature counts categorised by nine scenarios (pre cleaning)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	9	0	7	0	9	0
Numeric with sentinel	187	59	143	60	100	141
Clean numeric	14	27	18	22	20	8
Censored / bracketed numeric	84	71	91	85	85	73
Binary categorical	248	159	177	220	207	187
Multi class categorical / mixed	267	166	203	205	170	44
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total Columns	809	482	639	592	591	453

Table B.2: Scenario count progression: post step 1 (empty / blank handling)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	0	0	0	0	0	0
Numeric with sentinel	81	31	42	32	75	15
Clean numeric	124	55	123	50	54	134
Censored / bracketed numeric	84	71	91	85	85	73
Binary categorical	251	159	179	220	207	187
Multi class categorical / mixed	269	166	204	205	170	44
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total	809	482	639	592	591	453

Appendix

Table B.3: Scenario count progression: post step 2 (sentinel standardisation)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	0	0	0	0	0	0
Numeric with sentinel	0	0	0	0	0	0
Clean numeric	205	86	165	82	129	149
Censored / bracketed numeric	84	71	91	85	85	73
Binary categorical	251	159	179	220	207	187
Multi class categorical / mixed	269	166	204	205	170	44
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total	809	482	639	592	591	453

Table B.4: Scenario count progression: post step 3 (numeric cleaning)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	0	0	0	0	0	0
Numeric with sentinel	0	0	0	0	0	0
Clean numeric	263	117	215	124	172	149
Censored / bracketed numeric	16	23	17	16	17	73
Binary categorical	251	160	180	221	207	187
Multi class categorical / mixed	279	182	227	231	195	44
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total	809	482	639	592	591	453

Table B.5: Scenario count progression: post step 4 (censored / ordinal mapping)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	0	0	0	0	0	0
Numeric with sentinel	0	0	0	0	0	0
Clean numeric	279	140	233	140	189	222
Censored / bracketed numeric	0	0	0	0	0	0
Binary categorical	251	160	180	221	207	187
Multi class categorical / mixed	279	182	226	231	195	44
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total	809	482	639	592	591	453

Table B.6: Scenario count progression: post step 5 (binary classification)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	0	0	0	0	0	0
Numeric with sentinel	0	0	0	0	0	0
Clean numeric	530	300	413	361	396	409
Censored / bracketed numeric	0	0	0	0	0	0
Binary categorical	0	0	0	0	0	0
Multi class categorical / mixed	279	182	226	231	195	44
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total	809	482	639	592	591	453

Table B.7: Final cleaned dataset: post step 6 (multi-class / mixed parsing)

Scenario	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Harmonised
Empty / blank values	0	0	0	0	0	0
Numeric with sentinel	0	0	0	0	0	0
Clean numeric	809	482	639	592	591	453
Censored / bracketed numeric	0	0	0	0	0	0
Binary categorical	0	0	0	0	0	0
Multi class categorical / mixed	0	0	0	0	0	0
Single value categorical	0	0	0	0	0	0
Special symbol / mixed	0	0	0	0	0	0
Unknown / complex mixed	0	0	0	0	0	0
Total	809	482	639	592	591	453

Appendix C

Variable scenario detection function

```
1 # Sentinel values (numeric and string)
2 # -1 and -1.0 is sentinel but will be used in the clean pipeline
3 standardised_sentinels = {'-1', '-1.0', -1, -1.0} # set ->
    duplicates removed -> counts correct -> single value detection
    is zero
4 numeric_sentinels = [-1, -1.0, -98, -98.0, -99, -99.0,
5                      95, 95.0, 96, 96.0, 98, 98.0, 99, 99.0]
6 string_sentinels = [str(x) for x in numeric_sentinels] + [f"_{x}"
7                  for x in numeric_sentinels] + \
8                  ['na', 'n/a', 'refused', 'missing', 'dk', 'rf', 'refused', "
9                  refuse", 'none', 'no_response', 'nan', 'not_answered', 'no
10                 _answer',
11                 'not_applicable', 'no_consent', 'dont_know', "don't_know", "didn
12                 t_answer", 'prefer_not_to_say', 'task_not_done', '
13                 insufficient_sample', 'unable_to_record',
14                 '__', '*']
15 blanks = ['', ' ', '\t', '\n']
16
17 SCENARIOS = [
18     "Empty/_blank_values",
19     "Numeric_with_sentinel",
20     "Clean_numeric",
21     "Censored/_bracketed_numeric",
22     "Binary_categorical",
23     "Multi_class_categorical/_mixed",
24     "Single_value_categorical",
25     "Special_symbol/_mixed",
```

```

21     "Unknown_/complexmixed"
22 ]
23
24
25 # flatten all dtypes across the waves to float and category
26 def flatten_column_types(df):
27     df_flat = df.copy()
28
29     for col in df_flat.columns:
30         if pd.api.types.is_numeric_dtype(df_flat[col]): # Numeric
31             # columns
32             df_flat[col] = df_flat[col].astype(float) # Convert
33             # to float
34         else:
35             df_flat[col] = ( # Convert to string, strip
36                 whitespace, lowercase, then category
37                 df_flat[col]
38                 .astype(str)
39                 .str.strip()
40                 .str.lower()
41                 .astype('category')
42             )
43
44     return df_flat
45
46 def detect_column_scenario_mapping(df, sample_size=10):
47     summary = []
48
49     # Regex patterns
50     special_symbols_pattern = r'[~A-Za-z0-9\s\.,\-\&/()]' #
51     # special symbols excluding common numeric formatting
52     bracketed_numeric_pattern = r"\d{1,3}(?:,\d{3})*[-/]\d{1,3}(?:,\d{3})*|\d+\s*[<>+-]" # patterns like "10-20",
53     # "30/40", ">=50"
54     sentinel_set = set(x.lower() for x in string_sentinels) #
55     # Lowercase string sentinels for comparison
56
57     for col in df.columns:
58         col_data = df[col].copy()
59         dtype = str(col_data.dtype) # get data type as string

```

C. VARIABLE SCENARIO DETECTION FUNCTION

```
55     # Convert to string for sentinel / blank detection
56     str_vals = col_data.astype(str).str.lower().str.strip() #
        lowercase and strip whitespace
57     clean_vals = col_data[~str_vals.isin(sentinel_set) & ~(
        str_vals.isin(blanks))] # remove sentinels and blanks
58
59     # Remove sentinels and blanks for scenario detection only
60     vals_no_sentinel = clean_vals[~clean_vals.astype(str).str
        .lower().isin(sentinel_set)
61                                     & ~clean_vals.astype(str).
        str.lower().isin(blanks)
        ].unique()
62     num_unique_no_sentinel = len(vals_no_sentinel)
63
64     # Check if any sentinel values are present
65     sentinel_present = str_vals.isin(sentinel_set).any()
66
67     # Detection flags
68     empty_detected = str_vals.isin(blanks).any() or len(
        col_data) == 0
69
70     # Numeric detection: coerce to numeric, NaNs for non-
        numeric
71     numeric_vals = pd.to_numeric(clean_vals, errors='coerce')
        # coerce non-numeric to NaN
72     numeric_like = numeric_vals.notna().all() and len(
        clean_vals) > 0 # all values are numeric-like after
        cleaning
73
74     sentinel_detected = str_vals[~str_vals.isin(
        standardised_sentinels)].isin(sentinel_set).any() # or
        col_data.eq(-1.0).any() # check for sentinel presence
75     censored_detected = clean_vals.astype(str).str.contains(
        bracketed_numeric_pattern).any() # check for bracketed
        numeric patterns
76
77     # Binary categorical detection (exactly 2 unique values
        after cleaning)
78     binary_categorical_detected = False
79     if dtype == 'category':
80         if num_unique_no_sentinel == 2:
```

```

81         binary_categorical_detected = True
82     elif num_unique_no_sentinel == 1 and sentinel_present
83         :
84         binary_categorical_detected = True
85
86     # Multi-class categorical (3+ unique values, object/
87     # category)
88     multi_class_categorical_detected = num_unique_no_sentinel
89     > 2 and dtype == 'category'
90
91     # Single value categorical
92     single_value_detected = num_unique_no_sentinel == 1 and
93     not binary_categorical_detected
94
95     # Special symbols detection (ignore numeric formatting)
96     symbol_detected = clean_vals.astype(str).str.contains(
97     special_symbols_pattern).any()
98
99     # Mixed types detection
100    mixed_detected = len(set(type(v) for v in col_data)) > 1
101    # more than one data type present
102
103    # Determine scenario in order of pipeline
104    if empty_detected:
105        scenario = SCENARIOS[0]
106        handling = "Replace_numeric/categorical_empty/blank_
107        with_-1.0"
108    elif numeric_like and sentinel_detected:
109        scenario = SCENARIOS[1]
110        handling = "Replace_numeric_sentinel_values_with_-1.0
111        "
112    elif numeric_like and not sentinel_detected:
113        scenario = SCENARIOS[2]
114        handling = "Keep_as_numeric"
115    elif censored_detected:
116        scenario = SCENARIOS[3]
117        handling = "Convert_numeric_ranges_to_midpoints_or_
118        keep_as_categorical"
119    elif binary_categorical_detected:
120        scenario = SCENARIOS[4]
121        handling = "Encode_as_0/1_or_keep_as_category"

```

Appendix

```
113     elif multi_class_categorical_detected:
114         scenario = SCENARIOS[5]
115         handling = "One-hot_encode, label_encode, or keep as
                    category"
116     elif single_value_detected:
117         scenario = SCENARIOS[6]
118         handling = "Keep as category / constant column"
119     elif symbol_detected:
120         scenario = SCENARIOS[7]
121         handling = "Inspect and preprocess based on context"
122     else:
123         scenario = SCENARIOS[8]
124         handling = "Inspect manually / complex mixed types"
125
126     sample_values = list(col_data.unique()[:sample_size]) #
                    sample unique values
127
128     summary.append({
129         'Variable': col,
130         'DataType': dtype,
131         'UniqueValues': num_unique_no_sentinel,
132         'Scenario': scenario,
133         'SuggestedHandling': handling,
134         'SampleValues': sample_values
135     })
136
137     return pd.DataFrame(summary)
```


Appendix D

Step 6: Cleaning function for multi-class and mixed variables

```
1 def categorical_transform_S6(df): # Step6; Scenario -> Multi
    class categorical
2     df_cleaned = df.copy()
3     sent_set = set([str(x).lower() for x in string_sentinels]) |
        set([str(x).lower() for x in standardised_sentinels])
4     numeric_sentinel_set = set(float(x) for x in
        numeric_sentinels)
5
6     # Helper normaliser
7     def _norm(tok):
8         if tok is None:
9             return None
10        s = str(tok).strip().lower()
11        if s in blanks:
12            return ''
13        return s
14
15    # Words -> number map
16    word_num_map = {
17        'zero':0.0, 'one':1.0, 'two':2.0, 'three':3.0, 'four':4.0, '
            five':5.0, 'six':6.0, 'seven':7.0, 'eight':8.0, 'nine'
            :9.0,
18        'ten':10.0, 'eleven':11.0, 'twelve':12.0, 'thirteen':13.0, '
            fourteen':14.0, 'fifteen':15.0, 'twenty':20.0,
```

D. STEP 6: CLEANING FUNCTION FOR MULTI-CLASS AND MIXED VARIABLES

```
19         'thirty':30.0, 'forty':40.0, 'fifty':50.0, 'sixty':60.0, '
20             seventy':70.0, 'eighty':80.0, 'ninety':90.0,
21         'a_few':2.0, 'a_couple':2.0, 'few':2.0, 'once':1.0, 'twice'
22             :2.0, 'several':3.0, 'couple':2.0
23     }
24
25     def words_to_num(token):
26         if token is None:
27             return None
28         token = token.strip().lower()
29         if token in word_num_map:
30             return word_num_map[token]
31         try:
32             return float(token)
33         except Exception:
34             return None
35
36     # Regexes for parsing
37     RE_TIME = re.compile(r'^\s*(\d{1,2}):(\d{2})\s*$')
38     RE_PERCENT = re.compile(r'^\s*(-?\d+(?:\.\d+)?)\s*%\s*$')
39     RE_DIRECT_NUM = re.compile(r'^\s*(-?\d+(?:\.\d+)?)\s*$')
40     RE_RANGE = re.compile(r'^\s*(-?\d+(?:\.\d+)?)\s*[\--/]\s*(-?\d+(?:\.\d+)?)\s*$')
41     RE_RANGE_TO = re.compile(r'^\s*(-?\d+(?:\.\d+)?)\s*(?:to|TO)\s*(-?\d+(?:\.\d+)?)\s*$')
42     RE_PLUS = re.compile(r'^\s*(-?\d+(?:\.\d+)?)\s*\+\s*$')
43     RE_GT = re.compile(r'^\s*(?:>=|>)\s*(-?\d+(?:\.\d+)?)\s*$')
44     RE_LT_ANCHOR = re.compile(r'^\s*(?:<|<=)\s*(-?\d+(?:\.\d+)?)\s*$')
45     RE_NUM_FIND = re.compile(r'^\s*(-?\d+(?:\.\d+)?)\s*$')
46     RE_WORD_TOK = re.compile(r"[a-z']+(?:\s[a-z']+)?")
47     # RE_SURVEY_TIME = re.compile(r'^\s*(?:[a-z]+\s+)?(\d+(?:\.\d+)+)\s*(?:month|week|year)s?\.?$', re.IGNORECASE)
48
49     def norm_return(v):
50         try:
51             vf = float(v)
52         except Exception:
53             return None
54         if vf in numeric_sentinel_set:
55             return 'SENTINEL'
56         return vf
```

```

55     def try_parse_token(x):
56         """Return float, 'SENTINEL', or None for unknown token x"""
57         if x is None:
58             return None
59
60         # preserve numeric pre transformed values
61         if isinstance(x, (int, float)):
62             if float(x) in numeric_sentinel_set:
63                 return 'SENTINEL'
64             return float(x)
65
66         s = _norm(x)
67         # Extending sentinel detection for categorical parsing
68         # scenario
69         if s == '':
70             return 'SENTINEL'
71         if 'not_applicable' in s or 'does_not_have' in s or "don't
72         receive" in s or "don\x92t receive" in s or 'unknown
73         ' in s:
74             return 'SENTINEL'
75         if s in sent_set or re.fullmatch(r'[~0-9a-z]+', s):
76             return 'SENTINEL'
77         if s in ('other', 'other_specify') or s.startswith('other
78         ') or s.endswith('(specify)':
79             return 'SENTINEL'
80
81         s0 = s.replace(',', '').replace('$', '').replace(EUR, '')
82             .replace('#', '')
83
84         s0 = re.sub(r'(\d+)-', r'\1-', s0)
85         s0 = re.sub(r'-(\d+)', r'-\1', s0)
86
87         RE_PREFIX_NUM = re.compile(r'^s*(-?\d+(?:\.\d+)?)\.\s*.$')
88
89         m = RE_PREFIX_NUM.match(s0)
90         if m:
91             # If the format is 'NUM. anything', return the number
92             # as the category value
93             return norm_return(float(m.group(1)))

```

D. STEP 6: CLEANING FUNCTION FOR MULTI-CLASS AND MIXED VARIABLES

```
88
89     # time
90     m = RE_TIME.match(s0)
91     if m:
92         h, mi = float(m.group(1)), float(m.group(2))
93         return norm_return(h * 60.0 + mi)
94
95     # percent
96     m = RE_PERCENT.match(s0)
97     if m:
98         return norm_return(float(m.group(1)))
99
100    # direct numeric
101    if RE_DIRECT_NUM.match(s0):
102        return norm_return(s0)
103
104    # ranges
105    m = RE_RANGE.match(s0)
106    if m:
107        try:
108            a, b = float(m.group(1)), float(m.group(2))
109            return norm_return((a + b) / 2.0)
110        except Exception:
111            pass
112    m = RE_RANGE_T0.match(s0)
113    if m:
114        try:
115            a, b = float(m.group(1)), float(m.group(2))
116            return norm_return((a + b) / 2.0)
117        except Exception:
118            pass
119
120    # plus / greater than
121    m = RE_PLUS.match(s0) or RE_GT.match(s0)
122    if m:
123        nums = RE_NUM_FIND.findall(s0)
124        if nums:
125            return norm_return(nums[0])
126
127    # less than
128    if RE_LT_ANCHOR.search(s0) or 'less_than' in s0:
```

```

129         nums = RE_NUM_FIND.findall(s0)
130         if nums:
131             return norm_return(nums[0])
132
133     # or less / more
134     m = re.search(r'(-?\d+(?:\.\d+)?)\s*or\s*less', s0)
135     if m:
136         return norm_return(m.group(1))
137     m = re.search(r'(-?\d+(?:\.\d+)?)\s*or\s*more', s0)
138     if m:
139         return norm_return(m.group(1))
140
141     # "more than X but less than Y", "over X but less than Y"
142     m = re.search(r'(?:(more|than|over)\s*e?(-?\d+(?:\.\d+)?)\s*
143         s*(?:but\s*)?(?:less|than|under)\s*e?(-?\d+(?:\.\d+)?)
144         ', s0)
145     if m:
146         try:
147             a, b = float(m.group(1)), float(m.group(2))
148             return norm_return((a + b) / 2.0)
149         except Exception:
150             pass
151
152     # "between X and Y" / "between X - Y"
153     m = re.search(r'between\s*e?(-?\d+(?:\.\d+)?)\s*(?:and|[-
154         --/])\s*e?(-?\d+(?:\.\d+)?)', s0)
155     if m:
156         try:
157             a, b = float(m.group(1)), float(m.group(2))
158             return norm_return((a + b) / 2.0)
159         except Exception:
160             pass
161
162     # survey time based
163     time_map_weeks = {
164         'one|week': 1.0,
165         'two|weeks': 2.0,
166         'a|month|(4|weeks)': 4.0,
167         'a|month/4|weeks': 4.0,
168         'three|months|(13|weeks)': 13.0,
169         'three|months/13|weeks': 13.0,

```

D. STEP 6: CLEANING FUNCTION FOR MULTI-CLASS AND MIXED VARIABLES

```
167         'six_months_(26_weeks)': 26.0,
168         'six_months/26_weeks': 26.0,
169         'one_year_(12_months/52_weeks)': 52.0,
170         'one_year/12_months/52_weeks': 52.0
171     }
172     if s0 in time_map_weeks:
173         return norm_return(time_map_weeks[s0])
174
175     # If a category is '3 months or more', try to extract the
176     # number and use upper bound
177     if 'months_or_more' in s0 and RE_NUM_FIND.search(s0):
178         nums = RE_NUM_FIND.findall(s0)
179         if nums:
180             months = float(nums[0])
181             return norm_return(months * 4.33) # Convert
182             # months to weeks (4.33 weeks per month)
183
184     # Frequency calendar based
185     if any(tok in s0 for tok in ('day', 'week', 'month', 'year',
186     'daily', 'never', 'almost_every_day', 'once', 'twice', '
187     thrice', 'three', 'several', 'couple')):
188         nums = RE_NUM_FIND.findall(s0)
189         if nums:
190             val = (float(nums[0]) + float(nums[1])) / 2.0 if
191             len(nums) >= 2 else float(nums[0])
192         else:
193             if 'once_or_twice' in s0:
194                 val = 1.5
195             else:
196                 val = None
197                 for w in RE_WORD_TOK.findall(s0):
198                     wn = words_to_num(w)
199                     if wn is not None:
200                         val = wn
201                         break
202     if val is not None:
203         if 'day' in s0:
204             if 'week' in s0:
205                 return norm_return(val * 4.33)
206             if 'month' in s0:
207                 return norm_return(val)
```

```

203         if 'daily' in s0 or 'every_day' in s0 or '
           almost_every_day' in s0:
204             return norm_return(val * 30.0)
205             return norm_return(val * 4.33)
206         if 'week' in s0:
207             return norm_return(val * 4.33)
208         if 'month' in s0:
209             return norm_return(val)
210         if 'year' in s0:
211             return norm_return(val / 12.0)
212         return norm_return(val)
213
214
215     likert_map = {
216         # Likert / ordinals (expanded with quintile/lowest/
           highest detection)
217         'strongly_disagree': 0.0, 'disagree': 1.0, 'neither_
           agree_nor_disagree': 2.0, 'neither': 2.0,
218         'agree': 3.0, 'strongly_agree': 4.0,
219         'very_poor': 0.0, 'poor': 1.0, 'fair': 2.0, 'good':
           3.0, 'very_good': 4.0, 'excellent': 5.0,
220         'none': 0.0, 'not_at_all': 0.0, 'hardly_ever': 0.0,
221         'a_little': 1.0, 'some': 2.0, 'a_lot': 3.0, 'alot':
           3.0, 'often': 3.0,
222         'yes': 1.0, 'no': 0.0, 'sometimes': 2.0, 'rarely':
           1.0, 'most_or_all_of_the_time': 4.0,
223         'pass': 2.0, 'fail': 1.0, '100': 100.0,
224         # Problem severity mappings
225         'no_problem': 1.0, 'minor_problem': 2.0, 'moderate_
           problem': 3.0, 'major_problem': 4.0,
226         # Concern level mappings
227         'not_at_all_concerned': 1.0, 'somewhat_concerned':
           2.0, 'fairly_concerned': 3.0, 'very_concerned': 4.0,
228         # Survey frequency mappings
229         'daily_/almost_daily': 7.0, 'once_a_week_or_more':
           6.0, 'twice_a_month_or_more': 5.0, 'about_once_a_
           month': 4.0,
230         'every_few_months': 3.0, 'about_once_or_twice_a_year'
           : 2.0, 'less_than_once_a_year': 1.0, 'never': 0.0,
231         'daily': 7.0, 'every_day': 7.0, 'almost_every_day':
           7.0, 'most_or_all_of_the_time': 7.0,

```

D. STEP 6: CLEANING FUNCTION FOR MULTI-CLASS AND MIXED VARIABLES

```
232         'every_week': 6.0, 'once_a_week': 6.0, 'several_times_
233             per_week': 6.0,
234         'twice_a_month': 5.0, 'two_a_month': 5.0, 'several_
235             times_per_month': 5.0, 'once_or_twice_a_month':
236             5.0,
237         'once_a_month': 4.0, 'once_or_twice_a_year': 2.0, '
238             less_than_once_a_month': 1.0,
239     }
240
241     if s0 in likert_map:
242         return float(likert_map[s0])
243
244     # Quintile / ordinal like tokens: 'lowest', '2nd quintile
245     ', 'highest'
246     if 'quintile' in s0 or 'lowest' in s0 or 'highest' in s0
247     or 'middle' in s0 or 'median' in s0:
248         if 'lowest' in s0:
249             return norm_return(1.0)
250         if 'highest' in s0:
251             return norm_return(5.0)
252         if 'middle' in s0 or 'median' in s0:
253             return norm_return(3.0)
254         mq = re.search(r'(\d+)(?:st|nd|rd|th)?\s+quintile
255             ', s0)
256         if mq:
257             return norm_return(float(mq.group(1)))
258         nums = RE_NUM_FIND.findall(s0)
259         if nums:
260             return norm_return(nums[0])
261
262     if 'adjacent' in s0: # Adjacent boxes: keep semantic
263         average if present
264         nums = RE_NUM_FIND.findall(s0)
265         if len(nums) >= 2:
266             return norm_return((float(nums[0]) + float(nums
267                 [1])) / 2.0)
268         elif nums:
269             return norm_return(nums[0])
270         return None
271
272     # Fallback: first number
```

```

264         nums = RE_NUM_FIND.findall(s0)
265         if nums:
266             return norm_return(nums[0])
267
268         return None
269
270     def category_sort_key(u):
271         us = _norm(u) or ''
272         parsed = try_parse_token(us)
273         if isinstance(parsed, (int, float)):
274             return (0, float(parsed), us)
275         if us == 'no' or us.startswith('no_') or us.startswith('
not_'):
276             return (1, 0.0, us)
277         if 'yes' in us:
278             if 'both' in us or 'two' in us:
279                 return (1, 2.0, us)
280             if 'one' in us:
281                 return (1, 1.0, us)
282             return (1, 1.0, us)
283         amount_keywords = ['none', 'not_at_all', 'hardly_ever', '
a_little', 'some', 'a_lot', 'alot', 'often', '
sometimes', 'rarely']
284         for i, key in enumerate(amount_keywords):
285             if key in us:
286                 return (2, float(i), us)
287         if 'adjacent_boxes' in us or 'adjacent_numbers' in us:
288             nums = RE_NUM_FIND.findall(us)
289             if len(nums) >= 2:
290                 a, b = float(nums[0]), float(nums[1])
291                 return (10, (a + b) / 2.0, us)
292             elif nums:
293                 return (10, float(nums[0]), us)
294             return (10, 0, us)
295         return (99, 0, us)
296
297     # Operate only on categorical columns
298     cat_cols = df_cleaned.select_dtypes(include='category').
        columns.tolist()
299     for col in cat_cols:

```

D. STEP 6: CLEANING FUNCTION FOR MULTI-CLASS AND MIXED VARIABLES

```
300     uniques = list(dict.fromkeys(df_cleaned[col].tolist())) #
        Preserve original tokens with types (do NOT cast to
        str here)
301     normalised_pairs = [(u, _norm(u)) for u in uniques] #
        Build normalised pairs keeping original token too
302     # Keep tokens that are non sentinel and parseable (
        strings or numbers)
303     non_sentinel = [u for u, nu in normalised_pairs if (nu
        and nu not in sent_set and nu not in blanks and
        try_parse_token(nu) != 'SENTINEL')]
304
305     if not non_sentinel:
306         continue
307
308     # Computing parse results keyed by normalized string (but
        keep list of originals too)
309     parse_results = { _norm(u): try_parse_token(_norm(u)) for
        u in non_sentinel }
310
311     numeric_count = sum(1 for v in parse_results.values() if
        isinstance(v, (int, float)))
312     sentinel_parsed_count = sum(1 for v in parse_results.
        values() if v == 'SENTINEL')
313     all_parse_numeric = (numeric_count +
        sentinel_parsed_count == len(parse_results))
314
315     if all_parse_numeric:
316         # Map token string -> numeric (SENTINEL -> -1.0)
317         code_map = { k: (float(v) if isinstance(v, (int,
        float)) else -1.0) for k, v in parse_results.items
        () }
318
319     def map_to_numeric(x):
320         # Preserve the already numeric cells (except
        numeric sentinels)
321         if isinstance(x, (int, float)) and not pd.isna(x)
        :
322             if float(x) in numeric_sentinel_set:
323                 return -1.0
324             return float(x)
325         if pd.isna(x):
```

```

326         return -1.0
327     xs = _norm(x)
328     if not xs or xs in sent_set or xs in blanks or re
329         .fullmatch(r'[^0-9a-z]+', xs):
330         return -1.0
331     return float(code_map.get(xs, -1.0))
332
333 df_cleaned[col] = df_cleaned[col].apply(
334     map_to_numeric).astype(float)
335
336 else:
337     first_seen_norm = []
338     seen = set()
339     for u in non_sentinel:
340         nu = _norm(u)
341         if nu not in seen:
342             first_seen_norm.append(nu)
343             seen.add(nu)
344
345     parse_results = {nu: try_parse_token(nu) for nu in
346         first_seen_norm}
347     max_reserved_val = -1.0
348     for nu, val in parse_results.items():
349         if isinstance(val, (int, float)):
350             max_reserved_val = max(max_reserved_val, val)
351             # Assuming any parsed float is a reserved
352             # ID if it came from the map
353     start_i = int(max_reserved_val) + 1
354     if start_i == 0: # Ensure we never start at 0 if 0 is
355         a reserved category i.e for ('no')
356         start_i = 1
357     string_tokens = [nu for nu in first_seen_norm if not
358         isinstance(parse_results.get(nu), (int, float))]
359     sorted_strings = sorted(string_tokens, key=
360         category_sort_key)
361
362     code_map_strings = { norm_tok: i for i, norm_tok in
363         enumerate(sorted_strings, start=start_i) }
364
365     def map_mixed(x):

```

Appendix

```
357         if isinstance(x, (int, float)) and not pd.isna(x)
358             :# Preserve real numeric cell values
359             if float(x) in numeric_sentinel_set:
360                 return -1.0
361             return float(x)
362         if pd.isna(x):
363             return -1.0
364         xs = _norm(x)
365         if xs == '' or xs in sent_set or xs in blanks or
366             re.fullmatch(r'[^0-9a-z]+', xs):
367             return -1.0
368
369         parsed_val = try_parse_token(xs)
370         if parsed_val == 'SENTINEL':
371             return -1.0
372         if isinstance(parsed_val, (int, float)):#
373             Captures 'no' (0.0), 'yes' (1.0), and other
374             hardcoded likert values.
375             return float(parsed_val)
376         if xs in code_map_strings:
377             return float(code_map_strings[xs])
378         return -1.0
379
380     df_cleaned[col] = df_cleaned[col].apply(map_mixed).
381         astype(float)
382
383     # Final sweep on numeric columns
384     for c in df_cleaned.select_dtypes(include='float').columns:
385         df_cleaned[c] = df_cleaned[c].fillna(-1.0)
386         df_cleaned[c] = df_cleaned[c].replace(list(
387             numeric_sentinel_set), -1.0)
388
389     return df_cleaned
```

Appendix E

Main cleaning pipeline execution script

```
1 # Cleaning pipeline to all waves
2 dfs_cleaned = {}
3
4 # flattened dtype df
5 dfs_flat = {wave: flatten_column_types(df) for wave, df in dfs.
6             items()} # flatten dtypes
7
8 # Original df
9 display(scenario_count_table(dfs_flat).style.set_caption("
10     Original Table - pre cleaning")) # display original scenario
11     count table
12
13 # Step 1: Clean empty/missing values
14 dfs_step1 = {wave: clean_empty_missing(df) for wave, df in
15             dfs_flat.items()} # apply step 1 cleaning
16 display(scenario_count_table(dfs_step1).style.hide(axis="index").
17         set_caption("Step 1: Empty / Blank post cleaning"))
18
19 # Step 2: Clean sentinel values
20 dfs_step2 = {wave: clean_sentinel(df) for wave, df in dfs_step1.
21             items()} # apply step 2 cleaning
22 display(scenario_count_table(dfs_step2).style.hide(axis="index").
23         set_caption("Step 2: Sentinel post cleaning"))
24
```

Appendix

```
18 # Step 3: Numerical Transformation
19 dfs_step3 = {wave: numerical_transform(df) for wave, df in
    dfs_step2.items()} # apply step 3 cleaning
20 display(scenario_count_table(dfs_step3).style.hide(axis="index").
    set_caption("Step3: Numeric Transformation-post cleaning"))
21
22 # Step 4: Categorical Transformation for censored scenario
23 dfs_step4 = {wave: categorical_transform_S4(df) for wave, df in
    dfs_step3.items()} # apply step 4 cleaning
24 display(scenario_count_table(dfs_step4).style.hide(axis="index").
    set_caption("Step4: Category Transformation_S4-post
    cleaning"))
25
26 # Step 5: Categorical Transformation for binary values
27 dfs_step5 = {wave: categorical_transform_S5(df) for wave, df in
    dfs_step4.items()} # apply step 5 cleaning
28 display(scenario_count_table(dfs_step5).style.hide(axis="index").
    set_caption("Step5: Category Transformation_S5-post
    cleaning"))
29
30 # Step 6: Categorical Transformation for multi class/mixed values
31 dfs_step6 = {wave: categorical_transform_S6(df) for wave, df in
    dfs_step5.items()} # apply step 6 cleaning
32 display(scenario_count_table(dfs_step6).style.hide(axis="index").
    set_caption("Step6: Category Transformation_S6-post
    cleaning"))
33
34 dfs_cleaned = dfs_step6
```

Appendix F

Grouped variable audit script (Markdown output)

```
1 def show_grouped_vars_for_scenarios(dfs_original, dfs_transformed
  , scenarios_to_show): # Function to show grouped variables per
    scenario across waves -> markdown format
2     """
3     Used to inspect the scenario variables/features that need
    handling for transformation/cleaning.
4     A pre and post cleaning helper function to identify variables
    that need specific handling and to
5     inspect actual changes for a scenario from previous cleaning
    step to current step.
6     """
7
8     print("# Category Transformation Mapping")
9     # print(f"\n## Scenarios: {scenarios_to_show}") # Markdown
    mapping dictionary header
10    for wave in dfs_original.keys():
11        print(f"\n### ===== {wave.upper()} =====")
12
13        mapping_df = detect_column_scenario_mapping(
            dfs_transformed[wave]) # Get scenario mapping from
            transformed/cleaned to see overall changes for all
            variables
```

F. GROUPED VARIABLE AUDIT SCRIPT (MARKDOWN OUTPUT)

```
14     # mapping_df = detect_column_scenario_mapping(  
15         dfs_original[wave]) # Get scenario mapping from  
16         original to see untransformed values  
17  
18     for scenario in scenarios_to_show:  
19         vars_in_scenario = mapping_df[mapping_df['Scenario']  
20             == scenario]['Variable'].tolist() # Variables in  
21             scenario  
22         print(f"\n---Scenario_{scenario}:_{len(  
23             vars_in_scenario)}_---") # Scenario header for  
24             pipeline git commit  
25         if not vars_in_scenario:  
26             print("\nNo_variables_found.")  
27             continue  
28  
29         # Dictionary: frozen set(values) -> list of variables  
30         groups = {}  
31  
32         for var in vars_in_scenario:  
33             unique_vals = list(dict.fromkeys(dfs_original[  
34                 wave][var].dropna())) # Preserve first seen  
35                 order from ORIGINAL  
36             key = tuple(unique_vals) # Use ordered tuple as  
37                 key  
38  
39             if key not in groups: # Initialise list if key  
40                 not present  
41                 groups[key] = []  
42             groups[key].append(var) # Append variable to the  
43                 group  
44  
45         # Print grouped variables in markdown format friendly  
46         for Notion -> mapping dictionary  
47         for value_set, var_list in groups.items():  
48             print("\n*Variables:*", "`" + ", ".join(var_list)  
49                 + "`_") # \n  
50             print(f"*Pre_transformed_values:_{list(value_set  
51                 )}_")  
52  
53         # Pull transformed values from dfs_cleaned /  
54         specific step using preserved order
```

```

40         try:
41             df_before = dfs_original[wave][var_list[0]]
42             df_after = dfs_transformed[wave][var_list[0]]
43
44             # Build transformed list in same order as
45             # original values
46             transformed_vals = []
47             for orig_val in value_set: # Iterate through
48                 # original values in order
49                 mask = df_before == orig_val
50                 if mask.any():
51                     trans_vals = df_after[mask].
52                     unique().tolist() # Get unique
53                     transformed values
54                     if trans_vals:
55                         transformed_vals.append(
56                             trans_vals[0]) # Append
57                             first transformed value
58
59         except Exception:
60             transformed_vals = []
61         print(f"*Transformed_numeric:*_{transformed_vals}
62             _")
63
64     scenarios_to_show = SCENARIOS
65     # scenarios_to_show = ["Clean numeric"]
66     # scenarios_to_show = ["Censored / bracketed numeric"]
67     # scenarios_to_show = ["Binary categorical"]
68     # scenarios_to_show = ["Multi class categorical / mixed"]
69
70     show_grouped_vars_for_scenarios(dfs, dfs_cleaned,
71                                     scenarios_to_show) # prev step == comparison to current step
72                 else current step transformed/cleaned for ready .md dictionary

```

Appendix G

Sample Markdown audit output for variable transformations

The grouped Markdown representation reveals three critical points:

1. Semantically identical categories are correctly grouped even under different variable names (ph001 vs ph009), enabling direct comparison of representations that would otherwise appear fragmented across waves.
2. Numerical encoding is invariant to category ordering, preserving ordinal meaning across waves. Without this approach, positional encoding would assign inconsistent values, potentially distorting performance for downstream models.
3. For variables with a large and heterogeneous set of observed values (e.g., income bands, frequency ranges, or mixed numeric text responses), the grouped view provided essential visibility into how complex category spaces were being collapsed into stable numeric representations, supporting both validation and error detection at scale.

```

%-----]
↳ -----%
%-----MARKDOWN_MAPPING_DICTIONARY-----]
↳ -----%
%-----]
↳ -----%

# Category Transformation Mapping

### ===== WAVE1 =====

--- Scenario Empty / blank values: 0 ---

No variables found.

--- Scenario Numeric with sentinel: 0 ---

No variables found.

--- Scenario Clean numeric: 809 ---

*Variables:* 'sex, gd002'
*Pre transformed values:* ['Male', 'Female']
*Transformed numeric:* '[1.0, 0.0]'

*Variables:* 'ph001'
*Pre transformed values:* ['Fair', 'Good', 'Very good', 'Excellent',
↳ 'Poor', "Don't know"]
*Transformed numeric:* '[2.0, 3.0, 4.0, 5.0, 1.0, -1.0]'

*Variables:* 'bh006'
*Pre transformed values:* ['20-39', 10.0, -1.0, 15.0, 5.0, '60+',
↳ "Don't Know", 2.0, 8.0, 3.0, '40-59', 4.0, 7.0, 1.0, 6.0, 14.0,
↳ 12.0, 16.0, 18.0, 13.0, 9.0, 0.0, 19.0, 11.0, 17.0]

```

G. SAMPLE MARKDOWN AUDIT OUTPUT FOR VARIABLE TRANSFORMATIONS

```
*Transformed numeric:* '[29.5, 10.0, -1.0, 15.0, 5.0, 60.0, -1.0,
↳ 2.0, 8.0, 3.0, 49.5, 4.0, 7.0, 1.0, 6.0, 14.0, 12.0, 16.0, 18.0,
↳ 13.0, 9.0, 0.0, 19.0, 11.0, 17.0]'
```

```
--- Scenario Censored / bracketed numeric: 0 ---
```

```
No variables found.
```

```
--- Scenario Binary categorical: 0 ---
```

```
No variables found.
```

```
--- Scenario Multi class categorical / mixed: 0 ---
```

```
No variables found.
```

```
--- Scenario Single value categorical: 0 ---
```

```
No variables found.
```

```
--- Scenario Special symbol / mixed: 0 ---
```

```
No variables found.
```

```
--- Scenario Unknown / complex mixed: 0 ---
```

```
No variables found.
```

```
### ===== WAVE2 =====
```

```
...
```

```
--- Scenario Clean numeric: 482 ---
```

```
*Variables:* 'gd002, sex'
```

```
*Pre transformed values:* ['Female', 'Male']
```

```

*Transformed numeric:* '[0.0, 1.0]'

*Variables:* 'bh006'
*Pre transformed values:* [-1.0, '10 - 19', '20 - 29', 'Less than
↪ 10', '30+', "Don't know"]
*Transformed numeric:* '[-1.0, 14.5, 24.5, 10.0, 30.0, -1.0]'

*Variables:* 'ph001'
*Pre transformed values:* ['Very good', 'Good', 'Fair', 'Excellent',
↪ 'Poor']
*Transformed numeric:* '[4.0, 3.0, 2.0, 5.0, 1.0]'

...

### ===== WAVE3 =====

...

--- Scenario Clean numeric: 639 ---

*Variables:* 'sex, gd002'
*Pre transformed values:* ['Female', 'Male']
*Transformed numeric:* '[0.0, 1.0]'

*Variables:* 'ph001, ph009'
*Pre transformed values:* ['Very Good', 'Good', 'Excellent', 'Fair',
↪ 'Poor', 'DK']
*Transformed numeric:* '[4.0, 3.0, 5.0, 2.0, 1.0, -1.0]'

*Variables:* 'bh006'
*Pre transformed values:* [-1.0, '10 - 19', 'Less than 10', '20 -
↪ 29', '30+', -98.0, -99.0]
*Transformed numeric:* '[-1.0, 14.5, 10.0, 24.5, 30.0, -1.0, -1.0]'

...

```

G. SAMPLE MARKDOWN AUDIT OUTPUT FOR VARIABLE TRANSFORMATIONS

```
### ===== WAVE4 =====

...

--- Scenario Clean numeric: 592 ---

*Variables:* 'bh006'
*Pre transformed values:* [-1.0, 'Less than 10', '20 - 29', '10 -
↳ 19', '30+', "Don't know"]
*Transformed numeric:* '[-1.0, 10.0, 24.5, 14.5, 30.0, -1.0]'

*Variables:* 'gd002, sex'
*Pre transformed values:* ['Female', 'Male']
*Transformed numeric:* '[0.0, 1.0]'

*Variables:* 'ph001'
*Pre transformed values:* ['Good', 'Fair', 'Poor', 'Excellent', 'Very
↳ Good', 'RF', 'DK']
*Transformed numeric:* '[3.0, 2.0, 1.0, 5.0, 4.0, -1.0, -1.0]'

...

### ===== WAVE5 =====

...

--- Scenario Clean numeric: 591 ---

*Variables:* 'bh006'
*Pre transformed values:* [-1.0, 'Less than 10', '20 - 29', '10 -
↳ 19', '30+', "Don't know"]
*Transformed numeric:* '[-1.0, 10.0, 24.5, 14.5, 30.0, -1.0]'

*Variables:* 'gd002, sex'
*Pre transformed values:* ['Female', 'Male']
*Transformed numeric:* '[0.0, 1.0]'
```

```
*Variables:* 'ph001'
*Pre transformed values:* ['Very Good', 'Fair', 'Excellent', 'Good',
↪ 'Poor']
*Transformed numeric:* '[4.0, 2.0, 5.0, 3.0, 1.0]'

...
```

Appendix H

Track B cohort sample sizes and incident rates

Table H.1: Cohort sizes and incident rates for the 24 disease specific outcomes in Track B.

Disease	Type	Obs. n	Inc. n	Inc. rate %
Circulatory disease	Clinical	14539	1774	12.2
Endocrine/metabolic diseases	Clinical	4117	362	8.8
Eye diseases	Clinical	4396	444	10.1
Musculoskeletal diseases	Clinical	4269	277	6.5
Functional decline	Functional	14296	3217	22.5
Fear of falling	Functional	18114	2536	14.0
Diabetes	Family history	4307	276	6.4
High cholesterol	Family history	4312	517	12.0
Hypertension	Family history	3590	679	18.9
Heart disease	Family history	2770	598	21.6
Osteoporosis	Family history	4779	330	6.9
Alzheimer's/dementia	Family history	4827	309	6.4
Cancer	Family history	3971	532	13.4
Depression	Family history	4760	343	7.2
Pain analgesia	Medication	2152	775	36.0
High cholesterol	Medication	733	181	24.7
Antidepressant	Medication	4378	140	3.2
Antihypertensive	Medication	19845	893	4.5
Chronic pain (proxy)	Self-reported	15571	2709	17.4
	disease			
Hearing loss	Self-reported	10780	1628	15.1
	disease			
Urinary incontinence	Self-reported	16208	1361	8.4
	disease			
Chronic pain	Self-reported	10914	1888	17.3
	disease			
Angioplasty/stent	Procedure	9233	129	1.4
Hypertension	Doctor diagnosis	250	104	41.6

Appendix I

Item index and scoring of individual features

Table I.1: Scoring scheme for the 40 individual feature items.

Item	Variable	Scoring
Doctor diagnosed eye disease	ph105_5	0 = None; 1 = Yes
Doctor diagnosed hypertension	ph201_01	1 = Yes; 0 = No
Doctor diagnosed high cholesterol	ph201_08	0 = No; 1 = Yes
No conditions	ph201_14	1 = None; 0 = Other-wise
Doctor diagnosed arthritis	ph301_03	1 = Yes; 0 = No
No listed conditions	ph301_17	1 = None; 0 = Other-wise
Self-reported long-term chronic/health problem	ph003	1 = Yes; 0 = No; -1 = DK/RF
Long term illness/health problem	DISlongterm	0 = No illness; 1 = Illness; 1 = Limiting illness
Neoplasms	ICD10_02	0 = No; 1 = Yes
Diseases of the blood	ICD10_03	0 = No; 1 = Yes
Endocrine/metabolic disease	ICD10_04	0 = No; 1 = Yes
Mental and behavioural disorders	ICD10_05	0 = No; 1 = Yes
Diseases of the nervous system	ICD10_06	0 = No; 1 = Yes
Eye disease	ICD10_07	0 = No; 1 = Yes

Continued on next page

Item	Variable	Scoring
Circulatory disease	ICD10_09	0 = No; 1 = Yes
Respiratory disease	ICD10_10	0 = No; 1 = Yes
Digestive system disease	ICD10_11	0 = No; 1 = Yes
Musculoskeletal disease	ICD10_13	0 = No; 1 = Yes
Genitourinary disease	ICD10_14	0 = No; 1 = Yes
Family history of diabetes	ph726_01	0 = No; 1 = Yes
Family history of high cholesterol	ph726_02	0 = No; 1 = Yes
Family history of hypertension	ph726_03	0 = No; 1 = Yes
Family history of heart disease	ph726_04	0 = No; 1 = Yes
Family history of osteoporosis	ph726_06	0 = No; 1 = Yes
Family history of alzheimer's / dementia	ph726_07	0 = No; 1 = Yes
Family history of cancer	ph726_08_to_11	1 = Yes; 0 = No
Family history of depression	ph726_12	0 = No; 1 = Yes
Family history of other condition	ph726_95	0 = No; 1 = Yes
No family history of any disease	ph726_96	0 = No; 1 = Yes
Pain medication use	ph505	1 = Yes; 0 = No; -1 = DK/RF
Cholesterol medication	ph225	1 = Yes; 0 = No; -1 = DK/RF
Antidepressant use	MDantidepressant	0 = No; 1 = Yes
Antihypertensive use	MDantihypertensives	0 = No; 1 = Yes
Self-rated chronic pain	ph501 (proxy)	1 = Yes; 0 = No; -1 = DK
Self-rated chronic pain	CHRany_pain	0 = No; 1 = Yes
Self-rated hearing loss	ph145	0 = No; 1 = Yes; -1 = DK
Self-rated urinary incontinence	ph601	0 = No; 1 = Yes; -1 = DK/RF
Angioplasty/stent	ph208	0 = No; 1 = Yes; -1 = DK
Fear of falling	ph408	0 = No; 1 = Yes; -1 = DK
Antihypertensive medication use	ph202a	1 = Yes; 0 = No; -1 = DK

Appendix J

Top 20 feature importance for
Track A designs D1 and D2 models




Figure J.1: Top 20 features by importance for D1.

Appendix




Figure J.2: Top 20 features by importance for D2.

Appendix K

SHAP value plots for Track A and Track B




Figure K.1: Global SHAP beeswarm plots for D1 across all four model families (top-20 features by mean $|\text{SHAP}|$).




Figure K.2: Global SHAP beeswarm plots for D2 across all four model families (top-20 features by mean $|\text{SHAP}|$).




Figure K.3: Global SHAP beeswarm plots for four Track B disease specific XGB models: functional decline, fear of falling, hearing loss, and circulatory disease.

References

- [1] Kai Petersen, Sairam Vakkalanka, and Ludwik Kuzniarz. Guidelines for conducting systematic mapping studies in software engineering: An update. *Information and Software Technology*, 64:1–18, August 2015. ISSN 0950-5849. doi: 10.1016/j.infsof.2015.03.007. vii, 6, 7
- [2] Barbara Kitchenham, O. Pearl Brereton, David Budgen, Mark Turner, John Bailey, and Stephen Linkman. Systematic literature reviews in software engineering – A systematic literature review. *Information and Software Technology*, 51(1):7–15, January 2009. ISSN 09505849. doi: 10.1016/j.infsof.2008.09.009. vii, 6, 10, 11
- [3] The Irish Longitudinal Study on Ageing. Tilda pseudonymised microdata file release guide v5.5. <https://tilda.tcd.ie/data/documentation/>, 2023. Accessed: 2025-10-09. vii, 21
- [4] James Davis, Silvin P. Knight, Rossella Rizzo, Orna A. Donoghue, Rose Anne Kenny, and Roman Romero-Ortuno. A linear regression-based machine learning pipeline for the discovery of clinically relevant correlates of gait speed reserve from multiple physiological systems. In *2021 29th European Signal Processing Conference (EUSIPCO)*, pages 1266–1270, August 2021. doi: 10.23919/EUSIPCO54536.2021.9616187. vii, 15, 35, 38
- [5] Neal Haddaway, Matthew J Page, Chris C Pritchard, and Luke A McGuinness. PRISMA2020: An R package and Shiny app for producing PRISMA 2020-compliant flow diagrams, with interactivity for optimised digital transparency and Open Synthesis, 2022. ix, 10
- [6] Sebastian Moguilner, Silvin P. Knight, James R. C. Davis, Aisling M. O’Halloran, Rose Anne Kenny, and Roman Romero-Ortuno. The Importance of Age in the Prediction of Mortality by a Frailty Index: A Machine Learning Approach in the Irish Longitudinal Study on Ageing. *Geriatrics (Basel)*, 6(3):84, August 2021.

REFERENCES

- ISSN 2308-3417. doi: 10.3390/geriatrics6030084. ix, 2, 11, 14, 16, 33, 36, 40, 41, 42, 46, 63
- [7] James R. C. Davis, Silvin P. Knight, Orna A. Donoghue, Belinda Hernández, Rossella Rizzo, Rose Anne Kenny, and Roman Romero-Ortuno. Comparison of Gait Speed Reserve, Usual Gait Speed, and Maximum Gait Speed of Adults Aged 50+ in Ireland Using Explainable Machine Learning. *Front Netw Physiol*, 1:754477, 2021. ISSN 2674-0109. doi: 10.3389/fnetp.2021.754477. 1, 9, 11, 15, 65
- [8] Patrick V. Moore, Kathleen Bennett, and Charles Normand. Counting the time lived, the time left or illness? Age, proximity to death, morbidity and prescribing expenditures. *Social Science & Medicine*, 184:1–14, 2017. ISSN 0277-9536. doi: 10.1016/j.socscimed.2017.04.038.
- [9] Ying Huang, Yuhao Su, Ying Jiang, and Meilan Zhu. Sex differences in the associations between blood pressure and anxiety and depression scores in a middle-aged and elderly population: The Irish Longitudinal Study on Ageing (TILDA). *Journal of Affective Disorders*, 274:118–125, September 2020. ISSN 0165-0327. doi: 10.1016/j.jad.2020.05.133. 1
- [10] World Health Organization Europe. New data: Noncommunicable diseases cause 1.8 million avoidable deaths and cost US\$ 514 billion every year, reveals new WHO/Europe report. WHO Europe report, 2025. 1
- [11] Niamh Rice and Charles Normand. The cost associated with disease-related malnutrition in Ireland. *Public Health Nutr*, 15(10):1966–1972, October 2012. ISSN 1475-2727. doi: 10.1017/S1368980011003624. 1
- [12] Caoileann H. Murphy, Eoin Duggan, James Davis, Aisling M. O’Halloran, Silvin P. Knight, Rose Anne Kenny, Sinead N. McCarthy, and Roman Romero-Ortuno. Plasma lutein and zeaxanthin concentrations associated with musculoskeletal health and incident frailty in The Irish Longitudinal Study on Ageing (TILDA). *Experimental Gerontology*, 171:112013, 2023. ISSN 0531-5565. doi: 10.1016/j.exger.2022.112013. 1, 2, 9, 13, 16
- [13] Eamon Laird, Charlotte Lund Rasmussen, Rose Anne Kenny, and Matthew P. Herring. Physical Activity Dose and Depression in a Cohort of Older Adults in The Irish Longitudinal Study on Ageing. *JAMA Netw Open*, 6(7):e2322489, July 2023. ISSN 2574-3805. doi: 10.1001/jamanetworkopen.2023.22489. 1, 12

REFERENCES

- [14] C. P. McDowell, R. K. Dishman, M. Hallgren, C. MacDonncha, and M. P. Herring. Associations of physical activity and depression: Results from the Irish Longitudinal Study on Ageing. *Experimental Gerontology*, 112:68–75, 2018. ISSN 0531-5565. doi: 10.1016/j.exger.2018.09.004. 1
- [15] Cathal McCrory, Ciaran Finucane, Celia O’Hare, John Frewen, Hugh Nolan, Richard Layte, Patricia M. Kearney, and Rose Anne Kenny. Social Disadvantage and Social Isolation Are Associated With a Higher Resting Heart Rate: Evidence From The Irish Longitudinal Study on Ageing. *J Gerontol B Psychol Sci Soc Sci*, 71(3):463–473, May 2016. ISSN 1079-5014. doi: 10.1093/geronb/gbu163. 1, 65
- [16] Eamon Laird, Matthew P. Herring, Brian P. Carson, Catherine B. Woods, Cathal Walsh, Rose Anne Kenny, and Charlotte Lund Rasmussen. Physical activity for depression among the chronically ill: Results from older diabetics in the Irish longitudinal study on ageing. *Psychiatry Research*, 326:115274, August 2023. ISSN 0165-1781. doi: 10.1016/j.psychres.2023.115274. 2, 9
- [17] Samuel D. Searle, Arnold Mitnitski, Evelyne A. Gahbauer, Thomas M. Gill, and Kenneth Rockwood. A standard procedure for creating a frailty index. *BMC Geriatrics*, 8(1):24, September 2008. ISSN 1471-2318. doi: 10.1186/1471-2318-8-24. 3, 40, 72
- [18] Richard J. Torraco. Writing Integrative Literature Reviews: Guidelines and Examples. *Human Resource Development Review*, 4(3):356–367, September 2005. ISSN 1534-4843, 1552-6712. doi: 10.1177/1534484305278283. 6
- [19] Roman Romero-Ortuno, Peter Hartley, James Davis, Silvin P. Knight, Rossella Rizzo, Belinda Hernández, Rose Anne Kenny, and Aisling M. O’Halloran. Transitions in frailty phenotype states and components over 8 years: Evidence from The Irish Longitudinal Study on Ageing. *Archives of Gerontology and Geriatrics*, 95: 104401, 2021. ISSN 0167-4943. doi: 10.1016/j.archger.2021.104401. 9, 10, 11, 66
- [20] Orna A Donoghue, Belinda Hernandez, Matthew D L O’Connell, and Rose Anne Kenny. Using Conditional Inference Forests to Examine Predictive Ability for Future Falls and Syncope in Older Adults: Results from The Irish Longitudinal Study on Ageing. *J Gerontol A Biol Sci Med Sci*, 78(4):673–682, April 2023. ISSN 1758-535X. doi: 10.1093/gerona/glac156. 9, 11, 16, 46, 74

REFERENCES

- [21] A. A. Zarudsky and K. I. Prashchayeu. P277: One-legged balance test and falls in old patients with cardiovascular diseases. *European Geriatric Medicine*, 5:S171–S172, 2014. ISSN 1878-7649. doi: 10.1016/S1878-7649(14)70448-6. 9
- [22] Chuanying Huang, Shuqin Sun, Xiaocao Tian, Tong Wang, Tianyu Wang, Haiping Duan, and Yili Wu. Age modify the associations of obesity, physical activity, vision and grip strength with functional mobility in Irish aged 50 and older. *Archives of Gerontology and Geriatrics*, 84:103895, 2019. ISSN 0167-4943. doi: 10.1016/j.archger.2019.05.020. 9, 12, 62
- [23] Louis Jacob, Karel Kostev, Jae Il Shin, Lee Smith, Hans Oh, Adel S. Abduljabbar, Josep Maria Haro, and Ai Koyanagi. Falls increase the risk for incident anxiety and depressive symptoms among adults aged ≥ 50 years: An analysis of the Irish longitudinal study on ageing. *Archives of Gerontology and Geriatrics*, 114:105098, 2023. ISSN 0167-4943. doi: 10.1016/j.archger.2023.105098. 9, 12, 61, 66
- [24] Laura A Bardon, Melanie Streicher, Clare A Corish, Michelle Clarke, Lauren C Power, Rose Anne Kenny, Deirdre M O’Connor, Eamon Laird, Eibhlis M O’Connor, Marjolein Visser, Dorothee Volkert, Eileen R Gibney, and MaNuEL Consortium. Predictors of Incident Malnutrition in Older Irish Adults from the Irish Longitudinal Study on Ageing Cohort—A MaNuEL study. *J Gerontol A Biol Sci Med Sci*, 75(2):249–256, January 2020. ISSN 1079-5006. doi: 10.1093/gerona/gly225. 9, 11, 13, 16
- [25] Xuezhong Xu, Xue Mingyang, Jie Yang, Hailong Zheng, and Zhifei Che. Tailored machine learning for evaluating the long-term diabetes risk in older individuals: Findings from the Irish Longitudinal Study on Ageing (TILDA). *BMJ Open*, 13(5):e072991, May 2023. ISSN 2044-6055. doi: 10.1136/bmjopen-2023-072991. 9, 11, 14, 15, 46, 75
- [26] Zuo Zhang, Lauren Robinson, Robert Whelan, Lee Jollans, Zijian Wang, Frauke Nees, Congying Chu, Marina Bobou, Dongping Du, Ilinca Cristea, Tobias Banaschewski, Gareth J. Barker, Arun L. W. Bokde, Antoine Grigis, Hugh Garavan, Andreas Heinz, Rüdiger Brühl, Jean-Luc Martinot, Marie-Laure Paillère Martinot, Eric Artiges, Dimitri Papadopoulos Orfanos, Luise Poustka, Sarah Hohmann, Sabina Millenet, Juliane H. Fröhner, Michael N. Smolka, Nilakshi Vaidya, Henrik Walter, Jeanne Winterer, M. John Broulidakis, Betteke Maria van Noort, Argyris Stringaris, Jani Penttilä, Yvonne Grimmer, Corinna Insensee, Andreas Becker,

REFERENCES

- Yuning Zhang, Sinead King, Julia Sinclair, Gunter Schumann, Ulrike Schmidt, and Sylvane Desrivieres. Machine learning models for diagnosis and risk prediction in eating disorders, depression, and alcohol use disorder. *Journal of Affective Disorders*, 379:889–899, June 2025. ISSN 0165-0327. doi: 10.1016/j.jad.2024.12.053. 9, 11, 74
- [27] Rory Boyle, Lee Jollans, Laura M. Rueda-Delgado, Rossella Rizzo, Görsev G. Yener, Jason P. McMorrow, Silvin P. Knight, Daniel Carey, Ian H. Robertson, Derya D. Emek-Savaş, Yaakov Stern, Rose Anne Kenny, and Robert Whelan. Brain-predicted age difference score is related to specific cognitive functions: A multi-site replication analysis. *Brain Imaging Behav*, 15(1):327–345, February 2021. ISSN 1931-7565. doi: 10.1007/s11682-020-00260-3. 9, 11, 14, 62
- [28] Roy Tzemah-Shahar, Hagit Hochner, Khalil Iktilat, and Maayan Agmon. What can we learn from physical capacity about biological age? A systematic review. *Ageing Research Reviews*, 77:101609, May 2022. ISSN 1568-1637. doi: 10.1016/j.arr.2022.101609. 11
- [29] Morgana A. Shirsath, John D. O’Connor, Rory Boyle, Louise Newman, Silvin P. Knight, Belinda Hernandez, Robert Whelan, James F. Meaney, and Rose Anne Kenny. Slower speed of blood pressure recovery after standing is associated with accelerated brain ageing: Evidence from The Irish Longitudinal Study on Ageing (TILDA). *Cerebral Circulation - Cognition and Behavior*, 6:100212, January 2024. ISSN 2666-2450. doi: 10.1016/j.cccb.2024.100212. 11
- [30] Dr Angelina R. Sutin, Martina Luchetti, Damaris Aschwanden, Yannick Stephan, Amanda A. Sesker, and Antonio Terracciano. Sense of meaning and purpose in life and risk of incident dementia: New data and meta-analysis. *Archives of Gerontology and Geriatrics*, 105:104847, 2023. ISSN 0167-4943. doi: 10.1016/j.archger.2022.104847. 11
- [31] Kevin McCarthy, Eamon Laird, Aisling M. O’Halloran, Padraic Fallon, Román Romero Ortuño, and Rose Anne Kenny. Association between metabolic syndrome and risk of both prevalent and incident frailty in older adults: Findings from The Irish Longitudinal Study on Ageing (TILDA). *Experimental Gerontology*, 172:112056, 2023. ISSN 0531-5565. doi: 10.1016/j.exger.2022.112056. 12
- [32] Ziggi Ivan Santini, Ai Koyanagi, Stefanos Tyrovolas, Josep Maria Haro, Robert J. Donovan, Line Nielsen, and Vibeke Koushede. The protective properties of Act-

REFERENCES

- Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based study. *Experimental Gerontology*, 91:79–87, 2017. ISSN 0531-5565. doi: 10.1016/j.exger.2017.02.074. 12, 62, 66
- [33] Kevin McCarthy, Eamon Laird, Aisling M. O’Halloran, Cathal Walsh, Martin Healy, Annette L. Fitzpatrick, James B. Walsh, Belinda Hernández, Padraic Fallon, Anne M. Molloy, and Rose Anne Kenny. Association between vitamin D deficiency and the risk of prevalent type 2 diabetes and incident prediabetes: A prospective cohort study using data from The Irish Longitudinal Study on Ageing (TILDA). *EClinicalMedicine*, 53:101654, November 2022. ISSN 2589-5370. doi: 10.1016/j.eclinm.2022.101654. 13
- [34] Kevin McCarthy, Aisling M. O’Halloran, Padraic Fallon, Rose Anne Kenny, and Cathal McCrory. Metabolic syndrome accelerates epigenetic ageing in older adults: Findings from The Irish Longitudinal Study on Ageing (TILDA). *Experimental Gerontology*, 183:112314, 2023. ISSN 0531-5565. doi: 10.1016/j.exger.2023.112314. 14
- [35] Soraya Matthews, Mark Ward, Anne Nolan, Charles Normand, Rose Anne Kenny, and Peter May. Predicting mortality in The Irish Longitudinal Study on Ageing (TILDA): Development of a four-year index and comparison with international measures. *BMC Geriatr*, 22:510, June 2022. ISSN 1471-2318. doi: 10.1186/s12877-022-03196-z. 15, 46, 62
- [36] TILDA. The Irish Longitudinal Study on Ageing (TILDA) Wave 1, 2009-2011, 2025. URL <https://doi.org/10.7929/ISSDA/AWCUY3>. 19
- [37] TILDA. The Irish Longitudinal Study on Ageing (TILDA) Wave 2, 2012-2013, 2025. URL <https://doi.org/10.7929/ISSDA/HSBNCU>. 19
- [38] TILDA. The Irish Longitudinal Study on Ageing (TILDA) Wave 3, 2014-2015, 2025. URL <https://doi.org/10.7929/ISSDA/9Z4MFF>. 19
- [39] TILDA. The Irish Longitudinal Study on Ageing (TILDA) Wave 4, 2016, 2025. URL <https://doi.org/10.7929/ISSDA/R4BZYX>. 19
- [40] TILDA. The Irish Longitudinal Study on Ageing (TILDA) Wave 5, 2018-2019, 2025. URL <https://doi.org/10.7929/ISSDA/JCM06P>. 19

REFERENCES

- [41] TILDA. The Irish Longitudinal Study on Ageing (TILDA) Harmonized TILDA, 2016, 2025. URL <https://doi.org/10.7929/ISSDA/FHM5I8>. 19
- [42] Hot Desks - The Irish Longitudinal Study on Ageing (TILDA) - Trinity College Dublin. <https://tilda.tcd.ie/data/accessing-data/hotdesk/>, 2026. 35
- [43] Mark Ward, Peter May, Robert Briggs, Triona McNicholas, Charles Normand, Rose Anne Kenny, and Anne Nolan. Linking death registration and survey data: Procedures and cohort profile for The Irish Longitudinal Study on Ageing (TILDA). *HRB open research*, 3:43, 2020. ISSN 2515-4826. doi: 10.12688/hrbopenres.13083.2. 36
- [44] Ziad Obermeyer and Ezekiel J. Emanuel. Predicting the Future - Big Data, Machine Learning, and Clinical Medicine. *The New England Journal of Medicine*, 375 (13):1216–1219, September 2016. ISSN 1533-4406. doi: 10.1056/NEJMp1606181. 47
- [45] Dewinda Julianensi Rumala. How You Split Matters: Data Leakage and Subject Characteristics Studies in Longitudinal Brain MRI Analysis. volume 14242, pages 235–245. 2023. doi: 10.1007/978-3-031-45249-9_23. 50