

Prediction of Chronic Disease Risk Using Nutrition, Lifestyle & Clinical Data from The Irish Longitudinal Study on Ageing (TILDA)



Abderahman Haouit

CSIS Research Centre

Department of Computer Science and Information Systems

Faculty of Science and Engineering

University of Limerick

Submitted to the University of Limerick for the degree of

Artificial Intelligence (MSc) 2026

1. Supervisor: Dr. Alison O'Connor
Computer Science & Information Systems
University *of* Limerick
Ireland

2. Supervisor: Dr. Name Surname
Name of Research Centre or Department
University *of* Limerick
Ireland

1. Reviewer: Dr. Name Surname
Name of Research Centre or Department
University of
Country

2. Reviewer: Dr. Name Surname
Name of Research Centre or Department
University of
Country

1. Chair: Dr. Name Surname
Name of Research Centre or Department
University *of* Limerick
Ireland

Day of the defense: day month year

Signature from head of PhD committee:

Abstract

Falls, frailty, and chronic conditions such as cardiovascular disease, diabetes, and obesity remain leading causes of morbidity and mortality in older adults. Yet, existing predictive models often rely narrowly on physical health indicators, overlooking nutrition and lifestyle factors that may enhance early detection of risk. This thesis develops and evaluates machine learning models using data from The Irish Longitudinal Study on Ageing (TILDA) to predict key health outcomes in a cohort of older adults. The models integrate physical, mental, lifestyle, and socio-demographic predictors, with particular emphasis on under-explored nutritional and behavioural variables highlighted in prior research. Multiple approaches are compared, including logistic regression, random forests, and gradient boosting, with performance assessed via cross-validation and feature importance analysis. By identifying high-impact, modifiable predictors, this work aims to advance early risk stratification, guide targeted prevention strategies, and inform public health policy to support healthy ageing.

Declaration

I Abderahman Haouit declare that I have produced this paper without the prohibited assistance of third parties and without making use of aids other than those specified; notions taken over directly or indirectly from other sources have been identified as such. This paper has not previously been presented in identical or similar form to any other Irish or foreign examination board.

The thesis work was conducted from 2025 to 2026 under the supervision of Dr. Alison O'Connor and Dr. Name Surname at University of Limerick.

Limerick, 2026

Acknowledgements

I would like to acknowledge my supervisor, Dr. Alison O'Connor, for her guidance, support, and for providing a well-organised environment throughout the implementation of this project.

I would also like to thank the UL Science and Engineering Research Ethics Committee for approving the ethical aspects of this research. Special thanks to the Irish Social Science Data Archive (ISSDA) team for facilitating access to the TILDA dataset, collected by Trinity College Dublin.

Your dedication goes here. Open the dedication.tex file found at:
0_frontmatter/dedication.tex

Contents

List of Tables	v
List of Figures	vii
List of Abbreviations	ix
1 Introduction	1
1.1 Background and Context	1
1.2 Research Problem and Motivation	2
1.2.1 Limited Integration of Multidimensional Data	2
1.2.2 Underuse of Longitudinal Dynamics	2
1.2.3 Lack of Explainability	2
1.3 Research Aims and Objectives	3
1.4 Methodology Overview	3
1.4.1 Data Curation	4
1.4.1.1 Harmonisation	4
1.4.1.2 Handling Missing Data	4
1.4.1.3 Feature Engineering	4
1.4.2 Modelling	4
1.4.3 Evaluation	5
1.5 Contributions of the Research	5
1.6 Thesis Outline	5
2 Literature Review	7
2.1 Introduction	7
2.2 Chronic Disease and Ageing	7

CONTENTS

2.2.1	Frailty and Physical Function	7
2.2.2	Mental Health in Older Adults	8
2.2.3	Nutrition and Biological Ageing	8
2.3	Machine Learning in Ageing and Chronic Disease	8
2.3.1	Feature Sets in ML Studies	8
2.3.2	ML Models Used	9
2.3.3	Performance and Validation	9
2.3.4	Explainability in ML for Ageing	9
2.4	Gaps in the Literature	9
2.5	Chapter Summary	10
3	Data and Preprocessing	11
3.1	Insert a Figure	11
3.2	Creating a list	12
3.2.1	Creating a Table	12
3.3	Quote	13
4	Methodology	15
4.1	Math	15
5	Results	17
5.1	References	17
6	Conclusions and Future Directions	19
6.1	Summary	19
6.2	Conclusions	19
6.3	Contributions	19
6.4	Future Work	19
Appendix A: Insert figure in Appendix		21
Appendix B: Insert Text in Appendix		23
Appendix C: Insert C++/Java et al. Code in Appendix		27
References		29

List of Tables

3.1	Table Title	12
-----	-----------------------	----

LIST OF TABLES

List of Figures

3.1	Title of Figure	11
-----	---------------------------	----

LIST OF FIGURES

GLOSSARY

Chapter 1

Introduction

1.1 Background and Context

Chronic conditions, including cardiovascular disease, diabetes, and frailty, are leading contributors to morbidity and mortality in ageing populations Bencivenga et al. (2020); Bardon et al. (2020). These conditions are associated with declines in functional capacity (e.g., gait speed, grip strength Davis et al. (2021a)), increased healthcare utilisation Moore et al. (2017), and reduced quality of life Huang et al. (2020). Traditional risk prediction models rely primarily on clinical biomarkers such as blood pressure and lipid profiles. However, increasing evidence highlights the importance of multidimensional predictors, including nutrition Murphy et al. (2023), physical activity Laird et al. (2023a), mental health McDowell et al. (2018), and social determinants McCrory et al. (2016).

The Irish Longitudinal Study on Ageing (TILDA) provides a uniquely rich, nationally representative dataset of adults in Ireland aged 50+ with repeated measures spanning clinical, nutritional, lifestyle, cognitive, and psychosocial domains. Leveraging TILDA waves 1–5¹, the harmonised longitudinal dataset, and the IDS dataset (covering participants with disabilities), this project has access to comprehensive repeated measures across multiple domains. Previous studies using TILDA have linked, for example, slower blood pressure recovery after

¹TILDA data are pseudonymised and accessed under licence via the Irish Social Science Data Archive (ISSDA); use adheres to UL S&E ethics approval and data governance requirements.

1. INTRODUCTION

standing to accelerated brain ageing A. Shirsath et al. (2024), and vitamin D deficiency to incident prediabetes McCarthy et al. (2022). Such findings highlight the need for integrated models that combine traditional and non-traditional risk factors.

Leveraging TILDA waves 1–5, the harmonised longitudinal TILDA dataset, and the IDS dataset (covering participants with disabilities) offers a comprehensive set of repeated measures across multiple domains, enabling robust analysis of multidimensional predictors.

1.2 Research Problem and Motivation

Current Machine Learning (ML) approaches for chronic disease prediction in older adults often fall short in several ways.

1.2.1 Limited Integration of Multidimensional Data

Most models prioritise clinical variables but neglect modifiable lifestyle and nutrition factors Murphy et al. (2023); Laird et al. (2023b).

1.2.2 Underuse of Longitudinal Dynamics

Few studies exploit repeated measures to capture trajectories of risk, such as frailty progression Moguilner et al. (2021).

1.2.3 Lack of Explainability

Many ML models are not interpretable, limiting clinical utility Donoghue et al. (2023).

Addressing these gaps requires methods that integrate multidomain predictors, account for longitudinal dynamics, and balance predictive accuracy with interpretability.

1.3 Research Aims and Objectives

This thesis aims to develop and validate ML models that integrate nutrition, lifestyle, and mental health features with clinical data to improve prediction of chronic disease and ageing-related outcomes in a representative cohort of older adults.

Specific objectives are:

- Conducting a focused literature review on ML for chronic disease prediction in ageing populations, emphasising gaps in lifestyle and nutrition integration.
- Preprocess and harmonise TILDA waves 1–5, engineering multidomain features including nutrition, activity, mobility, mental health, and clinical indicators.
- Develop and compare baseline statistical models (e.g., logistic regression) with advanced ML methods (e.g., Random Forest (RF), Gradient Boosting Machine (GBM)).
- Evaluate models using discrimination (Area Under the ROC Curve (AUC)), calibration, and error metrics (accuracy, precision, Recall (true positive rate) (Recall), F1-score (harmonic mean of precision and recall) (F1)); conduct ablation analyses to quantify the added value of lifestyle and nutrition.
- Identify actionable predictors (e.g., vitamin D status, gait speed reserve) and highlight modifiable risk factors relevant to intervention.
- To Document ethical, governance, and reproducibility practices for handling longitudinal pseudonymised health data.

1.4 Methodology Overview

The methodological workflow consists of the following components.

1. INTRODUCTION

1.4.1 Data Curation

1.4.1.1 Harmonisation

This project uses the official harmonised TILDA dataset, which consolidates variables from waves 1–5 to ensure consistency across repeated measures and comparability with other international longitudinal studies such as the Health and Retirement Study, (a longitudinal study of ageing in the United States) (HRS) and Survey of Health, Ageing and Retirement in Europe (SHARE). Where definitions differ between waves (e.g., frailty indices, nutritional measures), harmonisation rules are documented in the official dataset.

1.4.1.2 Handling Missing Data

Missingness will be addressed using both complete-case analysis (sensitivity check) and multiple imputation methods, depending on the type and extent of missing data. This ensures robustness of findings and reduces bias introduced by attrition across waves.

1.4.1.3 Feature Engineering

Derived variables will be constructed to capture multidimensional predictors. Examples include:

- Frailty indices (e.g., Fried’s phenotype, Frailty Index (FI)).
- Mobility measures (e.g., Timed Up and Go (mobility test) (TUG), gait speed, grip strength).
- Mental health scales (e.g., Center for Epidemiologic Studies Depression Scale (CES-D), Geriatric Depression Scale (GDS)).
- Nutrition scores (e.g., dietary diversity indices, micronutrient biomarkers).

1.4.2 Modelling

Development of baseline (logistic regression) and advanced ML models (RF, GBM) tuned via Cross-Validation (CV).

1.4.3 Evaluation

Assessment with discrimination metrics (AUC), calibration (plots, Brier score), and error measures (accuracy, Recall, F1). Explainability will be examined using feature importance and Shapley Additive Explanations (SHAP) values.

1.5 Contributions of the Research

This research makes contributions at three levels:

- **Empirical:** Demonstrates the added predictive value of nutrition and lifestyle features beyond clinical baselines in chronic disease risk prediction.
- **Methodological:** Provides a reproducible pipeline for harmonising longitudinal TILDA data and integrating multidomain features into ML models.
- **Clinical:** Highlights modifiable predictors with potential for targeted interventions and policy development to promote healthy ageing.

1.6 Thesis Outline

The remaining chapters of this dissertation are structured as follows:

Chapter Two presents a focused literature review on ML prediction of chronic disease in ageing populations, with emphasis on lifestyle and nutrition predictors and methodological considerations. *Chapter Three* describes the TILDA study design and data, the preprocessing pipeline, harmonisation decisions, and feature engineering strategy. *Chapter Four* outlines the modelling framework, including baseline statistical models and advanced ML, hyperparameter tuning, validation, and evaluation metrics. *Chapter Five* reports results, compares model performance, and presents feature importance and ablation analyses. *Chapter Six* discusses implications, limitations, ethical and governance considerations, and opportunities for future work.

A series of documents have been included in the Appendix section of this dissertation. These are:

1. INTRODUCTION

- *Appendix A*: Variable codebook and wave harmonisation notes (including anonymisation actions, top-coding, and grouping rules relevant to the features used).
- *Appendix B*: Ethics.
- *Appendix C*: Modelling details, additional tables/figures, and reproducibility checklist (overview of data processing scripts).

A digital archive is attached to this dissertation containing:(Access request required)

- *folder 1*: Preprocessing and feature-engineering scripts (documentation only; no raw TILDA data).
- *folder 2*: Model training/evaluation code and configuration files to reproduce reported results.

Chapter 2

Literature Review

2.1 Introduction

- Purpose of this chapter
- Brief overview on TILDA as a unique dataset (rich, longitudinal, multi-domai...)
- Scope: frailty, mental health, chronic disease, multimorbidity, nutrition, and ML models

2.2 Chronic Disease and Ageing

- The burden of chronic conditions in older adults
- Healthy ageing framework World Health Organization (WHO)
- Importance of multimorbidity, frailty, mental health

2.2.1 Frailty and Physical Function

- Gait speed, grip strength, functional mobility decline
- Predictors of frailty transitions (McCarthy et al. (2023a), Huang et al. (2019), O’Connell et al. (2015))

2. LITERATURE REVIEW

2.2.2 Mental Health in Older Adults

- Depression, anxiety, loneliness, social connectedness (Santini et al. (2017), Sym (2011), Briggs et al. (2021))
- Links between physical activity and depression (McDowell et al. (2018), Laird et al. (2023a), Laird et al. (2023b))

2.2.3 Nutrition and Biological Ageing

- Vitamin D, lutein, zeaxanthin, Macular pigment optical density (MPOD) (Murphy et al. (2023), McCarthy et al. (2022), lairdVitaminDeficiencyIreland2020, feeneyLowMacularPigment2013)
- Malnutrition and its predictors (Bardon et al. (2020))
- Biological vs chronological ageing (McCarthy et al. (2023b), Azizi et al. (2024))

2.3 Machine Learning in Ageing and Chronic Disease

- Overview: Why ML is valuable in ageing research Zhang et al. (2025)
- Transition from regression-based models → ensemble ML → deep learning(cite a example here)

2.3.1 Feature Sets in ML Studies

- Clinical, sociodemographic, lifestyle, cognition, psychosocial
- Over-reliance on physical health predictors vs underuse of nutrition/social variables

2.3.2 ML Models Used

- Logistic regression, Markov models, Linear Discriminant Analysis (LDA) (traditional)
- Ensembles RF, GBM, Deep Neural Network (DNN) – e.g., (Xu et al. (2023)) diabetes prediction
- Unsupervised clustering for dementia (Bayen, Eleonore et al. (2018))
- Brain age prediction models (Boyle et al. (2021), A. Shirsath et al. (2024))

2.3.3 Performance and Validation

- AUC, R^2 ranges across tasks (diabetes, gait speed, mortality, depression)
- Limitations: internal validation only, cross-sectional data, no generalisation

2.3.4 Explainability in ML for Ageing

- SHAP, TreeExplainer examples (Xu et al. (2023), Davis et al. (2021b), Davis et al. (2021a))
- Challenges of black-box models in clinical practice

2.4 Gaps in the Literature

- Limited population diversity (mostly Irish, 50+)
- Over-reliance on physical predictors; neglect of nutrition, social, religious/spiritual, environmental variables
- Dominance of regression models; limited advanced ML such as neural networks, transformers
- Validation gaps – very few external validations, especially for ensemble and brain-age models

2. LITERATURE REVIEW

- Underexplored outcomes: pain, sleep, QoL
- Cross-sectional bias; weak time-series modelling
- Poor transparency on missing data handling
- Limited integration of nutrition biomarkers
- Lack of biological age prediction vs chronological
- Interpretability challenges in ML

2.5 Chapter Summary

- I need to recap the main findings from LR systematic mapping excel file
- Identify your contribution niche:
 - integrating nutrition + lifestyle + clinical predictors
 - ML + explainability
 - time-based prediction (longitudinal TILDA data)
- Lead into Methodology (Chapter 3)

Chapter 3

Data and Preprocessing

3.1 Insert a Figure

We refer to a figure in the text like this: (Figure 3.1).



Figure 3.1: Title of Figure - Description. [Source: (?)]

3. DATA AND PREPROCESSING

3.2 Creating a list

- (2000) item 1.
- (2004) item 2.
- (2010) item 3.
- (2013) item 4.

3.2.1 Creating a Table

Table 3.1: Table Title

	Resolution	Min	Max
Gyroscope	4.5mV / °/s	0.27 °/s	406 °/s
Accelerometer	600mV /g	0.002g	2g
Magnetometer	385mV/ gauss	0.317 gauss	6 gauss

3.3 Quote

An in-text quote is declared in the following way:

Recycling is the way forward! Recycling is the way forward! Recycling
is the way forward! Recycling is the way forward! Recycling is the
way forward! Recycling is the way forward! Recycling is the way
forward! Recycling is the way forward! Recycling is the way forward!
Recycling is the way forward! Recycling is the way forward! Recycling
is the way forward! Recycling is the way forward! Recycling is the
way forward! Recycling is the way forward! Recycling is the way
forward! Recycling is the way forward! Recycling is the way forward!
Recycling is the way forward! (CommonSense, p. 0)

Another way of doing it is:

*There are in our existence spots of time,
That with distinct pre-eminence retain
A renovating virtue, whence-depressed
By false opinion and contentious thought,
Or aught of heavier or more deadly weight,
In trivial occupations, and the round
Of ordinary intercourse-our minds
Are nourished and invisibly repaired;
A virtue, by which pleasure is enhanced,
That penetrates, enables us to mount,
When high, more high, and lifts us up when fallen.*

(?, verses 208-218)

3. DATA AND PREPROCESSING

Chapter 4

Methodology

4.1 Math

In-text Math

- A vector vector $\hat{A}_{ba}\{x_{ba}, y_{ba}, z_{ba}\}$
- Another vector $R^b\{\hat{t}_{1b}, \hat{t}_{2b}, \hat{t}_{3b}\}$ as:

A series of Equations:

$$\hat{t}_{1b} = \hat{A}_{ba} \tag{4.1}$$

$$\hat{t}_{2b} = \frac{\hat{A}_{ba} \times \hat{M}_{bm}}{|\hat{A}_{ba} \times \hat{M}_{bm}|} \tag{4.2}$$

$$\hat{t}_{3b} = \hat{t}_{1b} \times \hat{t}_{2b} \tag{4.3}$$

$$R^a = R^b(R^i)^T = [\hat{t}_{1b}, \hat{t}_{2b}, \hat{t}_{3b}][\hat{t}_{1i}, \hat{t}_{2i}, \hat{t}_{3i}]^T \tag{4.4}$$

where the symbol T denotes transposition.

$$\hat{t}_{2b} = \frac{\hat{A}_{ba} \times \hat{M}_{bm}}{|\hat{A}_{ba} \times \hat{M}_{bm}|} \tag{4.5}$$

4. METHODOLOGY

$$\begin{aligned}
&= \frac{(y_{ba}z_{bm} - y_{bm}z_{ba}, z_{ba}x_{bm} - z_{bm}x_{ba}, x_{ba}y_{bm} - x_{bm}y_{ba})}{|A_{ba}| |M_{bm}| \sqrt{1 - (\hat{A}_{ba} \cdot \hat{M}_{bm})^2}} \\
&= \frac{-0.2338, -0.0931, -0.0651}{0.2601} \\
&= (-0.8989, -0.3579, -0.2503)
\end{aligned}$$

which if normalised gives:

$$= (-0.8995, -0.3581, -0.2504)$$

A matrix

$$R^b = [\hat{t}_{1b}, \hat{t}_{2b}, \hat{t}_{3b}] = \begin{pmatrix} -0.2698 & -0.8995 & 0.3439 \\ 0.0035 & -0.3581 & -0.9337 \\ 0.9629 & -0.2504 & 0.0997 \end{pmatrix}$$

Chapter 5

Results

5.1 References

Open the file ‘references_myphd’ with BibTex. The file is located in ‘/7_references/’

The file contains a series of templates for the proper formatting of references according to the Harvard referencing style. Click on each reference in the text below to see how Latex has formatted the reference on the References section.

- **Book:** (?, p. 10) (page number required only if referring to an in-text quote)
- **Book Chapter:** (?)
- **Book Contribution:** (?)
- **MUSIC CD/DVD:** (?)
- **Journal Article:** (?)
- **Patent:** (?)
- **PhD/Master Dissertation:** (?)
- **Conference Paper:** (?)
- **Technical Report:** (?)

5. RESULTS

- **Unpublished Report:** (?)
- **Web Videos(?)** (. . . not the name of the person who uploaded the video though)
- **Web Paper:** (?)
- **Web Journal Article:** (?)
- **Webpage:** (?)
- **Downloaded Images or Sounds:** (?)

You can also use this kind of referencing if needed in the text:
Surname (?) said that . . .

Chapter 6

Conclusions and Future Directions

6.1 Summary

6.2 Conclusions

6.3 Contributions

6.4 Future Work

6. CONCLUSIONS AND FUTURE DIRECTIONS

Appendix A

Insert a figure

Appendix

Appendix B

Title

Type here you text as usual . . .

Appendix

Appendix C

Code for estimating attitude

AHRS_TRIAD.C

```
/*
 *
 * Copyright (c) 2013, Giuseppe Torre
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are met:
 *     * Redistributions of source code must retain the above copyright
 *       notice, this list of conditions and the following disclaimer.
 *     * Redistributions in binary form must reproduce the above copyright
 *       notice, this list of conditions and the following disclaimer in the
 *       documentation and/or other materials provided with the distribution.
 *     * Neither the name of the BREAKFAST LLC nor the
 *       names of its contributors may be used to endorse or promote products
 *       derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
 * WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL BREAKFAST LLC BE LIABLE FOR ANY
 * DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
 * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

#include "ext.h"
#include "ext.mess.h"
#include <string.h>
#include <stdio.h>
#include <math.h>
#define EPSILON 1e-6

//*****CALIBRATION STUFF*****//
/* INTRODUCE THE OFFSET VALUES IN THE FOLLOWING VARIABLES IN ADC values */
#define ACCELX.OFFSET 2043 //initial offset in accelerometer X
#define ACCELY.OFFSET 2053 // initial offset in accelerometer Y
#define ACCELZ.OFFSET 2264//initial offset in accelerometer Z

#define MagX.OFFSET 1917 //initial offset in Magnetometer X
```

Appendix

```
#define MagY_OFFSET 1813 // initial offset in Magnetometer Y
#define MagZ_OFFSET 1667 // initial offset in Magnetometer Z
/* WE SHOULD CALIBRATE THE FOLLOWING VALUES FOR EACH PARTICULAR IMU axis */
#define ACCELX_Resolution 536
#define ACCELY_Resolution 661
#define ACCELZ_Resolution 559
#define MagX_Resolution 186
#define MagY_Resolution 189
#define MagZ_Resolution 170
// ***** END CALIBRATION STUFF *****//

void *this_class; // Required. Global pointing to this class

typedef struct _triad // Data structure for this object
{
    t_object m_ob; // Must always be the first field; used by Max

    Atom m_args[9]; // we want our inlet to be receiving a list of 10 elements

    long m_value; //inlet

    void *m_R1; //these are all the outlets for the 3 X 3 Matrix
    void *m_R2; // R1 -> first top left cell ..R2 middle cell of the first
    row ...and so on
    void *m_R3; //
    void *m_R4; // End Outlets
} t_triad;

void *triad_new(long value);

void triad_assist(t_triad *triad, void *b, long msg, long arg, char *
s);
void triad_free(t_triad *triad);

void triad_list(t_triad *x, Symbol *s, short argc, t_atom *argv);

void MatrixByMatrix(double *Result, double *MatrixLeft, double *
MatrixRight);

void Matrix2Quat(double *Quat, double *Matrix);
void Quat2Matrix(double *Matrix, double *Quat);
void inverseQuat(double *InvQuat, double *RegQuat);
void NormQuat(double *YesQuat, double *NotQuat);
void Slerp(double *NewQuat, double *OldQuat, double *CurrentQuat);
void NormVect(double *YesVect, double *NotVect);
double orientationMatrix[9];
double Result[9];
int i;
double InorientationMatrix[9];

double temp[6];
double ref[6];
double vectAx[3];
double vectAy[3];
double vectAz[3];
double vectBx[3];
double vectBy[3];
double vectBz[3];
double MagnCrosProd_A;
double MagnCrosProd_B;
double accnorm, magnorm, earthnorm, VectAynorm, VectAznorm,
VectBynorm, VectBznorm;
```

```

        double m[9], n[9];
        double quat_e[4];
        double invquat_e[4];
        double mult;
        double quat_new[4];
        double quat_old[4];
        double ecs, accex_ADCnumber, y, accey_ADCnumber, z, accez_ADCnumber, mx,
            magnx_ADCnumber, my, magny_ADCnumber, mz, magnz_ADCnumber;

// SLERP Variables

        double trace, Suca;
        double tol[4], omega, sinom, cosom, scale0, scale1, tez,
            orientationMatrixA[9];

int main(void)
{
    // set up our class: create a class definition
    setup((t_messlist**) &this_class, (method)triad_new, (method)triad_free, (short)
        sizeof(t_triad), 0L, A_GIMME, 0);
    address((method)triad_list, "list", A_GIMME, 0);
    address((method)triad_assist, "assist", A_CANT, 0);
    finder_addclass("Maths", "triad");
    post(".... I 'm-TRIAD-Object !.... from -AHRS- Library ...", 0);
    return 0;
}

/* ----- triad_new ----- */

void *triad_new(long value)
{
    t_triad *triad;
    triad = (t_triad *)newobject(this_class);           // create the new instance and return
        a pointer to it
    triad->m_R4 = floatout(triad);
    triad->m_R3 = floatout(triad);
    triad->m_R2 = floatout(triad);
    triad->m_R1 = floatout(triad);

    return(triad);
}

etc.

etc.

```

Appendix

References

- Leonardo Bencivenga, Klara Komici, Pierangela Nocella, Fabrizio Vincenzo Grieco, Angela Spezzano, Brunella Puzone, Alessandro Cannavo, Antonio Cittadini, Grazia-maria Corbi, Nicola Ferrara, and Giuseppe Rengo. Atrial fibrillation in the elderly: A risk factor beyond stroke. *Ageing Research Reviews*, 61:101092, 2020. ISSN 1568-1637. doi: 10.1016/j.arr.2020.101092. 1
- Laura A Bardon, Melanie Streicher, Clare A Corish, Michelle Clarke, Lauren C Power, Rose Anne Kenny, Deirdre M O’Connor, Eamon Laird, Eibhlis M O’Connor, Mar-jolein Visser, Dorothee Volkert, Eileen R Gibney, and MaNuEL Consortium. Predictors of Incident Malnutrition in Older Irish Adults from the Irish Longitudinal Study on Ageing Cohort—A MaNuEL study. *J Gerontol A Biol Sci Med Sci*, 75(2): 249–256, January 2020. ISSN 1079-5006. doi: 10.1093/gerona/gly225. 1, 8
- James R. C. Davis, Silvin P. Knight, Orna A. Donoghue, Belinda Hernández, Rossella Rizzo, Rose Anne Kenny, and Roman Romero-Ortuno. Comparison of Gait Speed Reserve, Usual Gait Speed, and Maximum Gait Speed of Adults Aged 50+ in Ireland Using Explainable Machine Learning. *Front Netw Physiol*, 1:754477, 2021a. ISSN 2674-0109. doi: 10.3389/fnetp.2021.754477. 1, 9
- Patrick V. Moore, Kathleen Bennett, and Charles Normand. Counting the time lived, the time left or illness? Age, proximity to death, morbidity and prescribing expenditures. *Social Science & Medicine*, 184:1–14, 2017. ISSN 0277-9536. doi: 10.1016/j.socscimed.2017.04.038. 1
- Ying Huang, Yuhao Su, Ying Jiang, and Meilan Zhu. Sex differences in the associations between blood pressure and anxiety and depression scores in a middle-aged and elderly population: The Irish Longitudinal Study on Ageing (TILDA). *Journal of Affective Disorders*, 274:118–125, September 2020. ISSN 0165-0327. doi: 10.1016/j.jad.2020.05.133. 1

REFERENCES

- Caoileann H. Murphy, Eoin Duggan, James Davis, Aisling M. O'Halloran, Silvin P. Knight, Rose Anne Kenny, Sinead N. McCarthy, and Roman Romero-Ortuno. Plasma lutein and zeaxanthin concentrations associated with musculoskeletal health and incident frailty in The Irish Longitudinal Study on Ageing (TILDA). *Experimental Gerontology*, 171:112013, 2023. ISSN 0531-5565. doi: 10.1016/j.exger.2022.112013. 1, 2, 8
- Eamon Laird, Charlotte Lund Rasmussen, Rose Anne Kenny, and Matthew P. Herring. Physical Activity Dose and Depression in a Cohort of Older Adults in The Irish Longitudinal Study on Ageing. *JAMA Netw Open*, 6(7):e2322489, July 2023a. ISSN 2574-3805. doi: 10.1001/jamanetworkopen.2023.22489. 1, 8
- C. P. McDowell, R. K. Dishman, M. Hallgren, C. MacDonncha, and M. P. Herring. Associations of physical activity and depression: Results from the Irish Longitudinal Study on Ageing. *Experimental Gerontology*, 112:68–75, 2018. ISSN 0531-5565. doi: 10.1016/j.exger.2018.09.004. 1, 8
- Cathal McCrory, Ciaran Finucane, Celia O'Hare, John Frewen, Hugh Nolan, Richard Layte, Patricia M. Kearney, and Rose Anne Kenny. Social Disadvantage and Social Isolation Are Associated With a Higher Resting Heart Rate: Evidence From The Irish Longitudinal Study on Ageing. *J Gerontol B Psychol Sci Soc Sci*, 71(3):463–473, May 2016. ISSN 1079-5014. doi: 10.1093/geronb/gbu163. 1
- Morgana A. Shirsath, John D. O'Connor, Rory Boyle, Louise Newman, Silvin P. Knight, Belinda Hernandez, Robert Whelan, James F. Meaney, and Rose Anne Kenny. Slower speed of blood pressure recovery after standing is associated with accelerated brain ageing: Evidence from The Irish Longitudinal Study on Ageing (TILDA). *Cerebral Circulation - Cognition and Behavior*, 6:100212, January 2024. ISSN 2666-2450. doi: 10.1016/j.cccb.2024.100212. 2, 9
- Kevin McCarthy, Eamon Laird, Aisling M. O'Halloran, Cathal Walsh, Martin Healy, Annette L. Fitzpatrick, James B. Walsh, Belinda Hernández, Padraic Fallon, Anne M. Molloy, and Rose Anne Kenny. Association between vitamin D deficiency and the risk of prevalent type 2 diabetes and incident prediabetes: A prospective cohort study using data from The Irish Longitudinal Study on Ageing (TILDA). *EClinicalMedicine*, 53:101654, November 2022. ISSN 2589-5370. doi: 10.1016/j.eclinm.2022.101654. 2, 8

REFERENCES

- Eamon Laird, Matthew P. Herring, Brian P. Carson, Catherine B. Woods, Cathal Walsh, Rose Anne Kenny, and Charlotte Lund Rasmussen. Physical activity for depression among the chronically ill: Results from older diabetics in the Irish longitudinal study on ageing. *Psychiatry Research*, 326:115274, August 2023b. ISSN 0165-1781. doi: 10.1016/j.psychres.2023.115274. 2, 8
- Sebastian Moguilner, Silvin P. Knight, James R. C. Davis, Aisling M. O’Halloran, Rose Anne Kenny, and Roman Romero-Ortuno. The Importance of Age in the Prediction of Mortality by a Frailty Index: A Machine Learning Approach in the Irish Longitudinal Study on Ageing. *Geriatrics (Basel)*, 6(3):84, August 2021. ISSN 2308-3417. doi: 10.3390/geriatrics6030084. 2
- Orna A Donoghue, Belinda Hernandez, Matthew D L O’Connell, and Rose Anne Kenny. Using Conditional Inference Forests to Examine Predictive Ability for Future Falls and Syncope in Older Adults: Results from The Irish Longitudinal Study on Ageing. *J Gerontol A Biol Sci Med Sci*, 78(4):673–682, April 2023. ISSN 1758-535X. doi: 10.1093/gerona/glac156. 2
- Kevin McCarthy, Eamon Laird, Aisling M. O’Halloran, Padraic Fallon, Román Romero Ortuño, and Rose Anne Kenny. Association between metabolic syndrome and risk of both prevalent and incident frailty in older adults: Findings from The Irish Longitudinal Study on Ageing (TILDA). *Experimental Gerontology*, 172:112056, 2023a. ISSN 0531-5565. doi: 10.1016/j.exger.2022.112056. 7
- Chuanying Huang, Shuqin Sun, Xiaocao Tian, Tong Wang, Tianyu Wang, Haiping Duan, and Yili Wu. Age modify the associations of obesity, physical activity, vision and grip strength with functional mobility in Irish aged 50 and older. *Archives of Gerontology and Geriatrics*, 84:103895, 2019. ISSN 0167-4943. doi: 10.1016/j.archger.2019.05.020. 7
- Matthew D. L. O’Connell, George M. Savva, Chie Wei Fan, and Rose Anne Kenny. Orthostatic hypotension, orthostatic intolerance and frailty: The Irish Longitudinal Study on Aging-TILDA. *Archives of Gerontology and Geriatrics*, 60(3):507–513, 2015. ISSN 0167-4943. doi: 10.1016/j.archger.2015.01.008. 7
- Ziggi Ivan Santini, Ai Koyanagi, Stefanos Tyrovolas, Josep Maria Haro, Robert J. Donovan, Line Nielsen, and Vibeke Koushede. The protective properties of Act-Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based

REFERENCES

- study. *Experimental Gerontology*, 91:79–87, 2017. ISSN 0531-5565. doi: 10.1016/j.exger.2017.02.074. 8
- Symposia. *International Psychogeriatrics*, 23:S12–S96, 2011. ISSN 1041-6102. doi: 10.1017/S104161021100127X. 8
- Robert Briggs, Mark Ward, and Rose Anne Kenny. The ‘Wish to Die’ in later life: Prevalence, longitudinal course and mortality. Data from TILDA. *Age and Ageing*, 50(4):1321–1328, July 2021. ISSN 0002-0729. doi: 10.1093/ageing/afab010. 8
- Kevin McCarthy, Aisling M. O’Halloran, Padraic Fallon, Rose Anne Kenny, and Cathal McCrory. Metabolic syndrome accelerates epigenetic ageing in older adults: Findings from The Irish Longitudinal Study on Ageing (TILDA). *Experimental Gerontology*, 183:112314, 2023b. ISSN 0531-5565. doi: 10.1016/j.exger.2023.112314. 8
- Zahra Azizi, Rebecca J. Hirst, Alan O’ Dowd, Cathal McCrory, Rose Anne Kenny, Fiona N. Newell, and Annalisa Setti. Evidence for an association between allostatic load and multisensory integration in middle-aged and older adults. *Archives of Gerontology and Geriatrics*, 116:105155, 2024. ISSN 0167-4943. doi: 10.1016/j.archger.2023.105155. 8
- Zuo Zhang, Lauren Robinson, Robert Whelan, Lee Jollans, Zijian Wang, Frauke Nees, Congying Chu, Marina Bobou, Dongping Du, Ilinca Cristea, Tobias Banaschewski, Gareth J. Barker, Arun L. W. Bokde, Antoine Grigis, Hugh Garavan, Andreas Heinz, Rüdiger Brühl, Jean-Luc Martinot, Marie-Laure Paillère Martinot, Eric Artiges, Dimitri Papadopoulos Orfanos, Luise Poustka, Sarah Hohmann, Sabina Millenet, Juliane H. Fröhner, Michael N. Smolka, Nilakshi Vaidya, Henrik Walter, Jeanne Winterer, M. John Broulidakis, Betteke Maria van Noort, Argyris Stringaris, Jani Penttilä, Yvonne Grimmer, Corinna Insensee, Andreas Becker, Yuning Zhang, Sinead King, Julia Sinclair, Gunter Schumann, Ulrike Schmidt, and Sylvane Desrivières. Machine learning models for diagnosis and risk prediction in eating disorders, depression, and alcohol use disorder. *Journal of Affective Disorders*, 379:889–899, June 2025. ISSN 0165-0327. doi: 10.1016/j.jad.2024.12.053. 8
- Xuezhong Xu, Xue Mingyang, Jie Yang, Hailong Zheng, and Zhifei Che. Tailored machine learning for evaluating the long-term diabetes risk in older individuals: Findings from the Irish Longitudinal Study on Ageing (TILDA). *BMJ Open*, 13(5):e072991, May 2023. ISSN 2044-6055. doi: 10.1136/bmjopen-2023-072991. 9

REFERENCES

- Bayen, Eleonore, Laurent, Cleret de Langavan, and Yaffe, Kristine. Unsupervised Machine Learning to Identify High Likelihood of Dementia in Population-Based Surveys: Development and Validation Study. *Journal of Medical Internet Research*, 20(7), July 2018. ISSN 1438-8871. doi: 10.2196/10493. 9
- Rory Boyle, Lee Jollans, Laura M. Rueda-Delgado, Rossella Rizzo, Görsev G. Yener, Jason P. McMorrow, Silvin P. Knight, Daniel Carey, Ian H. Robertson, Derya D. Emek-Savaş, Yaakov Stern, Rose Anne Kenny, and Robert Whelan. Brain-predicted age difference score is related to specific cognitive functions: A multi-site replication analysis. *Brain Imaging Behav*, 15(1):327–345, February 2021. ISSN 1931-7565. doi: 10.1007/s11682-020-00260-3. 9
- James Davis, Silvin P. Knight, Rossella Rizzo, Orna A. Donoghue, Rose Anne Kenny, and Roman Romero-Ortuno. A linear regression-based machine learning pipeline for the discovery of clinically relevant correlates of gait speed reserve from multiple physiological systems. In *2021 29th European Signal Processing Conference (EUSIPCO)*, pages 1266–1270, August 2021b. doi: 10.23919/EUSIPCO54536.2021.9616187. 9